


**Fusibles cilíndricos industriales**  
de alto poder de corte  
**Cartouches fusibles cylindriques industrielles**  
à haut pouvoir de coupure (HPC)  
**Industrial cylindrical fuse-links**  
with high breaking capacity (HRC)

**GOULD**



Clase  
Classe  
Class



16535

Tamaño  
Taille  
Size

8 x 31

10 x 38

14 x 51

22 x 58

Art. N.º

Indicador • Voyant • Indicator  
Sin • Sans • Without    Con • Avec • With

Tensión  
Tension  
Voltage (V)  
Poder de corte  
Pouvoir de coupure  
Breaking capacity (A)  
Caja/un.  
Condit/un.  
Packing

Tamaño	Art. N.º	Tensión	Poder de corte	Caja/un.	
Taille		Tension	Pouvoir de coupure	Condit/un.	
Size		Voltage (V)	Breaking capacity (A)	Packing	
8 x 31	1 15511	400	20.000	10/100	
	2 15513				
	4 15519				
	6 15523				
	8 15527				
	10 15531				
	0,16 16503				
	0,25 16507				
	0,5 16509				
	1 16511				16711
2 16513	16713				
4 16519	16719				
6 16523	16723				
8 16527	16727				
10 16531	16731				
12 16533	16733				
16 16535	16735				
20 16537	16737				
25 16539	16739				
*32 16543					
10 x 38	0,25 17507	400	120.000	10/100	
	0,50 17509				
	1 17511				17711
	2 17513				17713
	4 17519				17719
	6 17523				17723
	8 17527				17727
	10 17531				17731
	12 17533				17733
	16 17535				17735
20 17537	17737				
25 17539	17739				
32 17543	17743				
40 17547	17747				
45 17549	17749				
50 17551	17751				
14 x 51	1 18511	500	120.000	10/100	
	2 18513				
	4 18519				18719
	6 18523				18723
	8 18527				18727
	10 18531				18731
	12 18533				18733
	16 18535				18735
	20 18537				18737
	25 18539				18739
32 18543	18743				
40 18547	18747				
50 18551	18751				
63 18555	18755				
80 18559	18759				
100 18563	18763				
125 18565	18765				
22 x 58	1 18511	500	120.000	10/100	
	2 18513				
	4 18519				18719
	6 18523				18723
	8 18527				18727
	10 18531				18731
	12 18533				18733
	16 18535				18735
	20 18537				18737
	25 18539				18739
32 18543	18743				
40 18547	18747				
50 18551	18751				
63 18555	18755				
80 18559	18759				
100 18563	18763				
125 18565	18765				

Indicador • Voyant • Indicator




Antes  
Avant  
Before



Después  
Après  
Afterwards

	8x31	10x38	14x51	22x58
A	8,5	10,3	14,3	22,2
B	31,5	38	51	58
C	6,3	10,5	13,8	16,2



(\*) Fusibles sobrecalibrados • Fusibles surcalcrés • Overrating fuses

Características eléctricas • Caractéristiques électriques • Electrical characteristics (pag 96)  
Bases portafusibles • Coupe-circuit sectionnables • Fuse holders (pag 17-27)



# Fusibles cilíndricos industriales

de alto poder de corte

## Cartuchos fusibles cilindricos industriales


à haut pouvoir de coupure (HPC)

### Industrial cylindrical fuse-links

with high breaking capacity (HRC)


Clase  
Classe  
Class

Características t-I  
Caractéristiques t-I  
t-I characteristics




Corriente prevista simétrica (A eff)  
Courant présumé (A eff)  
Prospective current (r.m.s. A)

Características de limitación  
Caractéristiques de limitation  
Cut-off characteristics




Corriente prevista simétrica (kA eff)  
Courant présumé (kA eff)  
Prospective current (r.m.s. kA)

### Características I²t • Caractéristiques I²t • I²t characteristics



Corriente asignada (A)  
Courant assigné (A)  
Rated current (A)



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Specialty Fuses](#) category:*

*Click to view products by [Siba](#) manufacturer:*

Other Similar products are found below :

[63NZ02GL](#) [714125](#) [722134](#) [80NH00GR-6](#) [FWH-200A](#) [FWP-32A14F](#) [FWP-50](#) [HBM-25](#) [12LCT](#) [12TDLSJ63](#) [REN-3](#) [15.5CAVH2E](#) [ECF-2](#)  
[ECF-4](#) [ECF-6](#) [170M0213](#) [170M1314](#) [170M1369-D](#) [170M3809D](#) [BK/F02A-2AS](#) [BK/F02B-1A](#) [N-2-1/2](#) [N-3-2/10](#) [NITD2](#) [20D16](#) [20D16SC](#)  
[20D27FB](#) [KAA-3](#) [KAB-2](#) [KAB-30](#) [KAJ-60](#) [KAW-3](#) [2D16](#) [LKN-125B](#) [16D27SB](#) [170M1564D](#) [170M2616](#) [170M2668](#) [170M4161](#)  
[170M4241](#) [170M4699](#) [ESD63](#) [ABS-25](#) [ABS-30](#) [ABS-8](#) [ACF-15](#) [ACF-30](#) [ACO-30](#) [SSD10](#) [200NH1M](#)