



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

RoHS Compliant ✓

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
E	ECN 6416: ADD WIRE MAP, REVISED BOOT LOGO, PACKAGING NOTE	9/21/12	D.FRISIELLO
F	ECN 6809: ADDED CHANNEL RATED NOTE. UPDATED NOTE AND TABLE FORMAT	4/24/13	D. DESJARDIN




⚠

- NOTES:**
- LENGTHS OVER 10 METERS (32.8 FT) ARE CHANNEL RATED.
 - PLUG CONFORMS TO TIA-1096.
 - CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
 - CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM PACKAGING SPECIFICATION PS-0031.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ±.2 .XX = ±.02 .XXX = ±.005	APPROVALS D. PARHAM CHECKED BY J. KIEZULAS APPROVED BY J. ROBERTS	DATE 01/04/2007 01/05/2007 01/05/2007	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY			CATEGORY TELECOM/MODULAR PRODUCT DESCRIPTION CA C5E PVC UTP
PROJECTION 	COLOR VARIATIONS MAY OCCUR	SIZE A	FSCM NO. 43321 DWG. NO. TRD815-B	REV. F
SCALE: NONE		CAD FILE: TRD815-B.SLDDRW		SHEET 1 OF 3


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

PART NUMBER	COLOR	LENGTH FEET [METERS]	PART NUMBER	COLOR	LENGTH FEET [METERS]	PART NUMBER	COLOR	LENGTH FEET [METERS]
TRD815BLK-1	BLACK	1.0 [0.31]	TRD815R-1	RED	1.0 [0.31]	TRD815OR-1	ORANGE	1.0 [0.31]
TRD815BLK-2	BLACK	2.0 [0.61]	TRD815R-2	RED	2.0 [0.61]	TRD815OR-2	ORANGE	2.0 [0.61]
TRD815BLK-3	BLACK	3.0 [0.91]	TRD815R-3	RED	3.0 [0.91]	TRD815OR-3	ORANGE	3.0 [0.91]
TRD815BLK-5	BLACK	5.0 [1.52]	TRD815R-5	RED	5.0 [1.52]	TRD815OR-5	ORANGE	5.0 [1.52]
TRD815BLK-7	BLACK	7.0 [2.13]	TRD815R-7	RED	7.0 [2.13]	TRD815OR-7	ORANGE	7.0 [2.13]
TRD815BLK-10	BLACK	10.0 [3.05]	TRD815R-10	RED	10.0 [3.05]	TRD815OR-10	ORANGE	10.0 [3.05]
TRD815BLK-14	BLACK	14.0 [4.27]	TRD815R-14	RED	14.0 [4.27]	TRD815OR-14	ORANGE	14.0 [4.27]
TRD815BLK-20	BLACK	20.0 [6.10]	TRD815R-20	RED	20.0 [6.10]	TRD815OR-20	ORANGE	20.0 [6.10]
TRD815BLK-25	BLACK	25.0 [7.62]	TRD815R-25	RED	25.0 [7.62]	TRD815OR-25	ORANGE	25.0 [7.62]
TRD815BLK-30	BLACK	30.0 [9.14]	TRD815R-30	RED	30.0 [9.14]	TRD815OR-30	ORANGE	30.0 [9.14]
TRD815BLK-40	BLACK	40.0 [12.19]	TRD815R-40	RED	40.0 [12.19]	TRD815OR-40	ORANGE	40.0 [12.19]
TRD815BLK-50	BLACK	50.0 [15.24]	TRD815R-50	RED	50.0 [15.24]	TRD815OR-50	ORANGE	50.0 [15.24]
TRD815BLK-60	BLACK	60.0 [18.29]	TRD815R-60	RED	60.0 [18.29]	TRD815OR-60	ORANGE	60.0 [18.29]
TRD815BLK-75	BLACK	75.0 [22.86]	TRD815R-75	RED	75.0 [22.86]	TRD815OR-75	ORANGE	75.0 [22.86]
TRD815BLK-80	BLACK	80.0 [24.38]	TRD815R-80	RED	80.0 [24.38]	TRD815OR-80	ORANGE	80.0 [24.38]
TRD815BLK-90	BLACK	90.0 [27.43]	TRD815R-90	RED	90.0 [27.43]	TRD815OR-90	ORANGE	90.0 [27.43]
TRD815BLK-100	BLACK	100.0 [30.48]	TRD815R-100	RED	100.0 [30.48]	TRD815OR-100	ORANGE	100.0 [30.48]
TRD815GR-1	GREEN	1.0 [0.31]	TRD815Y-1	YELLOW	1.0 [0.31]	TRD815GRY-1	GRAY	1.0 [0.31]
TRD815GR-2	GREEN	2.0 [0.61]	TRD815Y-2	YELLOW	2.0 [0.61]	TRD815GRY-2	GRAY	2.0 [0.61]
TRD815GR-3	GREEN	3.0 [0.91]	TRD815Y-3	YELLOW	3.0 [0.91]	TRD815GRY-3	GRAY	3.0 [0.91]
TRD815GR-5	GREEN	5.0 [1.52]	TRD815Y-5	YELLOW	5.0 [1.52]	TRD815GRY-5	GRAY	5.0 [1.52]
TRD815GR-7	GREEN	7.0 [2.13]	TRD815Y-7	YELLOW	7.0 [2.13]	TRD815GRY-7	GRAY	7.0 [2.13]
TRD815GR-10	GREEN	10.0 [3.05]	TRD815Y-10	YELLOW	10.0 [3.05]	TRD815GRY-10	GRAY	10.0 [3.05]
TRD815GR-14	GREEN	14.0 [4.27]	TRD815Y-14	YELLOW	14.0 [4.27]	TRD815GRY-14	GRAY	14.0 [4.27]
TRD815GR-20	GREEN	20.0 [6.10]	TRD815Y-20	YELLOW	20.0 [6.10]	TRD815GRY-20	GRAY	20.0 [6.10]
TRD815GR-25	GREEN	25.0 [7.62]	TRD815Y-25	YELLOW	25.0 [7.62]	TRD815GRY-25	GRAY	25.0 [7.62]
TRD815GR-30	GREEN	30.0 [9.14]	TRD815Y-30	YELLOW	30.0 [9.14]	TRD815GRY-30	GRAY	30.0 [9.14]
TRD815GR-40	GREEN	40.0 [12.19]	TRD815Y-40	YELLOW	40.0 [12.19]	TRD815GRY-40	GRAY	40.0 [12.19]
TRD815GR-50	GREEN	50.0 [15.24]	TRD815Y-50	YELLOW	50.0 [15.24]	TRD815GRY-50	GRAY	50.0 [15.24]
TRD815GR-60	GREEN	60.0 [18.29]	TRD815Y-60	YELLOW	60.0 [18.29]	TRD815GRY-60	GRAY	60.0 [18.29]
TRD815GR-75	GREEN	75.0 [22.86]	TRD815Y-75	YELLOW	75.0 [22.86]	TRD815GRY-75	GRAY	75.0 [22.86]
TRD815GR-80	GREEN	80.0 [24.38]	TRD815Y-80	YELLOW	80.0 [24.38]	TRD815GRY-80	GRAY	80.0 [24.38]
TRD815GR-90	GREEN	90.0 [27.43]	TRD815Y-90	YELLOW	90.0 [27.43]	TRD815GRY-90	GRAY	90.0 [27.43]
TRD815GR-100	GREEN	100.0 [30.48]	TRD815Y-100	YELLOW	100.0 [30.48]	TRD815GRY-100	GRAY	100.0 [30.48]

		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
CATEGORY TELECOM/MODULAR			
PRODUCT DESCRIPTION CA C5E PVC UTP			
SIZE A	FSCM NO. 43321	DWG. NO. TRD815-B	REV. F
SCALE: NONE CAD FILE: TRD815-B.SLDDRW			SHEET 2 OF 3

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

PART NUMBER	COLOR	LENGTH FEET [METERS]	PART NUMBER	COLOR	LENGTH FEET [METERS]	PART NUMBER	COLOR	LENGTH FEET [METERS]
TRD815BL-1	BLUE	1.0 [0.31]	TRD815V-1	VIOLET	1.0 [0.31]	TRD815WHT-1	WHITE	1.0 [0.31]
TRD815BL-2	BLUE	2.0 [0.61]	TRD815V-2	VIOLET	2.0 [0.61]	TRD815WHT-2	WHITE	2.0 [0.61]
TRD815BL-3	BLUE	3.0 [0.91]	TRD815V-3	VIOLET	3.0 [0.91]	TRD815WHT-3	WHITE	3.0 [0.91]
TRD815BL-5	BLUE	5.0 [1.52]	TRD815V-5	VIOLET	5.0 [1.52]	TRD815WHT-5	WHITE	5.0 [1.52]
TRD815BL-7	BLUE	7.0 [2.13]	TRD815V-7	VIOLET	7.0 [2.13]	TRD815WHT-7	WHITE	7.0 [2.13]
TRD815BL-10	BLUE	10.0 [3.05]	TRD815V-10	VIOLET	10.0 [3.05]	TRD815WHT-10	WHITE	10.0 [3.05]
TRD815BL-14	BLUE	14.0 [4.27]	TRD815V-14	VIOLET	14.0 [4.27]	TRD815WHT-14	WHITE	14.0 [4.27]
TRD815BL-20	BLUE	20.0 [6.10]	TRD815V-20	VIOLET	20.0 [6.10]	TRD815WHT-20	WHITE	20.0 [6.10]
TRD815BL-25	BLUE	25.0 [7.62]	TRD815V-25	VIOLET	25.0 [7.62]	TRD815WHT-25	WHITE	25.0 [7.62]
TRD815BL-30	BLUE	30.0 [9.14]	TRD815V-30	VIOLET	30.0 [9.14]	TRD815WHT-30	WHITE	30.0 [9.14]
TRD815BL-40	BLUE	40.0 [12.19]	TRD815V-40	VIOLET	40.0 [12.19]	TRD815WHT-40	WHITE	40.0 [12.19]
TRD815BL-50	BLUE	50.0 [15.24]	TRD815V-50	VIOLET	50.0 [15.24]	TRD815WHT-50	WHITE	50.0 [15.24]
TRD815BL-60	BLUE	60.0 [18.29]	TRD815V-60	VIOLET	60.0 [18.29]	TRD815WHT-60	WHITE	60.0 [18.29]
TRD815BL-75	BLUE	75.0 [22.86]	TRD815V-75	VIOLET	75.0 [22.86]	TRD815WHT-75	WHITE	75.0 [22.86]
TRD815BL-80	BLUE	80.0 [24.38]	TRD815V-80	VIOLET	80.0 [24.38]	TRD815WHT-80	WHITE	80.0 [24.38]
TRD815BL-90	BLUE	90.0 [27.43]	TRD815V-90	VIOLET	90.0 [27.43]	TRD815WHT-90	WHITE	90.0 [27.43]
TRD815BL-100	BLUE	100.0 [30.48]	TRD815V-100	VIOLET	100.0 [30.48]	TRD815WHT-100	WHITE	100.0 [30.48]

		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
CATEGORY TELECOM/MODULAR			
PRODUCT DESCRIPTION CA C5E PVC UTP			
SIZE A	FSCM NO. 43321	DWG. NO. TRD815-B	REV. F
SCALE: NONE		CAD FILE: TRD815-B.SLDDRW	SHEET 3 OF 3

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [l-com](#) manufacturer:

Other Similar products are found below :

[FOA-550A](#) [UMC-201](#) [CSMN50MF-5](#) [CSMNB15MF-15](#) [TRD815RA2BL-5](#) [CA3A-90DA-1M](#) [CTLF3VGAMM-20](#) [HDCAMM-3](#)
[U3A00014-03M](#) [CSMT15MF-10](#) [CSMT15MM-15](#) [CSMT15MM-25](#) [CSPL15MF-50](#) [CSPL25MF-25](#) [CSPL9MF-10](#) [CSPL9MF-5](#)
[CSPL25MF-5](#) [CSPL25MF-2.5](#) [AL-IPEPS](#) [NB201611-10F-1](#) [TDG1026KC5-MNL](#) [NB121005-10F](#) [TRD855SRA6DBL-10M](#)
[TRD855SRA7DBL-1M](#) [TRD855SRA7DBL-10M](#) [U2A00017-05M](#) [PR175SCDLCQ24](#) [TRG508-T4T-3M](#) [TRA5261-15F](#) [TRA5261S-1F](#)
[TRA6261-1F](#) [USBBFT](#) [DGB25M](#) [HG2403RD-RSF](#) [CASATAL-18](#) [CSM25MM-10](#) [CSM37MF-10](#) [CSUSB-100](#) [CA3A-90RA-1M](#) [CA3A-](#)
[90RMICB-1M](#) [U2A00003-3M](#) [U3A00003-05M](#) [U2A00008-12I](#) [U3A00007-075M](#) [U3A00007-1M](#) [HGV-903U](#) [CSMT15MF-5](#)
[CSMT15MM-50](#) [CSPL15MF-25](#) [LPXT-WP-PMT](#)