
Pan head self tapping screws - PoziDriv® - Pointed



DIN 7981 C Z BS 4174 AB

Materials and Finishes

Case hardened steel/Zinc & clear de-embrittled Stainless steel/Self colour

Dimensions								
d	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3
d	No.2	No.4	No.6	-	No.8	No.10	No.12	No.14
D max	4.2	5.6	6.9	7.5	8.2	9.5	10.8	12.5
H max	1.8	2.2	2.6	2.8	3.05	3.55	3.95	4.55
Recess No.	1	1	2	2	2	2	3	3

Head Dimensions									
		Thread (d)							
		2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3
Length (L)	4.8		ST						
	6.4	ST A2	ST A2	ST A2		ST			
	7.9	A2	ST A2	ST A2		ST			
	9.5	ST A2	ST A2	ST A2		ST	ST		
	12.7	ST A2	ST A2	ST A2		ST A2	ST	ST	ST
	15.9	ST	ST A2	ST A2		ST A2	ST A2	ST	ST
	19		ST	ST A2		ST A2	ST A2	ST	ST
	22.2		ST	ST					
	25.4		ST A2	ST A2		ST A2	ST A2	ST	ST
	31.8			ST A2		ST A2	ST A2	ST	ST
	38			ST		ST A2	ST A2	ST	ST
	44.5					ST A2	ST A2	ST	ST
	50.8					ST A2	ST A2	ST	ST
	57					ST	ST		
	63					ST	ST	ST	ST

70			ST	ST		
75				ST	ST	ST

ST - Steel, Zinc & clear de-embrittled, A2 - Stainless steel

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for tr fastenings manufacturer:

Other Similar products are found below:

3.030PRST30TC1D 5.020PRST30TC1D N80.750 PRA2ABS100- M840 KHHTMCS50- M830 SOHTCSZ50- M660 SOHTCSS100- M620 SOHTCSS100- M612 KHHTMCZ50- M610 HHA2SCS100- M620 KHA2MCS50- M540 PSSTMCZ100- M516 PSSTMCZ100- M525 SOHTCSZ100- M520 PSSTMCZ100- M510 KHHTMCZ50- M4- FABRWAN100- M440 SOA2CSS50- M430 SOHTCSZ100- M3- DNST-Z100- M26 HSHTPCS25- M1025 SOHTCSZ50- TRRLCBSR-7-01 M46PTSTMCZ100- M412PSSTMCB100- M640 HH88BL Z100 M4 25 M4A2MC S50 BUT T20 M6 16 M4A2MC S50 BUT T30 H0.250 25 M4STPB SF T25 H0.250 M7STPB SF HEX 4.0 W/M8/REDE/OE/ST/KG W/M6/REDE/OE/ST/PG W/M5/FLG/CE/ST/KG N61.250 PRA2ABS100- M8 8 HSHTKC SF - N81.250 PRA2ABS100- TRFAKIT0009 M830 SOHTCSS100- M820 SOHTCSS100- M6- N5A4-S50- M680 SOHTCSS100- M610 HHHTSCZ100- M6- DNST-Z100- M620 PRSTMCB100- M550 PSSTMCZ100- M516 PRA2MCS100- M512 BHHTMCS100- M530 SOHTCSZ100- M520 HHHTSCZ100- M4- DNST-Z100- M425 PSSTMCZ100-