

Eveready Battery Company, Inc.


533 Maryville University Drive St. Louis, MO 63141 Telephone 1-800-383-7323 Internet: www.energizer.com

Engineering Data

Alkaline 9V No Added Mercury or Cadmium

Chemical System: Zinc-Manganese Dioxide (Zn/MnO₂)

Designation: ANSI-1604A, IEC-6LR61 Battery Voltage: 9 Volts Average Weight: 45.6 grams (1.60 oz.) Volume: 21.1 cubic centimeters (1.3 cubic inch) Average Service capacity (to 0.8 Volts / cell): 595 mAh (Rated Capacity at 25mA continuous drain) Cell: Six No. 3-0316 in series Jacket: Metal Shelf Life: 5 years




50 Æ Ð 15.50 95 12.45 26.50 24.50 4<u>4.83</u> 4<u>8.50</u> 44.07 46.50

Millimeters	Inches
12.45	0.490
12.95	0.510
15.50	0.610
17.50	0.689
24.50	0.965
26.50	1.043
44.07	1.735
44.83	1.765
46.50	1.831
48.50	1,909

ENERGIZER NO. 522

Dimensions (mm)




4.8

5.4

6.0

Typical Service

100



Discharge Resistance, Ohms

1000.00

100.00


10.00


1.00

0.10

10

Service, Hours





Typical Applications

Important Notice

This data sheet contains information specific to batteries manufactured at time of its publication. Please contact your Energizer representative for most current information. Contents herein do not constitute a warranty.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for energizer manufacturer:

Other Similar products are found below :

 1215F2X3
 E11A B2
 LR43 186
 AC13
 AC675
 3LR12
 603298
 625302
 625304
 638006
 639830
 S9025
 7638900426687
 7638900414660

 E92 MAX
 E91 MAX
 HARD CASE RECHARGEABLE
 HARD CASE PRO MULTI USE
 HCHD311
 S9029
 639826
 603386
 HARD CASE

 PROFF 4AA
 HARDCASE PRO HEADLIGHT
 639618
 RCLINM2WR
 S8865
 S8707
 S8100
 7638900424478
 7638900313130
 626177

 E300116200
 639838
 HARDCASE PRO WORK LIGHT
 603305
 E300280600
 METAL LED 6AA
 S8864
 HDD32E
 MS2AALED

 ENERGIZER® 2-IN-1 LANTERN HANDHELD
 E300124200
 E300171700
 ENFFL81E
 E300112600
 633474
 HDA32E
 7638900421422

 HARD CASE PRO PIVOT
 EXEMPTION
 ENERGIZERÂ
 EXEMPTION
 EXEMPTION
 ENERGIZERÂ
 EXEMPTION