

CAT6 component level keystone socket



8p8c LSA+/110 dual IDC CAT6 component level keystone (SKmcbk/wh)

This high performance Category 6 8p8c keystone coupler is designed for easy snap in and out of wall plates, patch panels and surface box outlets. It supports T568A and T568B wiring for maximum flexibility using the colour-coded wiring label and can be terminated using both standard Krone style or 110 termination tools.


Features


- High performance data throughput, meets Category 6 data transfer rates at component level
- Supplied with dust cover (to protect unused jacks from contaminants) and cable retention piece
- Colour-coded wiring label for easy termination
- UTP socket to FCC68 standard
- Black and white versions available to match panel or faceplate colour
- Standard format keystone fits a wide range of panels, adaptors and faceplates
- Available as part of our innovative new panel mount coupler (SKmcbkpm), designed for easy mounting on panels of virtually any thickness



Specifications

- Weight: approx. 6g
- Colour: available in black and white
- Dimensions: approx. 34x22x14mm
- Materials: 50 μ "/1.27 μ m gold plating on contact
- Housing: ABS UL94V-0





- 2.Electrical Specification**
- a. Insulation Resistance: $\geq 500\text{ M}\Omega$
 - b. Dielectric Withstand Volt: 1000V
 - c. Contact Resistance $\leq 20\text{ M}\Omega$
 - d. Current Rating: 1.5A at 68°F

50 times plug in
 (oz) FCC Plug
 1b (133n/13.3Kg)
 n Force: 4.5Kg minimum
 e: 0.5Kg minimum
 150°F (-40 to 66°C)
 er contact area

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:

Click to view products by [Tuk](#) manufacturer:

Other Similar products are found below :

[RJE231881317T](#) [MP1010RX-1000](#) [MP44RX-1000](#) [GAX-3-66](#) [GAX-8-62](#) [93606-0253](#) [GD-A-44](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-A-88](#) [GDLX-N-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-N-44M](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT2-N-1010](#) [GMX-SMT2-N-64-50](#) [GMX-SMT2-S6-88](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GRT1-BT1-5](#) [GSGX-N-2-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-30](#) [GSX-NS-88-3.05-50](#) [GSX-NS-88-3.68](#) [1-1775629-2](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [1300500326](#) [1300500227](#) [1300530003](#) [1300570002](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1400000](#) [1413176](#) [1413235](#)