Multipole connector sets with 4 components screw connection 500 V / 16 A



Heavy duty connector kits, complete, consisting of:

male and female inserts, plugged together, loosely assembled into hoods and housings, and locked.







Screw connection

Screw connection

Fau taahuisal	information see the indi	مامندان			70.300.xx40.0	70.310.xx.40.0
Size 24	24-pole + ground	25	99.727.0000.6	1		
Size 16	16-pole + ground	25	99.726.0000.6	1	•	•
Size 10	10-pole + ground	20	99.725.0000.6	1	•	•
Size 6	6-pole + ground	20	99.724.0000.6	1	•	•
Size 24	24-pole + ground	32	99.721.0000.6	1		
Size 16	16-pole + ground	32	99.720.0000.6	1	•	•
Size 10	10-pole + ground	25	99.719.0000.6	1	•	•
Size 6	6-pole + ground	25	99.718.0000.6	1	•	•
Size 24	24-pole + ground	32	99.709.0000.6	1		
Size 16	16-pole + ground	32	99.708.0000.6	1	•	•
Size 10	10-pole + ground	25	99.707.0000.6	1	•	•
Size 6	6-pole + ground	25	99.706.0000.6	1	•	•
Size 24	24-pole + ground	25	99.703.0000.6	1	•	•
Size 16	16-pole + ground	25	99.702.0000.6	1	•	•
Size 10	10-pole + ground	20	99.701.0000.6	1	•	•
Size 6	6-pole + ground	20	99.700.0000.6	1	•	•
Housing	Number of poles	М	Part No.	P.U.	Female insert	Male insert

Part of the set belonging to the order no.

xx = 06 for 6-pole 10 for 10-pole 16 for 16-pole 24 for 24-pole



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for wieland manufacturer:

Other Similar products are found below:

57.504.0053.7 57.904.4955.0 57.904.7455.0 57.910.6153 01.001.6553.0 01.112.1453 02.125.1600.0 CWD012-5 CWD012-L CWD02-A CWD02-D CWD02-H CWD02-K CWD02-M CWD02-Q CWD02-R CWD02-U CWD02-W CWD02-Y CWD03-+ CWD03-P 70.105.1653.3 70.331.1628.0 70.340.1028.0 70.343.2428.0 70.353.4835.1 70.355.2435.1 70.364.4828.0 70.372.1035.0 70.372.4835.1 70.372.4835.3 70.400.3240.0 70.500.4853.0 70.810.1053.0 70.955.2453.3 71.321.1028.0 71.350.1028.0 72.250.1628.2 72.250.2428.2 72.250.2435.2 72.301.1653.9 72.325.1628.0 72.353.1635.0 73.352.6428 73.353.4028.1 73.363.6428.0 77.340.1635.0 78.111.0453.0 78.903.0153.0 78.914.0253.0