




# Inductive Sensors



Housing Style	Part Number	ID Number	Features	Sensing Range (mm)	Output	
<b>18 mm - Nonembeddable, eurofast® Connection</b> 	Ni 8-M18-AD4X-H1141	T4414700		8	2-Wire DC	
	Ni 8-M18-AD4X-H1144	T4411288		8		
	Ni 14-M18-AD4X-H1141	T4417241	<b>Ext. Range</b>	14		
	Ni 14-M18-AD4X-H1144	T4417290	<b>Ext. Range</b>	14		
	Ni 8-M18-AN6X-H1141	T4614800			8	3-Wire DC NPN
	Ni 10-M18-AN6X-H1141	T4614892		10		
	Ni 12U-EM18-AN6X-H1141	M1645350	<b>Uprox</b>	12		
	Ni 12U-EM18-AN6X2-H1141	M1645355	<b>Uprox</b>	12		
	Ni 12U-M18-AN6X-H1141	M1645150	<b>Uprox</b>	12		
	Ni 14-M18-AN6X-H1141	T4611410	<b>Ext. Range</b>	14		
	Ni 15U-EM18-AN6X-H1141	M1635336	<b>Uprox+</b> <b>Stainless steel</b>	15		
	Ni 15U-M18-AN6X-H1141	M1635335	<b>Uprox+</b>	15		
	Ni 8-M18-AP6X-H1141	T4614700			8	3-Wire DC PNP
	Ni 10-M18-AP6X-H1141	T4641291		10		
	Ni 12U-EM18-AP6X-H1141	M1645340	<b>Uprox</b>	12		
	Ni 12U-EM18-AP6X2-H1141	M1645345	<b>Uprox</b>	12		
	Ni 12U-M18-AP6X-H1141	M1645140	<b>Uprox</b>	12		
	Ni 12U-M18-AP6X2-H1141	M1645145	<b>Uprox</b>	12		
	Ni 14-M18-AP6X-H1141	T4611400	<b>Ext. Range</b>	14		
	Ni 15U-EM18-AP6X-H1141	M1635332	<b>Uprox+</b> <b>Stainless steel</b>	15		
	Ni 15U-M18-AP6X-H1141	M1635331	<b>Uprox+</b>	15		
	Ni 8-M18-VN4X-H1141	T1571900	<b>Comp. Outputs</b>		8	4-Wire DC NPN
	Ni 14-M18-VN4X-H1141	T4590603	<b>Ext. Range</b>	14		
	Ni 8-M18-VP4X-H1141	T1561900	<b>Comp. Outputs</b>		8	4-Wire DC PNP
	Ni 14-M18-VP4X-H1141	T4590602	<b>Ext. Range</b>	14		
	Ni 10-M18-Y1X-H1141	M4015300			10	2-Wire NAMUR
	<b>18 mm - Nonembeddable, eurofast Connection, Teflon Coated</b> 	Ni 12U-MT18-AN6X-H1141	M1645250	<b>Uprox</b>	12	3-Wire DC NPN
		Ni 15U-MT18-AN6X-H1141	M1635337	<b>Uprox+</b> <b>Teflon</b>	15	
		Ni 15U-MT18-AN6X-H1141/S1589	M16353370	<b>Uprox+</b> <b>Teflon, weldguard</b>	15	
		Ni 12U-MT18-AP6X-H1141	M1645240	<b>Uprox</b>	12	3-Wire DC PNP
		Ni 12U-MT18-AP6X2-H1141	M1645245	<b>Uprox</b>	12	
		Ni 12U-MT18H-AP6X-H1141/S1589	M1645292	<b>weldguard Uprox</b>	12	
Ni 12U-MT18H-AP6X2-H1141/S1589		M1645293	<b>weldguard Uprox</b>	12		
Ni 15U-MT18-AP6X-H1141		M1635333	<b>Uprox+</b> <b>Teflon</b>	15		
Ni 15U-MT18-AP6X-H1141/S1589		M1635333-1	<b>Uprox+</b> <b>Teflon, weldguard</b>	15		

For detailed sensor specifications see Section M.  
Normally Closed versions available upon request, consult factory.



Voltage	Switching Freq. (Hz)	Operating Current (mA)	Operating Temp. (°C)	Protection	Housing	Face	Power LED	Output LED	Mating Cordset	Wiring Diagram #	Wiring Diagrams
10-65 VDC	500	≤100	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.2T-*	1	<b>Diagram 1</b> 
	500	≤100	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.23T-*	2	
	500	≤100	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.2T-*	1	
	500	≤100	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.23T-*	2	
10-30 VDC	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	3	<b>Diagram 2</b> 
	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	3	
	2000	≤200	-30 to +85	IP 68	SS	PA 12	N/A	YE	RKV 4T-*	3	
	2000	≤200	-30 to +85	IP 68	SS	PA 12	GN	YE	RKV 4T-*	3	
	2000	≤200	-30 to +85	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	3	
	500	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	3	
	1000	≤200	-30 to +85	IP 68	SS	LCP	N/A	YE	RK 4T-*	3	
10-30 VDC	1000	≤200	-30 to +85	IP 68	CPB	LCP	N/A	YE	RK 4T-*	3	<b>Diagram 3</b> 
	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	4	
	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	4	
	2000	≤200	-30 to +85	IP 68	SS	PA 12	N/A	YE	RKV 4T-*	4	
	2000	≤200	-30 to +85	IP 68	SS	PA 12	GN	YE	RKV 4T-*	4	
	2000	≤200	-30 to +85	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	4	
	2000	≤200	-30 to +85	IP 67	CPB	PA 12	GN	YE	RK 4T-*	4	
	500	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4T-*	4	
10-65 VDC	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.4T-*	5	<b>Diagram 4</b> 
	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.4T-*	5	
10-65 VDC	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.4T-*	6	<b>Diagram 5</b> 
	1000	≤200	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.4T-*	6	
5-30 VDC	500	Remote	-25 to +70	IP 67	CPB	PA 12	N/A	YE	RK 4.21T-*	7	<b>Diagram 6</b> 
10-30 VDC	2000	≤200	-30 to +85	IP 67	TC	TC	N/A	YE	RK 4T-*	3	
	1000	≤200	-30 to +85	IP 68	TC	LCP	N/A	YE	RK 4T-*	3	
	1000	≤200	-30 to +85	IP 68	TC	WG	N/A	YE	RKC 4T-*/S1587	3	
10-30 VDC	2000	≤200	-30 to +85	IP 67	TC	TC	N/A	YE	RK 4T-*	4	<b>Diagram 7</b> 
	2000	≤200	-30 to +85	IP 67	TC	TC	GN	YE	RK 4T-*	4	
	2000	≤200	-30 to +85	IP 67	TC	WG	N/A	YE	RKC 4T-*/S1587	4	
	2000	≤200	-30 to +85	IP 67	TC	WG	GN	YE	RKC 4T-*/S1587	4	
	1000	≤200	-30 to +85	IP 68	TC	LCP	N/A	YE	RK 4T-*	4	
	1000	≤200	-30 to +85	IP 68	TC	LCP	N/A	YE	RK 4T-*	4	

Barrels

For material descriptions see page M36.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Proximity Sensors](#) category:*

*Click to view products by [Turck](#) manufacturer:*

Other Similar products are found below :

[01.001.5653.1](#) [70.340.1028.0](#) [70.360.2428.0](#) [70.364.4828.0](#) [70.810.1053.0](#) [72.360.1628.0](#) [73.363.6428.0](#) [9221350022](#) [980659-1](#) [QT-12](#)  
[E2EX10D1NN](#) [E2E-X14MD1-G](#) [E2E-X2D1-G](#) [E2EX2ME2N](#) [E2E-X3D1-N](#) [10M](#) [E2E-X4MD1-G](#) [E2FMX1R5D12M](#) [E2K-F10MC1](#) [5M](#)  
[EI1204TBOSL-6](#) [EI5515NPAP](#) [BSA-08-25-08](#) [IC08ANC15PO-K](#) [IMM2582C](#) [25.161.3253.0](#) [25.332.0653.1](#) [25.352.0653.0](#) [25.352.0753.0](#)  
[25.523.3253.0](#) [9151710023](#) [922FS1.5C-A4P-Z774](#) [SC606ABV0S30](#) [SM952A126100LE](#) [A1220EUA-T](#) [F3S-A162-U](#) [CL18](#) [QT-08L](#)  
[34.110.0010.0](#) [TL-C2MF1-M3-E4](#) [IA08BLF15NOM5](#) [IA08BSF15NOM5](#) [IA12ASF04DOM1](#) [IMM32188C](#) [IS2](#) [IS31SE5000-UTLS2-TR](#)  
[34.110.0021.0](#) [34.110.0022.0](#) [CA150-120VACDC](#) [VM18VA3000Q](#) [XS508BSCBL2](#) [XS512BLNAM12](#)