Saw blades for table saw FET

Super cut

 \emptyset 85 x 0.5 x 10mm. 80 teeth. Use on hard and soft woods, plastics.

NO 28 731



Tungsten carbide tipped

Ø 80 x 1.5 x 10mm. 36 teeth. Use to cut balsa, plywood, hard and soft woods, POLYCARBONATE, plastic, aluminium and PC cards.

NO 28 732



Tungsten carbide tipped

Ø 80 x 1.6 x 10mm. 24 teeth. Use on aluminium, hard wood, laminates, plastics.

NO 28 734



Diamond coated

Ø 85 x 0.7 x 10mm. Use on stone and tiles.



See also:

Table saw FKS/E
Bench circular saw KS 230

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for proxxon manufacturer:

Other Similar products are found below:

PM 40 MICROMOT 110/P 24152 28020 PR23100 PR23296 PR23084 PR28731 23286 PRN23604 PRN23000 KT 70 24154 28910 28940 PRN23040 PRN23090 PRN28706 27100 PRN28510 23820 TBM 220 MC 10 28752 28858 28982 28017 28600 28874 28856 PR23350 PRN28515 PRN28472 28750 23821 PRN20392 28720 28852 28854 MC 2 PR23822 28842 28941 PR28610 PR23821 PRN23080 PR28602 28582 28148 28759