



Polypropylene case realized with the injection molding technique, unique in Europe which has been studied specifically for the transport of tools, with an unbeatable quality/price ratio. It has a modern design, with compact dimensions, high capacity and light weight. The aluminium profile grants a further strenght to this product. General features:

- practical chromed handle
- 2 side closing
- central lock with key (only PEL and PTS mod.)



- Vacuum formed bottom tray (only for Boxer PEL and Boxer PTS)



- Central lock with key (only for Boxer PEL and Boxer PTS)



- Tool pallets with adjustable loop elastic band. (for more details see page 44)


BOXER PEL

- Document area
- 2 tool pallets with elastics
- Vacuum formed bottom tray
- 2 small component boxes
- metal lid support stay

INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
BOXER PEL	430	340	156	78	78	3,0
BOXER PTS	430	340	156	78	78	3,0
EURO BOXER	430	340	156	78	78	3,0





- Traditional tool pallets with pouches made in hard-wearing synthetic leather. (for more details see page 44)

BOXER PTS

- document wallet
- 2 tool pallets with pouches
- vacuum formed bottom tray
- 2 small component boxes
- metal lid support stay



EURO BOXER

- tool pallet with pouches on both sides
- document wallet
- elastics in the lid and in the bottom to fix component boxes and tools of different sizes.

EURO BOXER MASTERPACK

The Euro Boxer case is sold in master-packs of 8 pieces.

The packaging has both functions of container and display. It is personalized with GT Line logo and it is ready to be set in the shop.

Closed dimensions: 45x80x70 cm.
Open dimensions: 45x142x70 cm.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [gt line manufacturer](#):

Other Similar products are found below :

[NEW M. WHEELS PTS](#) [WL 04](#) [TOP08 L](#) [3005.B](#) [5822.B](#) [1908.B](#) [TOP10N](#) [TOP SMART N](#) [TOP 04](#) [4419.B](#) [EXPL TSA.DIGILOCK](#)
[TOP BELT N](#) [WL 01](#) [WL 02](#)