

## **ROLINE 11.02.8321 - Lightning to USB cable for iPhone, iPod, iPad 1 m**



## Description

- Lightning is a proprietary computer bus and power connector created by Apple Inc. to replace its previous proprietary 30-pin dock connector, intended to connect mobile devices like iPhones to host computers.
- Using 8 pins instead of 30, Lightning is significantly more compact than the 30-pin dock connector and can be inserted with either side facing up
- For the connection of devices like the iPhone 5, iPod Touch (5th generation), the iPod Nano (7th generation), the iPad (4th generation), and the iPad Mini
- It is NOT compatible with cables and peripherals designed for its predecessor, unless used with an adapter
- High quality USB cable with one Type A (male) and one Lightning connector
- Improved shielding
- Meets standard USB 2.0 (transfer rate up to 480 Mbit/s)
- Colour: white

## **Technical Data**

Left Connector Type	USB 2.0 Type A
Right Connector Type	Lightning Connector
Right Connector Gender	Male
Left Connector Gender	Male
Area of application	External
Colour (Cable)	white
Cable shielding	Screened
Length	1.0 m
Max. bandwidth	480 MBit/s
Product group	Cable
Product type	Lightning cable
Conveyance good	No
side 1 connector	Type A Male
side 2 connector	Micro USB B M

We reserve the right to amend typing errors/mistakes to price lists and technical data at any time. Pictures can be different from the original.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for USB Cables / IEEE 1394 Cables category:

Click to view products by Roline manufacturer:

Other Similar products are found below :

68768-0173 FNY-W6003-01 88764-0800 13805532 148700-1 17-200621 17-250051P 954 AC102012-2 IP-USB1(C10)S-RW CABLE/RTP/USB/DT 0847290003 10115240-12200LF RS232-GTD USBFTVX2SA2N03A USBFTV2SA2N03A 1689404-1 FTP-629Y401 FTP-628Y402 943301-001 FNY-W6022 FNY-W6003-03 1310-1015-05 1310-1018-04 1310-1019-04 0887283402 UA-30AMFM-SL7B02 UA-30AMFM-SL7B01 UA-30AFM-LD7B03 UA-30AMFM-SL7B03 USBAPSCC7202A UES-1001A160 UES-1003A160 USBFTVX7SA2N20A USBFTVX2SA2N20A USBFTV2PEMSA2N10A FTP-629Y602 USBCAMCM100 USB A/F\*2 to 2.54 2\*5P-SH L=400mm EP-CBUSB10P2FLT 1310-1033-01 1310-1037-04 ASR-USB 68784-0075 17-241361 17-230471 217B-BC02 USB-29 19800-010500-200-RS USB+MINI DIN 6P WITH BKT