


PRODUCT NUMBER
73325-XXXLF

PLATING OPTION
1 = GXT 0.76 µm
3 = GOLD 0.76 µm
5 = GOLD 1.27 µm




PACKAGE OPTION
1 = TAPE ON REEL
2 = TUBE
3 = TAPE ON REEL
IN PLASTIC BAG

TERMINAL LOADING
1 = FULLY LOADED
2 = POS 1,2,7,8
3 = POS 3,4,5,6

WHEN NEEDED, SUFFIX LETTER "LF" INDICATES THE PRODUCT IS ROHS COMPATIBLE, SEE NOTE 4.



REFERENCE PLAN
DEFINED BY THE
2 HOLD DOWN
BEARING SURFACE



VIEW ACCORDING "V"

SEE NOTE 3

NOTES:
1 - MATERIAL: HOUSING: HIGH TEMP. PCT, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
CONTACT AREA: SEE TABLE.
2 - PLATING: SOLDER TAIL : 90/10 SnPb 2µm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2µm MIN MATTE TIN OVER 1.27 MIN NI IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXCEPT SOLDER TAIL TIPS
3 - SOLDER TAILS COPLANARITY : 0.1 mm
4 - ROHS COMPATIBLE PRODUCT SPECIFICATIONS

a - PLATING:
"LF" MEANS THE PRODUCT IS LEAD-FREE,
2µm MINIMUM MATTE TIN OVER 1.27µm
MINIMUM NICKEL UNDERPLATE.

b - MANUFACTURING PROCESS COMPATIBILITY
- THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONNECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.

c - LABELING:
- MEETS PACKAGING SPECS AS PER GS-14-920
d - LEGAL STATEMENT: SEE GS-47-0004

5 - PACKAGING FOR OPTION 3: EACH REEL IS WRAPPED INTO A PLASTIC BAG
TO PROTECT FROM MOISTURE DURING STACKING TIME.

mat'l. code		ISO 1302	surface tolerance	ISO 406 ISO 1101	projection	product family	MOD JACK
litr	ecn no	dr	date	tolerances unless otherwise specified			
H	F06-0240	DLE	06.07.18	mm	mm	SMT RA JACK	
J	F09-0070	LSA	09.07.23	angles	linear	8 POS INSIDE	
K	B-15798	JFA	13.09.09	±Z	scale 2:1	SMT RA JACK	
L	F-21888	AMA	15.09.09	sheet no			
F	F04-0363	DLE	04.10.18	sheet 1 of 3 size			
F	F04-0363	DLE	04.10.18	73325			
G	F05-0247	DLE	05.09.12	CUSTOMER Drawing			
sheet revision		L	E	B	type		
index		1	2	3	CUSTOMER Drawing		

CUSTOMER COPY FOR REFERENCE ONLY





FCIconnect.com

Copyright FCI

form: A3

PRODUCT NUMBER
SEE SHEET 1



1 - IN ACCORDANCE WITH EIA-481 AND IEC 296-3


CUSTOMER COPY FOR REFERENCE ONLY

LTR	PART NAME	QTY
1	PRODUCT	230
2	TAPE	1
3	REEL	1
4	COVER TAPE	1

mat'l. code	surface	tolerance	projection	product family	title	dwg no	type
ISO 1302	ISO 1302	ISO 406 ISO 1001	ISO 1001	MOD-JACK	SMT RA JACK	73325	CUSTOMER Drawing
ISO 1302	ISO 1302	ISO 406 ISO 1001	ISO 1001	MOD-JACK	SMT RA JACK	73325	CUSTOMER Drawing
ISO 1302	ISO 1302	ISO 406 ISO 1001	ISO 1001	MOD-JACK	SMT RA JACK	73325	CUSTOMER Drawing

mat'l. code		surface	ISO 1302	ISO 406 ISO 1001	projection	product family	MOD JACK
ltf	ecn no	dr	date	tolerances unless otherwise specified	±0.13	mm	mm
A	F04-0363	DLE	04.10.18				
B	F06-0240	DLE	06.07.18				
		angles	linear	±Z	scale 2:1		
dr	D	LEGRAND	04.10.18		8 POS INSIDE		
engr	P	NIZZI	04.10.18		SMT RA JACK		
chr	D	LEGRAND	04.10.18		title		
appr	P	NZ	04.10.18		SMT RA JACK		
sheet	revision	type					
		CUSTOMER Drawing					
index	sheet	dwg no					
		73325					
		sheet 3 of - size					
		A4					

CUSTOMER COPY FOR REFERENCE ONLY



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:

Click to view products by [Amphenol](#) manufacturer:

Other Similar products are found below :

[RJE231881317T](#) [MP1010RX-1000](#) [MP44RX-1000](#) [GAX-3-66](#) [GAX-8-62](#) [93606-0253](#) [GD-A-44](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-A-88](#) [GDLX-N-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-N-44M](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT2-N-1010](#) [GMX-SMT2-N-64-50](#) [GMX-SMT2-S6-88](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GRT1-BT1-5](#) [GSGX-N-2-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-30](#) [GSX-NS-88-3.05-50](#) [GSX-NS-88-3.68](#) [1-1775629-2](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [1300500326](#) [1300500227](#) [1300530003](#) [1300570002](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1400000](#) [1413176](#) [1413235](#)