

## This document was generated on 08/16/2018 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	lumber: 0739426000		$\sim$	
Status:ActiveOverview:HDM Backplane Co			and and a second	
			A A A A A A A A A A A A A A A A A A A	
Description:	HDM Board-to-Board Backplane Header, Vertical, Solder Tail, Open End, 72 Circuits		Contraction and	
Documents:			The second	
3D Model		Packaging Specification PK-70873-0818 (PDF)		
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		
Agency Certification	n		Series image - Reference only	
CSA		LR19980	Contoe image interenties only	
UL		E29179		
General			<u>EU ELV</u>	
Product Family		Backplane Connectors	Not Relevant	
Series		73942	EU RoHS China RoHS	
Application		Backplane	Compliant	
Comments		Solder Tail		
		PCB Header	REACH SVHC	
Component Type			Not Contained Per -	
Overview		HDM Backplane Connector System	ED/61/2018 (27 June	
Product Name		HDM	2018)	
UPC		800754887274	Halogen-Free	
Physical			<u>Status</u>	
Physical		70	Low-Halogen	
Circuits (Loaded)		72	Need more information on product	
Circuits (maximum)		72	environmental compliance?	
Color - Resin		Black, Natural		
Durability (mating cycles max)		250	Email productcompliance@molex.com	
First Mate / Last Break		No	Please visit the Contact Us section for any	
Flammability		94V-0	non-product compliance questions.	
Guide to Mating Part		No		
Keying to Mating Part		None	China ROHS Green Image	
Material - Metal		Phosphor Bronze	ELV Not Relevant	
Material - Plating Mating		Gold	RoHS Phthalates Not Contained	
Material - Plating Termination		Tin		
Material - Resin		High Temperature Thermoplastic		
Net Weight		3.155/g	Search Parts in this Series	
Number of Columns		12	73942 Series	
Number of Pairs		Open Pin Field	<u>1 3342</u> 001103	
Number of Rows		6		
Orientation		Vertical	Mates With	
PC Tail Length		3.50mm	73632 HDM+ Board-to-Board Daughtercar	
PCB Locator		No	Receptacle. <u>73780</u> HDM Board-to-Board	
PCB Retention		None	Daughtercard Receptacle	
PCB Thickness - Recommended		2.50mm	1	
Packaging Type Pitch - Mating Interface		Tube		
		2.00mm		
Pitch - Mating Interface Pitch - Termination Interface				
	lienace	2.00mm		
Plating min - Mating	- 4'	0.762µm		
Plating min - Termina	ation	2.540µm		
Stackable		Yes		
Surface Mount Comp		Yes		
Temperature Range		-55° to +105°C		
Termination Interface	e: Style	Through Hole		

## Electrical

Current - Maximum per Contact

Data Rate Voltage - Maximum 1.0 Gbps 250V AC

**Material Info** 

**Reference - Drawing Numbers** Packaging Specification Sales Drawing

PK-70873-0818 SD-73942-001

This document was generated on 08/16/2018 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 88911-201LF 9514M0C20D 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0740618502 0760151403 0760551105 0760551608 0761451128 0761651124 0761655108 0761659807 0769853208 0736440217 0758324203