

OXFORD ELECTRICAL PRODUCTS LTD

transformer manufacturers, wound components, power supplies, low voltage lighting, switch mode power supplies,

Friday, 24 March 2006 low profile line isolation transformers 0800 316 6060 HOME HOME Type OEP 1200 1:1 600 Ohm Company Profile Provides isolation between modems or similar devices and telephone lines. This transformer is designed for use in voice or data transmission circuits where the line d.c. is diverted from the Products windings by a choke or solid state device. The use of this transformer should enable the equipment it is used with to comply with the relevant requirements of BS6305. Catalogue Resin encapsulated in flame retardant cases. The unit is PCB Mounting Distributors Insertion loss 1.5dB max @ 2kHz. **Return loss** -20dB @ 200Hz-4kHz. **Isolation longitudinal** 3.54kV RMS or 5kV dc. Saturation 10V RMS 65V peak. Contacts Balance Better than 80dB 200Hz-4kHz. Signal/noise ratio > 33dB dc resistance 68 () ±10% (NB. not to be tested with a dc current) Quality TEST CIRCUIT 0 ᆊ 6.8µF an We Help? 27nF 33nl 600Ω Approved to EN60950 and EN41003 DIMENSIONS H = 12.5 W = 18 D = 18 **BABT Certificate of Recognition CR/0126** Your Opinion . 7.6 18.0mm 12.7 12.5mm

Type Z1260 1:1 600 Ohm



Provides isolation between modems or similar devices and telephone lines. This transformer is designed for use in voice or data transmission circuits where the line d.c. is diverted from the windings by a choke or solid state device. The use of this transformer should enable the equiptment it is used with to cpmly with the relevent requirments of BS6305.

This is a lower profile version of the OEP 1200 transformer.

Resin encapsulated in flame retardant cases. The unit is PCB Mounting

Insertion loss	1.5dB max @ 2kHz.
Return loss	-20dB @ 200Hz-4kHz.
Isolation longitudinal	3.5kV RMS or 5kV dc.
Saturation	< 10V RMS 65V peak.
Balance	Better than 80dB 200Hz-4kHz.
Signal/noise ratio	> 33dB
dc resistance	68 $\Omega \pm$ 10% (NB. not to be tested with a dc current)
DIMENSIONS Height 11mm Width 15mm Length 19mm	P Approved to EN60950 and 10.0 BABT Certificate of



OXFORD ELECTRICAL PRODUCTS LTD

transformer manufacturers, wound components, power supplies, low voltage lighting, switch mode power supplies,



Friday, 24 March 2006

Walters OEP Transformers

Recognition CR/0126

Telecoms, LAN, Lighting, Medical, Audio Security, Controls, EPOS, Instrumentation

> Walters OEP Power Supplies DC - DC Converters Custom Made Switch Mode Linear

file:///Cl/Documents%20and%20Settings/BennettR/Desktop/MISSING/OEP%20Home%20Page.htm (2 of 3)24/03/2006 09:50:37

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for oep manufacturer:

Other Similar products are found below :

<u>016608F PT4 PT8 E187B PT42E TF048 Z1604 P1200</u>