

PATLITE[®]
New Frontiers in Safety, Security and Comfort.

MULTI COLOR LED
7
COLORS



Actual Size



Multi color LED
Signal Light


NE

www.patlite.com

Application Examples


Conveyor Line

- Emergency Stop
- Error
- Operating
- Material Jammed
- Inspection
- Supervisor Call
- Ready to Start



AGV

- Error
- Obstacle Detected
- Forward
- Reverse
- Turn
- Idle
- Dead Battery



Compact Equipment

- Emergency Stop
- Error
- Operating
- Out of Material
- Idle
- Supervisor Call
- Ready to Start



Diverse Color Possibilities



Compact Size



A compact design to fit with any piece of equipment.

Opaque Lens



The white colored lens displays various colors much clearer and uniformly diffuses the light source.

Environmental Resistant Characteristics



High Protection for an IP rating of 66 and 67, it can be used in environments with higher humidities and dust exposure.

Specifications & Outer Dimensions (Unit : mm)

	Color Chart <table border="1"> <thead> <tr> <th>Wiring</th> <th>LED Color</th> </tr> </thead> <tbody> <tr> <td>● RED</td> <td>■ RED</td> </tr> <tr> <td>● GREEN</td> <td>■ GREEN</td> </tr> <tr> <td>● BLUE</td> <td>■ BLUE</td> </tr> <tr> <td>● RED/GREEN</td> <td>■ YELLOW</td> </tr> <tr> <td>● BLUE/GREEN</td> <td>■ LIGHT BLUE</td> </tr> <tr> <td>● RED/BLUE</td> <td>■ PURPLE</td> </tr> <tr> <td>● RED/GREEN/BLUE</td> <td>■ WHITE</td> </tr> </tbody> </table>	Wiring	LED Color	● RED	■ RED	● GREEN	■ GREEN	● BLUE	■ BLUE	● RED/GREEN	■ YELLOW	● BLUE/GREEN	■ LIGHT BLUE	● RED/BLUE	■ PURPLE	● RED/GREEN/BLUE	■ WHITE	Model Name	NE-M1-CL7
		Wiring	LED Color																
● RED	■ RED																		
● GREEN	■ GREEN																		
● BLUE	■ BLUE																		
● RED/GREEN	■ YELLOW																		
● BLUE/GREEN	■ LIGHT BLUE																		
● RED/BLUE	■ PURPLE																		
● RED/GREEN/BLUE	■ WHITE																		
		Rated Voltage	12V DC~24V DC																
		Operating Voltage Range	10.8V DC~26.4V DC																
		Operating Temperature Range	-30 °C to + 50°C (90% RH or less)																
		Protection Rating	IP66/IP67																
		Display Color	7 Colors																

PATLITE Corporation

International Division
Inaba Denki Sangyo Building 2F,4-11-14, Itachibori, Nishi-ku, Osaka, Japan 550-0012 TEL:+81-6-7688-5400 FAX:+81-6-7688-5401

PATLITE (U.S.A.) Corporation
20130 S. Western Ave. Torrance, CA 90501, U.S.A. TEL: +1-310-328-3222 FAX: +1-310-328-2676

PATLITE (SINGAPORE) PTE LTD
No.2 Leng Kee Road, #05-01 Thye Hong Centre, Singapore 159086 TEL: +65-6226-1111 FAX: +65-6324-1411

PATLITE (CHINA) Corporation
Room 512, Jufeng Business Building, No.697-3 Lingshi Road, Shanghai China 200072 TEL: +86-21-6630-8969 FAX: +86-21-6630-8938

PATLITE Europe GmbH
Am Soeldnermoos 8, D-85399 Hallbergmoos, Germany TEL:+49 -811 9981 9770-0 FAX:+49-811 9981 9770-9

PATLITE KOREA CO., LTD.
A-2603, Daesung D-POLIS, 543-1 Gasan-dong, Geumcheon-gu, Seoul, 153-719 TEL:+82-2-523-6636 FAX:+82-2-861-9919

PATLITE TAIWAN CO., LTD.
7F, No. 91, Huayin St, Datong District Taipei, Taiwan R.O.C TEL:+886-2-2555-1611 FAX:+886-2-2555-1621

<http://www.patlite.com> E-mail: overseas@patlite.co.jp

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [patlite](#) manufacturer:

Other Similar products are found below :

[LR4-BU](#) [LR5-02PJNW](#) [LR5-102WJBW-Y](#) [LR5-102WJNW-R](#) [LR6-E-B](#) [LR6-302PJNW-RYG](#) [NH-WST](#) [VSST-LR6-502LJBW-RYGBC](#)
[LR5-02WTNU](#) [VSST-LR6-302LJBW-RYG](#) [VSST-LR6-302LJNW-RYG](#) [MPS-302-RYG](#) [SZ-50L](#) [LR5-102WJNW-G](#) [LR6-02LJNW](#) [LR6-302LJNW-RYG](#) [VSST-LR6-502LJNW-RYGBC](#) [LR4-302LJBW-RYG](#) [LR6-02PJNW](#) [LR7-02WTNU](#) [BDV-15JF-K](#) [BSV-24P-W](#) [SZK-001U](#)
[LR4-02QJNW](#) [LR4-02WJNW](#) [LR5-E-R](#) [CLA3S-24-CD](#) [LU7-E-B](#)