



Platinum - 600°C Platinum Thin-Film Temperature Sensor 5x2mm


Product

The combination of knowledge in the field of sensor technology and perfectly matched materials are key to this precise platinum thin-film temperature sensor. It shows an excellent long-term stability and resistance to thermal shock at temperatures up to a maximum of 600°C.

The chip dimensions of 5 x 2 mm (length x width) are available on the basis value of 100, 500 and 1000 ohms at DIN EN 60751 tolerance class or better.

Advantages

- Wide temperature range
- Resistance to thermal shock
- Excellent long-term stability
- Easy interchangeability



Technical Data

Nominal resistance:	100Ω, 500 Ω, 1000Ω, others on request		
Temperature range:	-200°C to 600°C		
Classes:	1/3 DIN class B ; DIN class A ; DIN class B		
Tolerance classes:	1/3 DIN class B: -50°C to 150°C DIN class A: -90°C to 300°C DIN class B: -200°C to 600°C		
Temperature coefficient:	TCR = 3850ppm/K		
Dependence of Resistivity:	DIN EN 60751		
Wires:	Pt-Ni clad wire, Ø 0.2 mm		
Long-term stability:	max. Drift = 0.03% after 1000h at 600°C		
Response time:	Water (0.4 m/s)	:	T _{0.63} = 0.3s
	Air (1m/s)	:	T _{0.63} = 8.5s
Measuring current:	0.5mA (100 Ω); 0.4mA (500 Ω); 0.3mA (1000 Ω)		
Self heating:	Water [mW/°C]:	80	
	Air [mW/°C]:	7	

Other Chipsizes, Nominal resistances, tolerances, length of wire or materials on request.



INNOVATIVE SENSOR TECHNOLOGY



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Board Mount Temperature Sensors](#) category:

Click to view products by [1st Innovative Sensor](#) manufacturer:

Other Similar products are found below :

[5962-8757102XA](#) [66F115](#) [MCP9808-EMS](#) [MCP98242T-BEMNY](#) [MCP9843T-BEMC](#) [EMC1063-1-ACZL-TR](#) [NCT218FCT2G](#)
[O53GAB175A-160Y](#) [OH10/62,112](#) [3610085020002](#) [389049M9527](#) [TC622EAT](#) [TC6501P095VCTTR](#) [TC6501P105VCTTR](#)
[TC6501P125VCTTR](#) [MCP9802A0T-M/OT](#) [MCP9803T-M/SN](#) [MCP9843-BEST](#) [TC6501P115VCTTR](#) [TC6502P065VCTTR](#)
[ADM1023ARQZ-REEL](#) [ADM1024ARUZ-REEL](#) [ADM1032ARMZ-1RL](#) [AT30TS74-U1FMBB-T](#) [AT30TS74-U1FMAB-T](#) [AT30TS74-](#)
[U1FMCB-T](#) [AT30TS74-U1FMDB-T](#) [ADT7483AARQZ-RL](#) [ADT7481ARMZ-REEL](#) [ADT7463ARQZ-REEL](#) [MCP98243T-BEMNY](#)
[MCP98243T-BE/MC](#) [66L080-0226](#) [MAX31820MCR+T](#) [MAX1452CAEC8H](#) [DS1780E](#) [TMP05BKSZ-REEL7](#) [5962-8757103XA](#) [WTK-14-](#)
[36/N](#) [E52-CA6D-N 4M](#) [MCP98244T-BEMNY](#) [MCP9802A5T-MOT](#) [MAX6581TG9A+T](#) [DS75S-C11+T&R](#) [S-58LM20A-I4T1U](#)
[MAX6501UKP120+T](#) [MCP98243T-BE/ST](#) [AT30TS01-MAA5M-T](#) [NCT375DR2G](#) [DS18S20-SL+T&R](#)