
Raised countersunk head machine screws - Recess H



DIN 966 BS 4183 ISO 7047

Materials/Finishes:

Steel 4.8/Zinc & clear Stainless steel/Self colour Brass/Self colour

Dimensions								
Thread (d)	M2	M2.5	М3	M3.5	M4	M5	M6	M8
H max (BS/DIN)	1.2	1.5	1.65	1.93	2.2	2.5	3	4.5
H max (ISO)	1.2	1.6	1.65	2.35	2.7	2.7	3.3	4.65
recess (BS/DIN)	1	1	1	2	2	2	3	4
recess (ISO)	0	1	1	2	2	2	3	4
D nom (BS)	-	5.5	6.3	7.35	8.4	10	12	16
D nom (DIN)	3.8	4.7	5.6	6.5	7.5	9.2	11	14.5
D nom (ISO)	3.8	4.7	5.5	7.3	8.4	9.3	11.3	15.8

NB: Generally our preferred stock is to DIN - if dimensions are critical to your application you should check with us prior to ordering.

Preferred lengths

All sizes are non-preferred Please enquire for availability

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for tr fastenings manufacturer:

Other Similar products are found below:

3.030PRST30TC1D 5.020PRST30TC1D N80.750 PRA2ABS100- M840 KHHTMCS50- M830 SOHTCSZ50- M660 SOHTCSS100- M620 SOHTCSS100- M612 KHHTMCZ50- M610 HHA2SCS100- M620 KHA2MCS50- M540 PSSTMCZ100- M516 PSSTMCZ100- M525 SOHTCSZ100- M520 PSSTMCZ100- M510 KHHTMCZ50- M4- FABRWAN100- M440 SOA2CSS50- M430 SOHTCSZ100- M3- DNST-Z100- M26 HSHTPCS25- M1025 SOHTCSZ50- TRRLCBSR-7-01 M46PTSTMCZ100- M412PSSTMCB100- M640 HH88BL Z100 M4 25 M4A2MC S50 BUT T20 M6 16 M4A2MC S50 BUT T30 H0.250 25 M4STPB SF T25 H0.250 M7STPB SF HEX 4.0 W/M8/REDE/OE/ST/KG W/M6/REDE/OE/ST/PG W/M5/FLG/CE/ST/KG N61.250 PRA2ABS100- M8 8 HSHTKC SF - N81.250 PRA2ABS100- TRFAKIT0009 M830 SOHTCSS100- M820 SOHTCSS100- M6- N5A4-S50- M680 SOHTCSS100- M610 HHHTSCZ100- M6- DNST-Z100- M620 PRSTMCB100- M550 PSSTMCZ100- M516 PRA2MCS100- M512 BHHTMCS100- M530 SOHTCSZ100- M520 HHHTSCZ100- M4- DNST-Z100- M425 PSSTMCZ100-