

# Mains Flex

## Oval/Round 2 - 3 Core

pro-POWER

### 2 Core



### 3 Core



### Features:

- Flexible mains cable for internal use in the direct connection of equipment to mains power supplies.
- PVC insulated and sheathed flexible mains cords
- Standard core colours : Brown and Blue (2 core)
- Brown, Blue and Green/Yellow (3 Core)
- Outer sheath colour : Black, Grey or White (2 core)
- 3182Y = Black, White, Grey, Orange
- 3183Y = Black, White, Grey, Orange
- Manufactured to BS6500
- Annealed copper conductor

### Mains Cord and Cable PVC:

Specification	2192Y 300/300V		3192Y 300/500V	3182Y 300/500V					
	0.5		0.6		0.7			0.8	
Radial Thickness insulation sheath	0.6		0.8		0.7			0.8	
CSA (mm <sup>2</sup> )	0.5	0.75	1.0	0.5	0.75	1.0	1.25	1.5	
Construction	16/0.2	24/0.2	32/0.2	16/0.2	24/0.2	32/0.2	40/0.2	30/0.25	
Current Rating (A)	3	6	10	3	6	10	13	15	
Nominal Diameter	3.3 × 5.4	3.6 × 5.8	4.6 × 7.2	6.3	6.8	7.2	7.8	8.2	
Weight (Kg/Km)	27	34	51	40	63	73	84	95	

Dimensions : Millimetres (Unless Specified)

# Mains Flex

## Oval/Round 2 - 3 Core

pro-POWER

### Mains Cord and Cable PVC:

Specification	3182Y 300/500V	2183Y 300/300V		3183Y 300/500V					
	Radial Thickness	0.8	0.5		0.6	0.7	0.8	-	
Insulation Sheath	1.0	0.6		0.8	0.9		1.1	-	
CSA (mm <sup>2</sup> )	2.50	0.50	0.75		1.00	1.25	1.50	2.50	4.00
Construction	50/0.25	16/0.2	24/0.2		32/0.2	40/0.2	30/0.25	50/0.25	56/0.3
Current Rating (A)	20	3	6		10	13	15	20	25
Nominal Diameter	10.0	5.6	6.1	6.8	7.2	7.8	8.2	10.0	13.0
Weight (Kg/Km)	154	44	55	74	86	104	120	180	-

### Specifications:

Type	Description
2192Y 300/300V	Two-Core Oval, PVC insulated and sheathed flexible mains cables. Harmonized Code Number HO3VVH2-F2.
3192Y 300/500V	Two-Core Oval, PVC insulated and sheathed flexible mains cables. Harmonized Code Number HO5VVH2-F.
3182Y 300/500V	Two-Core Round. PVC insulated and sheathed flexible mains cables. Harmonized Code Number H05VV-F2.
2183Y 300/300V	Three-Core Oval. PVC insulated and sheathed flexible mains cables. Harmonized Code Number H03VV-F3.
3183Y 300/500V	Three-Core Round. PVC insulated and sheathed flexible mains cables. Harmonized Code Number H05VV-F3.

### Part Number Table

Description	Part Number
Cable, Mains, 3Core, 1mm, 100M	CBBR2028
Cable, 3183Y, Orange 2.5mm	CBBR15159
Cable, Mains, 3Core, 2.5mm, 50M	CBBR1514
Cable, Mains, 3Core, 4mm, 50M	CBBR1515-50M
Cable, Mains, 2Core, 0.5mm, 100M	70053918
Cable, Mains, 2Core, 1mm, 100M	CBBR1510
Cable, Mains, 2Core, 1.25mm, 100M	CBBR1511
Cable, 3182Y, Grey, 1.5mm	CBBR15155

www.element14.com  
 www.farnell.com  
 www.newark.com  
 www.cpc.co.uk

pro-POWER

# Mains Flex

## Oval/Round 2 - 3 Core

pro-POWER

Description	Part Number
Cable, 3182Y, Orange, 2.5mm	CBBR15157
Cable, Flex, 3182Y, White, 0.75mm, Per M	3182Y-0.75MMWHT
Cable, Flex, 3182Y, Black, 0.75mm, Per M	3182Y-0.75MMBLK
Cable, Flex, 3182Y, White, 1mm, Per M	3182Y-1MMWHT
Cable, Flex, 3182Y, Black, 1mm, Per M	3182Y-1MMBLK
Cable, Flex, 3182Y, White, 1.5mm, Per M	3182Y-1.50MMWHT
Cable, Flex, 3182Y, Black, 1.5mm, Per M	3182Y-1.50MMBLK

**Important Notice** : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

[www.element14.com](http://www.element14.com)  
[www.farnell.com](http://www.farnell.com)  
[www.newark.com](http://www.newark.com)  
[www.cpc.co.uk](http://www.cpc.co.uk)

pro-POWER

# X-ON Electronics

Authorized Distributor

*Click to view similar products for [Pro Power manufacturer](#).*

Other Similar products are found below :

[0301CV100W](#) [04JSBLACK](#) [06JSBLACK](#) [08450046010](#) [08450056010](#) [08450066010](#)  
[08450166010](#) [08450236010](#) [08450256010](#) [08JSBLACK](#) [10026B](#) [10026BK](#) [10026G](#)  
[10026R](#) [10026TB](#) [10026TBK](#) [10026TG](#) [10026TR](#) [10026TW](#) [10026W](#) [10030B](#)  
[10030BK](#) [10030G](#) [10030O](#) [10030R](#)