


Heatsink


P 3



Features

- Intended for isolated power modules: the SEMIPACK and SEMITRANS ranges, and also for the SEMIPONT bridge rectifier range
- Available in various lengths
- Mounting channels are provided for the power modules as well as for additional accessories
- A suitable axial fan is available
- A large selection of mounting hardware is available

| Standard lengths ¹⁾ | n | b mm | R _{thha} ²⁾ natural cooling °C/W | R _{thha} ³⁾ forced air cooling °C/W | w kg |
|--------------------------------|---|---------|---------------------------------------------------------------|------------------------------------------------------------------|---------|
| P 3/120 | 1 | 20 | 0,55 (100 W) | 0,167 | 2,1 |
| | 2 | | 0,53 (100 W) | 0,157 | |
| | 3 | | 0,43 (150 W) | 0,147 | |
| P 3/180 | 1 | 20 | 0,47 (70 W) | 0,145 | 3,1 |
| | 2 | | 0,39 (150 W) | 0,132 | |
| | 3 | | 0,36 (180 W) | 0,120 | |
| | 6 | | 0,33 (200 W) | 0,108 | |
| | 1 | 34 | | 0,144 | 3,1 |
| | 2 | | | 0,126 | |
| | 3 | | | 0,118 | |




¹⁾ Non-standard lengths available on request

²⁾ At the given power dissipation per semiconductor component

³⁾ With fan type SKF 3-230-01 (see B14-109)

P3/180 F



Dimensions in mm





Fig. 3 a Total thermal resistance vs. length




Fig. 3 b Total thermal resistance vs. length




Fig. 3 c Total thermal resistance vs. length




Fig. 3 d Total thermal resistance vs. length




Fig. 6 Total thermal resistance vs. length




Fig. 7 Total thermal resistance vs. air flow




Fig. 8 Pressure drop vs. air flow




Fig. 10 a Total transient thermal impedance vs. time




Fig. 10 b Total transient thermal impedance vs. time




Fig. 10 c Total transient thermal impedance vs. time




Fig. 10 d Total transient thermal impedance vs. time

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [semikron manufacturer:](#)

Other Similar products are found below :

[SKD 60/12](#) [SKKT 42B12 E](#) [SKM200GB12T4](#) [SKR 130/14](#) [SKCH 40/16](#) [SKKT 92/18E](#) [SKYPER 32 R](#) [SKKH 27/16E](#) [SKKD 380/16](#) [SKD 110/08](#) [SKD 62/12](#) [SKIIP 36NAB126V1 M20](#) [SKKD 162/20H4](#) [SKKD 380/08](#) [SKKH 72/20E H4](#) [SKKT 250/12E](#) [SKN71/02](#) [SKN 100/12](#) [SKN 100/14](#) [SKR 100/08](#) [SKIIP 24AC12T4V1 M20](#) [SKIIP 28AHB16V1 M20](#) [SKIIP 35NAB126V10 M20](#) [SKKH 570/16E](#) [SKKE 380/16](#) [SKR 130/18](#) [SKKD 26/14](#) [SKKT 570/18E](#) [SKN 130/14](#) [SKPC200-240](#) [SKPC100Z-440](#) [SK 100 WT 12](#) [SK 25 UT 12](#) [SKR70/04](#) [SKD35/16](#) [SKKT 42/08E](#) [SKCH 40/08](#) [SKD 62/18](#) [SKD 82/08](#) [SKIIP 23NAB126V1 M20](#) [SKKQ 1200/14E](#) [SKR 60F12](#) [SKR 100/04](#) [SKR 100/14](#) [SKIIP 37AC12T4V1 M20](#) [SKD 60/16](#) [SKD 62/08](#) [SKDT 60/12](#) [SKKT 106B16 E](#) [SKKD 60F17](#)