


Item no.: 750-402
 Product description: 4-CHANNEL DIGITAL INPUT MODULE DC 24 V 3,0 ms
 POSITIVE SWITCHING 2- TO 3-CONDUCTOR-CONNECTION



Produkt kann von Bild abweichen / product may differ

Packing unit 1 piece

RoHS compliant

Product group	15 (I/O System)
No. of inputs	4
CURRENT CONSUMPTION (INTERNAL)	7.5 mA
Voltage via power jumper contacts (max)	DC 24 V (-25% / + 30%)
Signal voltage (0)	DC -3 V ... +5 V
Signal voltage (1)	DC 15 V ... 30 V
Input filter (ms)	3 ms
Current supply (typ)	4.5 mA
Isolation	500 V system / supply
Internal data width (Bit)	4 Bit
Operating temperature	0 °C ... + 55 °C
Storage temperature	-25 °C ... +85 °C
Relative air humidity	95 %
Vibration resistance	acc. IEC 60068-2-6
Shock resistance	acc. IEC 60068-2-27
Degree of protection	IP 20
EMC marine applications - noise proof	gem. Germanischer Lloyd (2003)
EMC marine applications - noise transmission	gem. Germanischer Lloyd (2003)
Conformity marking	CE

Approvals

Cross section [mm²]

Cross section [AWG]

ATEX

0.08 - 2.5 mm²

28 - 14 AWG



Connection method	CAGE CLAMP® CONNECTION
Weight	48.5 g
Color	light gray
Height	64 mm
Height	2.52 in
Width	12 mm
Width	0.472 in
Depth	100 mm
Depth	3.937 in
Strip length from	8 mm
Strip length to	9 mm
Strip length	0.33 in
Mounting	TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
750-402	ABS	03-HG374860/3-PDA			
750-402	BSH	Bescheinigung Nr. 467			
750-402	DNV	A-12306			
750-402	GL	26 898 - 05 HH			
750-402	IECEX	IECEX PTB 07.0064X			
750-402	LR	02/20026 (E2)			
750-402	NK	TA06190M			
750-402	PRS	TE/1720/880590/08			
750-402	Rina	ELE153207CS001			
750-402	UL	E175199 Sec.1			
750-402	UL	E198726 Sec.1			
750-402	UL DEMKO A/S	08 ATEX 142851 X			

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [wago manufacturer](#):

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1106](#) [2604-1504](#) [2606-1103/020-000](#) [2624-1103](#) [2626-3103/020-000](#) [821-104](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-1205](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#) [750-1505](#) [787-732](#)