

This document was generated on 07/18/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0757057603

Status: Active

Overview: GbX I-Trac™ Backplane Connector System

Description: GbX I-Trac™ Vertical Header Module, 1.85mm by 3.70mm Pitch, Left Guide, Right

Endwall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 4.70mm

**Documents:** 

3D Model Packaging Specification PK-70873-587 (PDF)

<u>Drawing (PDF)</u> <u>RoHS Certificate of Compliance (PDF)</u>

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series 75705

Application Backplane, Midplane, Orthogonal

Component Type PCB Header

Overview <u>GbX I-Trac™ Backplane Connector System</u>

Product Name GbX I-Trac™ UPC 800756720050

**Physical** 

Circuits (Loaded) 132
Circuits (maximum) 132
Color - Resin Black
Durability (mating cycles max) 200
First Mate / Last Break No

First Mate / Last Break
Flammability

Guide to Mating Part

Keying to Mating Part

None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 8.507/g
Number of Columns 6

Number of Pairs 6, Open Pin Field

Number of Rows 11
Orientation Vertical
PC Tail Length 2.10mm
PCB Locator No
PCB Retention Yes
PCB Thickness - Recommended 1.60mm
Packaging Type Tray

Pitch - Mating Interface 1.85mm, 3.70mm
Pitch - Termination Interface 1.00mm, 2.70mm


Plating min - Mating 0.762µm
Plating min - Termination 0.762µm
Polarized to PCB No
Stackable No
Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -55°C to +80°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 

Current - Maximum per Contact 1.0A



## EU ELV

**Not Relevant** 

EU RoHS China RoHS

Compliant
REACH SVHC
Not Contained Per ED/21/2016 (20 June
2016)

Halogen-Free Status Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Green Image ELV Not Relevant

Search Parts in this Series

75705 Series

**Mates With** 

<u>75710</u> GbX I-Trac<sup>™</sup> Right Angle Receptacle Module

Use With

78232 GbX I-Trac™ Vertical Power

Receptacle. <u>75234</u> Backplane Free Standing Guide Pin

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product #

Data Rate 12.0 Gbps

Real Signals (per 25mm) 148
Shield Type N/A
Shielded No

Voltage - Maximum 120V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-70873-587 Sales Drawing SD-75705-002 Press-In Tool for <u>0622018602</u>

Vertical Header 11-Row, 6-Column

Backplane Insertion <u>0621005110</u>

Tool for Signal Contact Insertion

This document was generated on 07/18/2016

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF