



Wiha. Premium Tools
for Professionals.


Wiha SoftFinish® electric. The Safe & Comfortable Insulated VDE Screwdriver.



*Insulation moulded
directly onto blade
offers maximum safety.*



*Ergonomic handle
geometry with
SoftFinish® surface
gives highest
possible comfort.*





Applications on live equipment are subject to very special requirements. The focus is on absolute user safety and Wiha demonstrates this with a wealth of details.

The high quality blade insulation is moulded directly onto the blade and therefore guarantees safety when working on live equipment up to 1500 V DC or 1000 V AC. To maintain this safety, each screwdriver of the SoftFinish® electric series is individually tested in a water bath at 10.000 Volts according to DIN EN 60900.

The roll-off protection and the special handle geometry offer optimum handling and electrical safety, even in critical applications. Furthermore, the exclusive SoftFinish® handle shape allows maximum user comfort.

SoftFinish® electric Advantages:

- Insulation moulded directly onto blade
- Tested to the professional GS Standard
- Safety when working up to 1000 V AC and 1500 V DC
- Each screwdriver is individually tested in a water bath at 10.000 Volts according to DIN EN 60900 (IEC 900)
- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Imprinted screw symbol on handle end for fast identification





Wiha. Premium Tools
for Professionals.

Wiha SoftFinish[®]electric. The Safe & Comfortable Insulated VDE Screwdriver.

VDE Sets for Slotted & Phillips Screws.

VDE Sets for Slotted, Pozidriv & TORX[®] Screws.



320 NK 6 VDE Slotted/Phillips Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

320 NZK 6 SO VDE Slotted/Pozidriv Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Insulation moulded directly onto blade.

Insulation moulded directly onto blade.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Application: For electrical applications up to 1000 V AC.

Application: For electrical applications up to 1000 V AC.

831-335

Order-No.	Series					
00833 8						1
⌀ 320 N	3.0x100	4.0x100	5.5x125	6.5x150		
⊕ 321 N	PH 1	PH 2				

Order-No.	Series					
25477 3						1
⌀ 320 N	2.5x75	3.5x100	4.5x125	5.5x125		
⊕ 324	PZ 1	PZ 2				



320 NK 7 VDE Slotted/Phillips Screwdriver Set with Voltage Tester, 7-pcs.
Insulation up to 1000 V AC, GS-Mark.

325 NK 6 VDE Pozidriv/TORX[®] Screwdriver Set, 6-pcs.
Insulation up to 1000 V AC, GS-Mark.

Order-No.	Series					
00834 5						1
⌀ 320 N	2.5x75	4.0x100	5.5x125	6.5x150		
⊕ 321 N	PH 1	PH 2				
⌀ 255-3	3.0 Voltage Tester					

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, black-finish.

Insulation moulded directly onto blade.

Handle: Ergonomic Wiha SoftFinish[®] handle, multi-component with roll-off protection.

Standards: Manufactured acc. to DIN EN 60900 (IEC 900), each tool individually tested in a water bath at 10 000 Volts.

Application: For electrical applications up to 1000 V AC.

Order-No.	Series					
26126 9						1
⊕ 324	PZ 1	PZ 2				
⊕ 325	T10	T15	T20	T25		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [wiha](#) manufacturer:

Other Similar products are found below :

[56818](#) [00573](#) [01030](#) [75802](#) [21248](#) [26307](#) [27302](#) [27835](#) [28050](#) [28084](#) [28390](#) [28501](#) [28507](#) [26113](#) [26539](#) [26626](#) [26629](#) [26804](#) [28522](#)
[28882](#) [32573](#) [32705](#) [32712](#) [32752](#) [32954](#) [34700](#) [36268](#) [36791](#) [38043](#) [43618](#) [44506](#) [54095](#) [31705](#) [31890](#) [32090](#) [32093](#) [32714](#) [32793](#)
[37225](#) [39104](#) [41106](#) [44503](#) [45811](#) [46796](#) [66991](#) [74586](#) [74732](#) [27235](#) [28551](#) [23490](#)