






T&B Catalog Number: TNF14-4MB-XV 72849414489

Description: Fully Insulated Nylon Male Bullet Discon-

nects for Wire Range 16-14, Blue

Status: Active



WEB_USE	
-T&B Product Line	029
Features	
-	Fully Insulated. Metal Insulation Sleeve. Molded Insulator. Internal Barrel Serrations. Funnel Entry.
General	
-Disconnect Type	Male Bullet
-Insulation Type	Fully Insulated Nylon
-Material	Brass with Copper Sleeve
-Color	Blue
-Wire Range	16-14
Dimension Information	
-B (inches)	394
-D (inches)	177
-F (inches)	413
-L (inches)	1.063
-T (inches)	016
-W (inches)	157
Specifications	
-Temperature Rating	105°C
-Voltage Rating	600V
-Flammability Rating	UL 94 V-2
Tooling	
-Application Tools	WT112M, CM2000C
Packaging	
-T&B Order Multiple	75
-T&B Inner Pack	75
-Package in Units	900
-T&B Sold in UOM	Each
-T&B Weight Per UOM	0.34 lbs. per 100
Certifications	
-RoHS Compliance	Yes
Certifications	





File Nbr: E9809

For further technical assistance, please contact us...

Hours: 7AM - 6PM CDT

Phone: (888) 862-3289

Fax: (901) 252-1321

Monday-Friday

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125



U.S. Electrical On-line Catalog

Email:techsupport@tnb.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for abb manufacturer:

Other Similar products are found below:

TV10-516R 017667013 RF727 2CMA100178R1000 5SDD 92Z0401 ESV14-BS EZS-21-250 F204AC-40/0.03 F362-25/0.03

GJL1211001R0011 GJL1211201R8000 GJL1211501R8000 GJL1213001R0017 GJL1213001R0101 GJL1311001R0101 GJL1311001R8010

GJL1311201R0001 GJL1313001R0011 GJL1313001R0101 GJL1317201R0001 A40-30-10-84 AF09-30-01-11 AF460-30-11-68 1455 B14
250 EF45-30 ERG297 HSC2-20 ISAM201904R1001 ISAM350000R1003 ISAZ721201R1009 ISAZ721201R1014 ISAZ721201R1025

ISDA057197R1 ISFA611101R1002 ISFA611130R1103 ISFA611131R1101 ISFA611143R1101 ISFA611202R1108 ISFA611203R1108

ISFA611215R1001 ISFA611216R1108 ISFA611285R1002 ISFA611702R6006 ISFA616162R1025 ISFA619100R3015

ISVR730020R0200 IPC4111 OS30FACC12 OS60GJ03