

## Datasheet for 76650-0134

### General Information

<b>Part Number:</b>	76650-0134
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	Mini-Lock Deluxe Connector Kit
<b>Description:</b>	Fully Shrouded Positive Lock Vertical and Right Angle Header and Receptacle
<b>Product Family:</b>	Mini-Lock™
<b>Certificates:</b>	(Molex Parts within this kit) - EU and China RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

### Specifications

#### Design

<b>Configuration:</b>	Wire-to-Board
<b>Pitch:</b>	2.50mm (.098")
<b>Connector Type:</b>	Receptacle and Header

#### Mounting

<b>Orientation:</b>	Vertical and Right Angle
<b>Circuit Sizes:</b>	7, 8, 9 and 10
<b>Current Rating:</b>	3 Amps
<b>Voltage:</b>	250 Volts
<b>Wire size:</b>	28-22 AWG

### Product Highlights

Mini-Lock is a versatile wire-to-board system from Molex for a broad range of 2.50mm (.098" ) pitch industry standard applications. The kit includes Right Angle headers. Mini-Lock is fully shrouded to protect contacts, and includes high guide walls to facilitate mating.

#### Features and Benefits

- Four point contact design for good electrical reliability
- Thumb-latch locking feature for easy mating and unmating
- High guide walls to facilitate mating
- Fully shrouded headers to protect pins
- Pull tabs to assist in unmating

#### Applications

- White goods
- Vending machines
- Automotive
- PDAs
- TVs

**Datasheet for 76650-0134**

**Bill of Materials for Part No. 76650-0134**

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>	<b>Quantity in Kit</b>
50351-8100-C	Japan	Mini-Lock™ Female Crimp Terminal 28-22 AWG	200
51103-0700	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 7 Circuits	10
51103-0800	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 8 Circuits	10
51103-0900	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 9 Circuits	10
51103-1000	Japan	2.50mm (.098") Pitch Mini-Lock™ Receptacles 10 Circuits	10
53375-0710	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 7 Circuits	5
53375-0810	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 8 Circuits	5
53375-0910	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 9 Circuits	5
53375-1010	Korea	2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 10 Circuits	5
53426-0710	Japan	2.50mm (.098") Pitch Mini-Lock™ Right Angle Header 7 Circuits	5
53426-0810	Japan	2.50mm (.098") Pitch Mini-Lock™ Right Angle Header 8 Circuits	5
53426-0910	Japan	2.50mm (.098") Pitch Mini-Lock™ Right Angle Header 9 Circuits	5
53426-1010	Japan	2.50mm (.098") Pitch Mini-Lock™ Right Angle Header 10 Circuits	5

**Recommended Molex Tool(s) for Part No. 76650-0134\***

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>
63811-8100 *	Sweden	Hand Crimp Tool
57309-6000 *	Japan	Extraction Tool

\*Tools not included in kit. Tools ordered separately.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)