D SUB-MINIATURE

Outline Dimensions and Panel Mounting Details










To be used in conjunction with McMurdo D Datasheets

Outline Dimensions



Conta	act Arran	gement						Rear	Panel M	ounting			Front	Panel M	ounting	
Shell	No of Contacts		A	В	С	D	E		F			Е		F		
Size	D, SD, LD	HD	crs	max.	max.	max.	Std	Float	Std	Float	R	Std	Float	Std	Float	R
Е	9	15	25.00	31.19	12.93	10.97	20.32	21.16	11.30	12.09	3.50	22.07	22.88	12.90	13.71	2.25
Α	15	26	33.32	39.52	12.93	10.97	28.70	29.49	11.30	12.09	3.50	30.40	31.22	12.90	13.71	2.25
В	25	44	47.04	53.42	12.93	10.97	42.42	43.20	11.30	12.09	3.50	44.14	44.96	12.90	13.71	2.25
С	37	62	63.50	69.70	12.93	10.97	58.93	59.77	11.30	12.09	3.50	60.60	61.42	12.90	13.71	2.25
D	50	78	61.10	67.31	15.75	13.82	56.26	57.02	13.97	14.78	3.50	58.21	59.44	15.69	16.51	2.25





D SUB-MINIATURE

PCB Layouts








To be used in conjunction with McMurdo D Datasheet


(Plug viewed from above, socket viewed from below)

No of Ways	A crs
9	25.00
15	33.32
25	47.04
37	63.50
50	61.10









X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for itw switches manufacturer:

Other Similar products are found below:

MP648-16(50) SDBS25PN 76-1024 48M-111B 76-959034 181541B MDJ15 DA15POLF 48M-111G 22-204 DC37PF DB25SNF DB25SF 76-9510/4044 49-59115 40-2-5 76-9513/4044G 76-9113/439088 SDAX15SNT SDD50PTD 59-900091 48M210N ES1020 SDB25PNTD DE9SNF DAC15P H48M-112B/4044 40-2-10 57-112R 76-9116/439088 76-9112/439088 DE9PF HDAX26SNT 48-1-RB-G-BK-B 48M112R H48M-112G/4044 57M110N H48M-212B/4044 H48M-212R/4044 57M-211B 49-59116 4959213 48M110N 4959113 1640401 76-9711/439088R 76-9440/439088B 48-1-RB-R-BK-B 76-1266 76-9450/439088R