




INNOVATIVE SENSOR TECHNOLOGY

ISTAG, Industriestrasse 2, CH-9630 Wattwil, Switzerland, Phone (+)41 71 987 73 73, Fax (+)41 71 987 73 77
e-mail info@ist-ag.com, www.ist-ag.com

IST AG	Platin thin film RTD		1E		
	IST AG Part No.: 010.00707		Drawing No. Z1172.09.10 en		
	Rev.	Date	Page		
-	12.10.09	1			

Dimensions [mm]:



GENERAL SPECIFICATIONS:

TYPE:	P0K1.161.1E.B.200								
NOMINAL RESISTANCE:	100 Ohm @ 0°C								
TEMP. COEFFICIENT:	3850 ppm/K								
TOLERANCE:	DIN EN 60751 class B								
TEMPERATURE RANGE:	-50 to 150°C								
TEMPERATURE DEPENDENCE OF RESISTIVITY:	according to DIN EN 60751								
	-50 to 150°C :								
	-50 bis 0°C $R(t) = R_0(1 + A \cdot t + B \cdot t^2 + C \cdot [t - 100]^3)$								
	0 bis 150°C $R(t) = R_0(1 + A \cdot t + B \cdot t^2)$								
	$A = 3.9083 \cdot 10^{-3} \cdot ^\circ\text{C}^{-1}$, $B = -5.775 \cdot 10^{-7} \cdot ^\circ\text{C}^{-2}$,								
	$C = -4.183 \cdot 10^{-12} \cdot ^\circ\text{C}^{-4}$								
	R_0 = resistance value in Ohm at 0°C								
	t = temperature in accordance with ITS90								
DIMENSIONS (mm):	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">L</td> <td style="text-align: center;">W</td> <td style="text-align: center;">H</td> <td style="text-align: center;">LW</td> </tr> <tr> <td style="text-align: center;">1.6 +/- 0.2</td> <td style="text-align: center;">1.2 +/- 0.2</td> <td style="text-align: center;">0.8 +/- 0.2</td> <td style="text-align: center;">200 +/- 5.0</td> </tr> </table>	L	W	H	LW	1.6 +/- 0.2	1.2 +/- 0.2	0.8 +/- 0.2	200 +/- 5.0
L	W	H	LW						
1.6 +/- 0.2	1.2 +/- 0.2	0.8 +/- 0.2	200 +/- 5.0						
LEAD WIRES:	Cu-enameled wire, Ø 0.2mm, 200mm long wire ends stripped 5mm +/- 1mm								
LONG TERM STABILITY:	max. 0.03% after 1000 hours at +150°C								
MEASURING CURRENT:	0.3 - 1.0mA, max. 3.0mA								

	Title	Name	Signature	Date
DRAWN	R&D	F. Klammsteiner		12.10.2009
APPROVED	R&D Manager	J. Polak		12.10.09
QS	QS Manager	A. Polak		12.10.09

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Board Mount Temperature Sensors](#) *category:*

Click to view products by [1st Innovative Sensor](#) *manufacturer:*

Other Similar products are found below :

[5962-8757102XA](#) [66F115](#) [MCP9808-EMS](#) [MCP98242T-BEMNY](#) [MCP9843T-BEMC](#) [EMC1063-1-ACZL-TR](#) [NCT218FCT2G](#)
[O53GAB175A-160Y](#) [OH10/62,112](#) [3610085020002](#) [389049M9527](#) [TC622EAT](#) [TC6501P095VCTTR](#) [TC6501P105VCTTR](#)
[TC6501P125VCTTR](#) [MCP9802A0T-M/OT](#) [MCP9803T-M/SN](#) [MCP9843-BEST](#) [TC6501P115VCTTR](#) [TC6502P065VCTTR](#)
[ADM1023ARQZ-REEL](#) [ADM1024ARUZ-REEL](#) [ADM1032ARMZ-1RL](#) [AT30TS74-U1FMBB-T](#) [AT30TS74-U1FMAB-T](#) [AT30TS74-](#)
[U1FMCB-T](#) [AT30TS74-U1FMDB-T](#) [ADT7483AARQZ-RL](#) [ADT7481ARMZ-REEL](#) [ADT7463ARQZ-REEL](#) [MCP98243T-BEMNY](#)
[MCP98243T-BE/MC](#) [66L080-0226](#) [MAX31820MCR+T](#) [MAX1452CAEC8H](#) [DS1780E](#) [TMP05BKSZ-REEL7](#) [5962-8757103XA](#) [WTK-14-](#)
[36/N](#) [E52-CA6D-N 4M](#) [MCP98244T-BEMNY](#) [MCP9802A5T-MOT](#) [MAX6581TG9A+T](#) [DS75S-C11+T&R](#) [S-58LM20A-I4T1U](#)
[MAX6501UKP120+T](#) [MCP98243T-BE/ST](#) [AT30TS01-MAA5M-T](#) [NCT375DR2G](#) [DS18S20-SL+T&R](#)