



82520014-3.5 Watts



- ✓ Constant speed, dependent on supply frequency
- ✓ Direction of rotation controlled by dephasing capacitor
- ✓ Sintered bearing lubricated for life
- ✓ Silent operation
- ✓ UL, CSA (classe B) - VDE approved


Base speed of motor (rpm)

Absorbed power (W)	3,5
Usable Power (W)	0,98
Starting/running torque (mNm)	37,5
Stall torque (mNm)	42
Temperature rise (°C)	55
Ambient temperature (°C)	-10+75
Maximum inertial load that can be moved (g.cm ²)	33
Number of offload starts	
Insulation resistance (MΩ)	75x10 ³
Breakdown voltage (V-50 Hz)	1800 -1 sec.
Weight (g)	210
Wires length mm (approximately)	250
Protection rating	IP40

Voltages/Frequencies

	μF	V AC	Code
Capacitors motor 825200	Condensateur		
230-240 V - 50 Hz	0,1 ± 10%	500	26231941
115 V 60 Hz	0,33 ± 10%	240	26231801
24 V - 50 Hz	8,2 ± 10%	63	26231711


Dimension Diagram : 82 520 0



N° Legend

1 2 oblong fixing holes 3.5 wide

In parallelMotors 82 520 0 - 82 520 4



N° Legend

1 SA: Clockwise

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AC, DC & Servo Motors](#) category:

Click to view products by [Crouzet](#) manufacturer:

Other Similar products are found below :

[805470B40040MY](#) [R88M-G10030H-S2](#) [R88MK15K015CS2](#) [R88MK1K520HS2](#) [R88MK3K030FBS2](#) [R88MK1K530HBS2](#)
[R88MK75030TS2](#) [1032](#) [M4E068-CF01-01](#) [80510503](#) [805470A403.6MY](#) [805470B40020MY](#) [80627003](#) [82800003](#) [82830009](#)
[R88MK2K030FS2](#) [KDE4014XF-380 \(D5\)](#) [R88A-RG08UA](#) [82810017](#) [82861019](#) [89850008](#) [R88M-K75030H](#) [R88M-G10030L-OS2](#) [R88M-](#)
[GP20030L-OS2](#) [R88M-K90010F-S2](#) [R88M-GP40030L-OS2](#) [R88M-K1K030H-S2](#) [R88M-GP20030H-BO](#) [R88M-G10030L-BO](#) [R88M-](#)
[GP20030S-OS2](#) [R88M-K20030H-B](#) [R88M-G40030H-BS2](#) [R88M-GP20030H-O](#) [R88M-G40030T-S2](#) [R88M-K10030L](#) [82840003](#) [82840004](#)
[R88M-GP20030L](#) [R88M-GP20030H-BS2](#) [R88M-GP10030S](#) [R88M-GP20030L-S2](#) [R88M-G40030H](#) [R88M-GP20030L-O](#) [R88M-GP20030L-](#)
[BS2](#) [R88M-GP20030T-OS2](#) [82869011](#) [89850007](#) [R88M-K1K020F](#) [82524021](#) [R88M-K1K520F](#)