



| | |
|---|---|
| ITEM-NO. (ITEM-NO.) | 831-3107/037-000 |
| Cross section1 (Cross section / mm²) | 0.5 - 6 (10) |
| Cross section2 (Cross section / AWG) | 20 - 8 |
| Measured voltage (Measured voltage / V) | 1000 |
| Measured shock voltage (Measured shock voltage / kV) | 8 |
| Pollution degree (Pollution degree) | 2 |
| Current intensity (Current intensity / A) | 41 |
| RM (PIN SPACING / mm) | 7.62 |
| P (NO. OF POLES) | 7 |
| Height (Height / mm) | 27.55 |
| Width (Width / mm) | 80 |
| Depth (Depth / mm) | 41.9 |
| No. of connection Points (No. of connection Points) | 7 |
| No. of potentials (No. of potentials) | 7 |
| COLOR (COLOR) | lichtgrau |
| Comment (Comment) | L = (No. of poles - 1) x Pin Spacing + 9.5 mm L1 = L + 24.8 mm |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [wago manufacturer](#):

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1106](#) [2604-1504](#) [2606-1103/020-000](#) [2624-1103](#) [2626-3103/020-000](#) [821-104](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-1205](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#) [750-1505](#) [787-732](#)