

United Kingdom

T50SSL5

126-02203



The arrowhead design, in conjunction with the supporting legs or disc, ensure a firm and secure fixing. The disc or legs take up any variation in panel thickness enabling one part to suit many applications. Both the RT and FBS versions are releasable and reusable and the FBS type have the added feature of a ladder type strap as opposed to the conventional serrated strap - this ladder type strap has the benefit of being very flexible.

With a diverse range of fixing possibilities (from 4.4mm to 8.0mm hole diameters and 0.5mm to 8.0mm panel thickness) this range of fixing ties is ideal for use in many different industries, including automotive, aerospace and panel building.



Base Data

Colour

Natural (NA)

Package Content

500

Quantity per

Bag

Recommended Application Tool

MK20, MK3PNSP2, MK3SP, MK7P, MK7

Material and Specifications

Flammability

UL94 V2

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

Operating Temperature (Metric)

-40 °C to +85 °C Continuous, (+105 °C for 500 h)

ROHS Conformity

TRUE

Product Dimensions

Bundle Diameter max (Metric)

27

Bundle Diameter min (Metric)

1.5

Height H (Metric)

10

Hole

6.1-6.5

Length L (Metric)

135

Minimum Tensile Strength (N)

225

Panel Thickness max.

2.7

Panel Thickness min.

0.8

Width W (Metric)

4.6

1 of 2 08/08/2006 14:04

© HellermannTyton 2006

2 of 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Identification category:

Click to view products by Hellermann manufacturer:

Other Similar products are found below:

CU6337-000 CU6342-000 FCA-410-12 11631010 1-1768037-1 1-1768037-2 1-1768050-0 PXLK-VI Q62184-1 A64304-000 QMT221 HK032WE1NF038B 1330-0519-10 1395199-1 1395200-1 1395202-1 DMVF050WE-300S6 D-SCE-1K-2.4-50-4-CS7834 1538738-1 E90935-000 EC1238-000 EC1465-000 EC1855-000 EC1859-000 EC1863-000 EC5415-000 EC7277-000 EC7352-000 EC7603-000 EC7707-000 EC7735-000 EC7768-000 EC7828-000 EC7854-000 EC7952-000 EC8128-000 1768037-8 1768041-7 NC-127191-10-9 HS048WE2NF038B C03232-000 HTCM-SCE-14-4H-9 HTMS-3/16-9 HT-SCE-1/4-2.0-4 HT-SCE-3/16-2.0-4 HTTMS-1/2-1.50-9 HTTMS-CM-1/2-4H-9 HX-SCE-19.0-50-9 HX-SCE-6.4-50-4 C25254-000