



**EAO AG**

Tannwaldstrasse 88


4600 Olten

Switzerland

**Phone:** +41 62 286 9111

[info@eao.com](mailto:info@eao.com)

## Part No. 45-1T00.10J6.000.100, Indicator



[Specifications](#) | [Bill of Materials](#)

### Specifications

<b>Actuator</b>	<u>Indicator</u>
<b>Lens Colour</b>	Blue, transparent
<b>Function</b>	None
<b>Housing Material</b>	Plastic
<b>Shape of Handle or Frontring</b>	None
<b>Lock System</b>	None
<b>Key</b>	None
<b>Key Type</b>	None
<b>Switching Angle</b>	None
<b>Contacts</b>	None
<b>Terminal</b>	Screw terminal
<b>Voltage Illumination</b>	24V AC/DC

<b>Mounting Type</b>	Front mounting
<b>Mounting Style</b>	Holder
<b>Environmental Rating</b>	IP66, IP67, IP69K
<b>Industry Standards/Certifications</b>	UL, CSA, VDE, CCC, CE, RoHS
<b>Switching Function</b>	None
<b>Illumination</b>	Blue
<b>Termination Style</b>	Screw
<b>Mechanical Life</b>	None
<b>AC Voltage</b>	24 V
<b>DC Voltage</b>	24 V

Bill of Materials -

<b>Actuator</b>	45-2T00.10J0.000
<b>Holder</b>	45-2300.1000.000
<b>LED Module</b>	45-320.1J16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Industrial Panel Mount Indicators / Switch Indicators](#) category:*

*Click to view products by [EAO manufacturer](#):*

Other Similar products are found below :

[LW1A-P1-W](#) [LW1B-A0L](#) [01-952.0](#) [01-152.025](#) [D38999/20FJ29PB L/C](#) [704-6012](#) [704-6020](#) [704-6023](#) [704-6026](#) [73.362.4028.0](#) [EUS-704.000.7](#) [750-1520](#) [9001OA120](#) [99-450.837](#) [99-455.837](#) [99-486.837](#) [99-901.9](#) [99-902.9](#) [99-908.0](#) [99-909.4](#) [99-909.5](#) [A0244J1](#) [A3DT-500Y](#) [AL6M-P7P-A](#) [AOLQW-2B0600](#) [AP1M255-A](#) [APD106LN-A](#) [APD106LN-G](#) [APN1126-G](#) [APS122DN-W](#) [ATN2100](#) [AYLW4L-A](#) [18-237.035](#) [C0180AANAHA](#) [HW1A-L1-GD](#) [HW1A-P2-GL](#) [HW1F-3G](#) [HW1R-2DF20-R](#) [HW1X-BM411-R](#) [HW2A-L1-GL](#) [HW2A-P1-GD](#) [HW4S-31L](#) [HWAZ1N-OB](#) [PA2200/1](#) [PA2SHIELD](#) [21-931.0](#) [21-931.2](#) [96-923.5](#) [1625006](#) [99-451.837](#)