

1

2

3

4

5


CHARACTERISTICS:

MATERIAL:
COLOR: BLACK
STYLE: UL1007

ENVIRONMENTAL
OPERATING TEMPERATURE: -20°C UP TO 80°C
COMPLIANCE: LEAD FREE AND ROHS

WIRE DIMENSION:
AWG: 28

PACKAGING:
10 PCS/BAG



Wire end A	65300113722
Wire end B	65300113722

RoHS Compliant

G			
F			
E			
D			
C			
B	07-AUG-13	CHARACTERISTIC	QL
A	18-OCT-11	PDF	GG
REV	DATE	FILE	BY

PROJECTION:

GENERAL TOLERANCE
.X = +/- 0.2
.XX = +/- 0.15



APPROVAL: RJ

UNIT: MM
SCALE:
SHEET: 1/2
DRAW: QL

DESCRIPTION: 1.25 MM PRE-CRIMPED CONTACT
WERI PART NO: 653153128030

SIZE
A4

A

B

C

D

1

2

3

4

5


A



B

C

D

Note:
 1.Dimension
 Carton Size:40*30*20(CM)
 2.Quantity: 5000 Pcs/Carton



RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15	
G						
F						
E						
D				APPROVAL: RJ	UNIT: MM	DESCRIPTION: WR-WTB 1.25 MM PRE-CRIMPED CONTACT WERI PART NO: 653 153 128 030
C					SCALE:	
B					SHEET: 2/2	
A					DRAW: QL	
REV	DATE	FILE	BY			SIZE A4

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Lighting Cables](#) category:

Click to view products by [Wurth](#) manufacturer:

Other Similar products are found below :

[CT6100](#) [ZWF-915-J](#) [68801-4899](#) [68801-4124](#) [68801-4752](#) [68801-4850](#) [68801-4874](#) [01SCNSCN-22L150](#) [01SEHSEH-22300](#) [01SPHSPH-26L150](#) [01SVHSVH-20L300](#) [01SZHSZH-30L150](#) [01SZHSZH-30L300](#) [01SPHSPH-26001L150](#) [02XSRXSR36L100](#) [02XSRXSR36L50](#) [04XSRXSR36L100](#) [04XSRXSR36L50](#) [06XSRXSR36L100](#) [1-2058943-7](#) [1-2058943-8](#) [1-2083029-6](#) [1-2083031-6](#) [1-2083032-6](#) [1-2083075-2](#) [1-2083080-1](#) [2-2083073-3](#) [2-2083074-3](#) [2-2083075-3](#) [2-2083030-6](#) [2702306](#) [2702307](#) [68801-4648](#) [2-2083032-2](#) [1-2083076-3](#) [SSL11-J6LJ0-022A04](#) [9-2834003-1](#) [1-2083029-2](#) [SSL11-P4LP0-B22A04](#) [2-2083077-2](#) [2-2083032-6](#) [SSL12-J4FJ0-000001](#) [1705132](#) [180888-0405](#) [SSL11-J6LJ0-B22A04](#) [180887-0405](#) [180888-0430](#) [SSL12-J4LJ0-020A04](#) [180887-0430](#) [1705131](#)