



### Guide rail with keying/coding, groove width 2.0 mm, with 0.1" offset







# Dimensions table

 Board height
 Dimensions

 L
 A2
 w
 C
 D

 mm
 mm
 mm
 mm

 220
 209.39
 195
 180
 210

A2: length of rail

B: Pitch of snap-in fixing

C: Pitch of guide rail retention screws

D: Pitch of horizontal rail retention screws

## Part no.: 64560-072

Features: The

guide rail complying with IEEE with 0,1" offset is for the installation of:

- Power supplies for Compact PCI
- Plug-in units fitted with SMD
- With Qty: 1, Standard pack quantity: 50

#### Standard pack quantity 50




#### **Technical information:**

Board length	Groove width	Material	Finish	Qty	Description
220 (mm)	2 (mm)	PBT, UL 94 V- 0	green	1 piece (SPQ 50)	CompactPCI, VME64x with coding

#### Accessories:

256

Part no.	Description	
24560- 141	Torx panhead screw 2.5 × 9.3, zinc-plated, Qty: 100 pieces	
20817- 501	Coding peg PC, UL 94 V-0, RAL 7035, Qty: 100 pieces	
24560-	ESD clip for alignment pin of CPCI/VME64x handle	



	_			_	_		
۱		۱t۱	•	h	11	n	ieces
١		т.	1.	•	v	-17	ICCCO

#### Note:

• Delivery is in standard pack multiples. Pricing is per individual item

Product illustrations are exemplary illustrations and can deviate from supplied products.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

#### Click to view similar products for schroff manufacturer:

Other Similar products are found below:

24566-125 14575271 14576145 14575265 20117-156 20817772 20827088 20846211 20860229 21100777 23022602 23130082 24571331 24571586 24572066 24822075 26230-374 30817-001 30825080 20849021 20860240 23001021 24560080 24571303 24572054 24572056 30219-113 20848-410 20838-125 10225-602 10225-623 10828058 13100103 28230-439-C 24563-457 24563-444 20848-601 21101-853 24563-134 24564-431 24827-107 24563-142 24563-157 24563-442 A265HC-5.80EH 24561-331 10225640 10225696 16230005 16230007