


**Operational Areas**

- Microphones.
- Wiring of mixing desks.
- Wiring of patchpanels.
- Balanced and unbalanced audio lines.
- Musical instrument digital interface.
- Intercom cables.

**Dimensions**



- 1 - JACKET  
PVC, Ø5.4mm ±0.30mm
- 2 - SHIELD NO.1  
Black, red, grey, blue, mint, yellow
- 3 - SHIELD NO.2  
Bare copper wires, (0.10mm)
- 4 - PVC SEPERATION  
Bare copper wires, (0.10mm)
- 5 - INSULATION  
PVC, Ø0.12mm ±0.05mm, white, tube
- 6 - CONDUCTOR  
colours are white and brown  
Bare copper wire, 48x0.07mm (0.18mm )

CONVERTED FROM PS007 ISS2 (25.11.93) IN JAN 2003

DrgNo 439 SERIES

TITLE AUDIO CABLE – GAC-2

ALL DIMENSIONS IN MM  
ANGLES IN DECIMAL DEGREES

CUSTOMER FILTER REF

Deltron No	Type	Deltron No	Type
439-0140	BLACK	439-0240	BLUE
439-0540	RED	439-0440	MINT
439-0940	GREY	439-0740	YELLOW

**Technical Specification**

- Conductor Resistance <=110 Ohm/km
- Shielding Resistance <=20 Ohm/km
- Capacitance Cond/Cond: 160nF/km  
Cond/Shield: 220nF/km
- Test Voltage Cond/Cond: 500 Veff  
Cond/Shield: 2000 Veff

**Ordering Data**

- Reels at 100m
- Weight/reel 4.40 kg
- Weight/metre 0.037 kg
- Colours Black, Red, Grey, Blue, Mint, Yellow

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [deltron](#) manufacturer:*

Other Similar products are found below :

[610-0700](#) [651-0800](#) [342-0000](#) [W127G](#) [066541F](#) [066542D](#) [W205C](#) [W106C](#) [611-0700](#) [717-0400](#) [456-0020](#) [460-0070](#) [479-0020-5](#) [486-121209-66](#) [480-C010](#) [490-170805E-68](#) [459-0080](#) [459-0140](#) [590-0700](#) [MDU14S](#) [4MP2616](#) [461-0050](#) [571-0400-01](#) [480-C040](#) [462-0020E](#) [4DR3522](#) [487-261612E-66](#) [486-261609-68](#) [466-0050](#) [356-0200](#) [702-0500](#) [711-0500](#) [552-0600](#) [WHT](#) [800-0400](#) [487-261609E-66](#) [487-221209E-68](#) [462-0040A](#) [461-0070](#) [456-0030](#) [461-0070E](#) [490-040503A-68](#) [486-S68-2616](#) [4ELM6](#) [483-0100](#) [483-0030](#) [480-0010](#) [466-0150](#) [455-0020](#) [461-0030](#) [461-0090](#)