

This document was generated on 09/02/2015

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0438410004

Status: Active

Overview: Modular Jacks and Plugs

**Description:** Modular Jack, Right Angle, Low Profile, Surface Mount, 6/4, 2 Ports

**Documents:** 

<u>3D Model</u> <u>Product Specification PS-43743-0001 (PDF)</u>
<u>Drawing (PDF)</u> <u>RoHS Certificate of Compliance (PDF)</u>

**Agency Certification** 

CSA LR19980 UL E107635

General

Product Family Modular Jacks/Plugs

Series 43841

Comments Outboard Solder Tabs

Component Type PCB Jack Magnetic No

Overview <u>Modular Jacks and Plugs</u>

Performance Category 3, 4
Power over Ethernet (PoE) N/A
Product Name RJ11

UPC 800754797351

**Physical** 

Boot Color N/A
Color - Resin Black
Durability (mating cycles max) 500
Flammability 94V-0
Inverted / Top Latch No

Jack Height 11.80mm Lightpipes/LEDs None

Material - Metal Phosphor Bronze

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Orientation Right Angle (Side Entry)

PCB Locator No PCB Retention Yes

Packaging Type Embossed Tape on Reel

Pitch - Mating Interface 1.02mm
Pitch - Termination Interface 1.27mm
Plating min - Mating 1.270µm
Plating min - Termination 2.540µm
Ports 2
Positions / Loaded Contacts 6/4
Surface Mount Compatible (SMC) Yes

Surface Mount Compatible (SMC)

Temperature Range - Operating

Termination Interface: Style


Yes
-40°C to +70°C
Surface Mount

Waterproof / Dustproof No Wire/Cable Type N/A

**Electrical** 

Current - Maximum per Contact 1.5A Shielded No

Voltage - Maximum 150V AC (RMS)



**China RoHS** 

**EU ELV Not Relevant** 

EU RoHS

Not Reviewed

REACH SVHC
Not Reviewed
Halogen-Free

Status Not Reviewed

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Not Reviewed ELV Not Relevant

Search Parts in this Series

43841 Series

Mates With FCC 68 Plugs

**Solder Process Data** 

Lead-freeProcess Capability REFLOW Process Temperature max. C 235

**Material Info** 

**Reference - Drawing Numbers** 

Product Specification PS-43743-0001 Sales Drawing SD-43841-001

This document was generated on 09/02/2015

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

RJE231881317T MP1010RX-1000 MP44RX-1000 GAX-3-66 GAX-8-62 93606-0253 GD-A-44 GDCX-PA-66-50 GDCX-PN-64 GDCX-PN-66 GDCX-PN-66-50 GDLX-A-66 GDLX-A-88 GDLX-N-66 GDLX-S-88K GDTX-S-88-50 GDX-PA-1010 GLX-N-1010M-BLK GLX-N-44M GLX-S-88M-BLK GMX-N-1010 GMX-S-1010 GMX-S-66 GMX-SMT2-N-1010 GMX-SMT2-N-64-50 GMX-SMT2-S6-88 GMX-SMT4-N-88 GPX-2-64 GRT1-BT1-5 GSGX-N-2-88 GSX-NS2-88-3.05 GSX-NS2-88-3.05-50 GSX-NS-88-3.05-30 GSX-NS-88-3.05-30 GSX-NS-88-3.05-50 GSX-NS-88-3.05-30 GSX-NS-88-3.05-30 GSX-NS-88-3.05-50 GSX-NS-88-3.68 1-1775629-2 GWLX-S-88-GR GWLX-S9-88-YG 1300500326 1300500227 1300530003 1300570002 1324640-4 RJ11FTVC2G RJ11FTVC2N RJFTVX2SA1G 132764-001 1400000 1413176 1413235