NAiS

Sockets for the JW Relay

JW ACCESSORIES

Approved models, CE

DIN mounting

JW1SI



JW2SI



PCB mounting

JW1PI



JW2PI



Dimensions

JW1SI
JW2SI



JW1PI **JW2PI**



Accessories

Retaining spring, relay JWHFSI



H (height relay) = 20,4 mm

Retaining spring, relay JWHFI



H (height relay) = 20,4 mm

MODULES
supporting the relays HJ / HC



Description	Voltage	Schematic	LED color	Type
Module with diode. Protection against inverting polarity.	5/230 V DC 6/230 V DC			1 2
Module with diode and LED. Protection against inverting polarity plus illuminated signal.	6/24 V DC 24/60 V DC		LED red LED red	4 4 B
Module “RC” series. Without signal. RC circuit.	5/24 V DC			5 B
Module with signal LED. No protection against inverting polarity. AC or DC power supply possible.	5/24 V AC / DC 110/230 V AC / DC		LED red LED red	5 9

MODULES
supporting the relay JW



Description	Voltage	Schematic	LED color	Type
Module with diode and LED. Protection against inverting polarity plus illuminated signal.	6/24 V DC 24/60 V DC		LED red LED red	42 42 B
Module with signal LED. No protection against inverting polarity. AC or DC power supply possible.	6/24 V AC / DC 24/60 V AC / DC		LED red LED red	62 62 E

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for panasonic ***manufacturer:***

Other Similar products are found below :

ECE-A1HKAR47 ELK-EA102FA ELC-09D151F EEC-S0HD224H ELL-5PS3R3N HC2-H-DC48V-F HL2-HP-AC120V-F HL2-H-DC12V-F HL2-HP-DC12V-F HL2-HP-DC6V-F HL2-HP-DC24V-F HC4-H-DC24V HL2-HTM-DC24V-F HL2-HTM-AC24V-F HC4-H-AC24V HC4-H-AC120V EEC-RG0V155H AZH2031 RP-SDMF64DA1 EEF-UD0K101R EVM-F6SA00B55 RP-SMLE08DA1 ELC-12D101E ERA-3YEB272V EEC-RF0V684 ERA-3YEB153V ELC-3FN2R2N ERA-3YEB512V ERJ-1GEJ564C ERZ-V20R391 ETQ-P3W3R3WFN ELL-ATV681M ELK-EA100FA EEF-UD0J101R LC-R121R3P ERA-3YEB303V ERZ-V05V680CB EEF-UE0K101R ELK-E101FA EEC-S0HD224V EVQ-PAC05R ELK-EA222FA LT4H-DC24V LT4HL8-AC24V LT4HW-AC24V LT4HWT8-AC240V LT4HWT-AC240VS CX-444-P-Z CY-122A-P ETQ-P5M470YFM