

2-Head Push Buttons

1. Select operator head type
2. Select mounting base and contact block



Operator Head Type	Color	Catalog No.
Two Flush Buttons	● Green / ● Red	ZB5AA7340
	● Black / ○ White	ZB5AA7120
Two Flush Buttons Marked "I" & "O"	● Green / ● Red	ZB5AA7341
	● Black / ○ White	ZB5AA7121
One Flush & One Extended Button	● Green / ● Red	ZB5AL7340
One Flush & One Extended Button Marked "I" & "O"	● Green / ● Red	ZB5AL7341

Mounting Base & Contact Block	
N.O./N.C.	Catalog No.
1 N.O.	ZB5AZ101
1 N.C.	ZB5AZ102
2 N.O.	ZB5AZ103
2 N.C.	ZB5AZ104
1 N.O. + 1 N.C.	ZB5AZ105

LED Pilot Lights

1. Select operator head type
2. Select LED lamp with mounting base



Operator Head Type	Action	Color	Catalog No.
Round	None	○ White	ZB5AV013
		● Green	ZB5AV033
		● Red	ZB5AV043
		● Yellow	ZB5AV053
		● Blue	ZB5AV063

Color	LED Lamp & Mounting Base	Catalog No.
○ White	24 VAC/DC	ZB5AVB1
	120 VAC/DC	ZB5AVG1
● Green	24 VAC/DC	ZB5AVB3
	120 VAC/DC	ZB5AVG3
● Red	24 VAC/DC	ZB5AVB4
	120 VAC/DC	ZB5AVG4
● Yellow	24 VAC/DC	ZB5AVB5
	120 VAC/DC	ZB5AVG5
● Blue	24 VAC/DC	ZB5AVB6
	120 VAC/DC	ZB5AVG6

Legend Plates



Legend Plate & Inserts	Catalog No.
Legend Holder	ZBZ32
Auto	ZBY2115
Auto-Hand	ZBY2364
Close	ZBY2314
Down	ZBY2308
Fast	ZBY2328
Forward	ZBY2305
For-Rev	ZBY2371
Hand	ZBY231
Hands-Off-Auto	ZBY2387
Off	ZBY2312
Off-On	ZBY2367
On	ZBY2311
Open	ZBY2313
Reset	ZBY2323
Reverse	ZBY2306
Run	ZBY2334
Slow	ZBY2327
Start	ZBY2303
Stop	ZBY2304
Stop-Start	ZBY2366
Up	ZBY2307

Contact Blocks



Description	Catalog No.
Screw Terminals	
1 N.O.	ZBE101
1 N.C.	ZBE102
2 N.O.	ZBE103
2 N.C.	ZBE104
1 N.O. + 1 N.C.	ZBE105
Spring Terminals	
1 N.O.	ZBE1015
1 N.C.	ZBE1025
2 N.O.	ZBE2035
2 N.C.	ZBE2045
1 N.O. + 1 N.C.	ZBE2055

Accessories





Description	Catalog No.
Mounting Collar	ZB5AZ009

Selling Points

- Complete range of products
- Allows customer assembly using separate parts and common accessories
- Easy-to-install double insulated black plastic construction
- Zero-maintenance LED lights protected against short circuits, overvoltage, reverse polarity and electromagnetic interference
- No-notch mounting in a 22 mm (7/8 in.) diameter hole
- NEMA rated: 1, 2, 3, 4, 4X, 12 and 13
- Meets IEC standards
- UL listed, CSA certified and CE marked


Simple Selector

22 mm Plastic Push Buttons, Selector Switches and Pilot Lights



Non-Illuminated Push Buttons

1. Select operator head type
2. Mounting base
3. Select contact block



Operator Head Type	Action	Color	Operator Head Catalog No.
Flush	Momentary	○ White	ZB5AA1
		● Black	ZB5AA2
		● Green	ZB5AA3
		● Red	ZB5AA4
		● Yellow	ZB5AA5
		● Blue	ZB5AA6
Extended	Momentary	○ White	ZB5AL1
		● Black	ZB5AL2
		● Green	ZB5AL3
		● Red	ZB5AL4
		● Yellow	ZB5AL5
		● Blue	ZB5AL6
Booted	Momentary	○ White	ZB5AP1
		● Black	ZB5AP2
		● Green	ZB5AP3
		● Red	ZB5AP4
		● Yellow	ZB5AP5
		● Blue	ZB5AP6
40 mm Mushroom	Turn to Release	● Black	ZB5AS52
		● Red	ZB5AS54
	Push-Pull	● Black	ZB5AT2
		● Red	ZB5AT4
60 mm Mushroom	Turn to Release	● Black	ZB5AS62
		● Red	ZB5AS64
	Push-Pull	● Black	ZB5AX2
		● Red	ZB5AX4

Mounting Collar	Catalog No.
Mounting Collar	ZB5AZ009

Contact Block	Catalog No.
Screw Terminals	
1 N.O.	ZBE101
1 N.C.	ZBE102
2 N.O.	ZBE203
2 N.C.	ZBE204
1 N.O. + 1 N.C.	ZBE205
Spring Terminals	
1 N.O.	ZBE1015
1 N.C.	ZBE1025
2 N.O.	ZBE2035
2 N.C.	ZBE2045
1 N.O. + 1 N.C.	ZBE2055

LED Illuminated Push Buttons

1. Select operator head type
2. Select LED lamp body with contact block



Operator Head Type	Action	Color	Catalog No.
Flush	Momentary Action	○ White	ZB5AW313
		● Green	ZB5AW333
		● Red	ZB5AW343
		● Yellow	ZB5AW353
		● Blue	ZB5AW363

Color	LED Lamp & Mounting Base with 1 N.O.+ 1 N.C. Contact Block	Catalog No.
○ White	24 VAC/DC	ZBA5AW0B15
	120 VAC	ZB5AW0G15
● Green	24 VAC/DC	ZB5AW0B35
	120 VAC	ZB5AW0G35
● Red	24 VAC/DC	ZB5AW0B55
	120 VAC	ZB5AW0G55
● Yellow	24 VAC/DC	ZB5AW0B55
	120 VAC	ZB5AW0G55
● Blue	24 VAC/DC	ZB5AW0B65
	120 VAC	ZB5AW0G65



N.O. = Normally Open
N.C. = Normally Closed

Illuminated Selector Switches

1. Select operator head type
2. Select LED lamp module
3. Select mounting base and contact block



Operator Head Type			Color	LED Lamp Module	Catalog No.	Desired Contact Configuration			Mounting Base & Contact Block Mounting Position	
Number of Positions						Lever Position Left	Lever Position Center	Lever Position Right	Left Position Catalog No.	Right Position Catalog No.
2-Position	● Green	ZB5AK1233	24 VAC/DC	ZBVB3	Off	—	On	—	ZB5AZ101	
					On	—	Off	ZB5AZ102	—	
					On	—	On	ZB5AZ101	ZBE101	
3-Position	● Green	ZB5AK1333	24 VAC/DC	ZBVB3	On	Off	On	—	ZB5AZ101	
			120 VAC	ZBVG3	Off	On	Off	ZB5AZ102	—	
	● Red	ZB5AK1343	24 VAC/DC	ZBVB4	Off	On	On	ZB5AZ101	ZBE101	
			120 VAC	ZBVG4	On	Off	Off	ZB5AZ102	ZBE101	
	● Yellow	ZB5AK1353	24 VAC/DC	ZBVB5	On	On	Off	ZB5AZ101	—	
			120 VAC	ZBVG5						

Non-Illuminated Selector Switches

1. Select operator head type
2. Select mounting base and contact block



Operator Head Type					Desired Contact Configuration			Mounting Base & Contact Block Mounting Position	
Number of Positions	Lever Type	Lever Returns to	Color	Catalog No.	Lever Position Left	Lever Position Center	Lever Position Right	Left Position Catalog No.	Right Position Catalog No.
2-Position	Standard	Maintained	● Black	ZB5AD2	Off	—	On	—	ZB5AZ101
	Extended	Maintained	● Black	ZB5AJ2	On	—	Off	ZB5AZ102	—
	Standard	Left	● Black	ZB5AD4	On	—	On	ZB5AZ101	ZBE101
	Extended	Left	● Black	ZB5AJ4					
3-Position	Standard	Maintained	● Black	ZB5AD3	On	Off	On	—	ZB5AZ101
	Extended	Maintained	● Black	ZB5AJ3	Off	On	Off	ZB5AZ102	ZBE101
	Standard	Center	● Black	ZB5AD5	Off	On	On	ZB5AZ101	ZBE101
	Extended	Center	● Black	ZB5AJ5	On	Off	Off	ZB5AZ101	—
					On	On	Off	ZB5AZ101	—

Non-Illuminated Key Switches

1. Select operator head type
2. Select mounting base and contact block



Operator Head Type					Desired Contact Configuration			Mounting Base & Contact Block Mounting Position	
Number of Positions	Key Returns to Position	Key Removes from Position	Color	Catalog No.	Lever Position Left	Lever Position Center	Lever Position Right	Left Position Catalog No.	Right Position Catalog No.
2-Position	Maintained	Left	● Black	ZB5AG2	Off	—	On	—	ZB5AZ101
	Maintained	All	● Black	ZB5AG4	On	—	Off	ZB5AZ102	—
	Left Position	Left	● Black	ZB5AG6	On	—	On	ZB5AZ101	ZBE101
3-Position	Maintained	All	● Black	ZB5AG0	On	Off	On	—	ZB5AZ101
	Maintained	Center	● Black	ZB5AG3	Off	On	Off	ZB5AZ102	—
	Center	Center	● Black	ZB5AG7	Off	On	On	ZB5AZ101	ZBE101
					On	Off	Off	ZB5AZ102	ZBE101
					On	On	Off	ZB5AZ101	—

Set of 2 Replacement Keys **ZBG455**

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Rotary Switches](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[57HS22-02-2-06N](#) [57M22-02B16N](#) [57M22-09A16N](#) [58J1007](#) [58J8A45-01B05N](#) [59M18-02A20N](#) [M3786/39-3BA](#) [M3786/39-LMC](#)
[M3786/4-0007](#) [M3786/4-0073](#) [M3786/4-0182](#) [M3786/4-0640](#) [M3786/4-0873](#) [M3786/4-0881](#) [M3786/4-3187](#) [M3786/4-3267](#) [M3786/4-5272](#)
[M3786/4-5568](#) [M3786/4-5876](#) [M3786/4-6029](#) [71ESF30-05204N](#) [MC06L1NCGF](#) [FA201BKGN](#) [84986-26](#) [9003K2C003GA](#) [PLR3251](#)
[PLR3262](#) [PLR3279](#) [PS3](#) [A019305](#) [A019306](#) [A019501](#) [A029301](#) [A165W-T2AR](#) [R2AA2133NNNN](#) [R2AA4455NNNN](#) [R2BB4455NNNN](#)
[ACSNO-6123-FB-C6002](#) [RMS1224](#) [DR75-AMSF-10R-B](#) [14-520.0360](#) [BCK1006](#) [1703.3201](#) [HW1MS-0202-101](#) [C6P0206N-A](#) [24002-03S](#)
[A019109](#) [A029101](#) [A165W-T3MR](#) [A22NS-3BM-NRA-G120-NN](#)