

Radio 1/4" range

Set of 3 couplers

D.169


- Allows use of square drives smaller than socket drive sizes :
 - 1/4" square drive + D.169RJ ▷ 3/8" socket.
 - 3/8" square drive + D.169JS ▷ 1/2" socket.
 - 1/2" square drive + D.169SK ▷ 3/4" socket.
 - Compactness means that fewer tools are needed for in situ maintenance operations.
 - Magnetic retainer and locking system (JS and SK).
 - Knurl allows hand tightening where access is difficult.
- ΔΔ : 96 g.



1/4" drive standard spring-clip bit holder

R.235


- Spring clip for frequent bit changes.
- ΔΔ : 10 g.



1/4" drive secure spring-clip bit holder




R.245


- Stiffer, more secure, spring clip for infrequent bit changes.
 - Square drive has side-hole for ball or plunger lock.
- ΔΔ : 10 g.



1/4" drive lock-ring bit holder

E.F.R

			Length mm	ΔΔ g
E.F.R	1/4	1/4	30	26



X-ON Electronics

Authorized Distributor

Click to view similar products for [Facom](#) manufacturer.

Other Similar products are found below :

[VE3PB](#) [AMR](#) [ANX30X125](#) [AP3X150VE](#) [AEJ1](#) [AEFJ2](#) [AWHH3X75](#) [A402J2](#)
[A35X100VE](#) [985753](#) [7519](#) [A55X150VE](#) [R360NANO](#) [R217](#) [427MT](#) [89SJP8](#) [405E](#)
[40512E](#) [ANJ4PB](#) [AR55X150](#) [R32](#) [AND1X100](#) [AEFJ1](#) [758](#) [251A25](#)