

TABLE I

DASH NO	A INSIDE DIA		B OUTSIDE DIA	
	MIN	MAX	MIN	MAX
09	.24 (6.1)	.28 (7.1)	.38 (9.7)	.42 (10.7)
12	.33 (8.4)	.37 (9.4)	.48 (12.2)	.52 (13.2)
16	.45 (11.4)	.50 (12.7)	.60 (15.2)	.66 (16.8)
20	.57 (14.5)	.62 (15.7)	.71 (18.0)	.77 (20.0)
24	.69 (17.5)	.75 (19.1)	.88 (22.4)	.94 (23.9)
28	.81 (20.6)	.87 (22.1)	1.00 (25.4)	1.08 (27.4)
32	.93 (23.6)	1.00 (25.4)	1.12 (28.4)	1.20 (30.5)
40	1.18 (30.0)	1.25 (31.8)	1.36 (34.5)	1.44 (36.6)
48	1.43 (36.3)	1.50 (38.1)	1.63 (41.4)	1.71 (43.4)
52	1.56 (39.6)	1.63 (41.4)	1.77 (45.0)	1.85 (47.0)



STANDARD SHIPPING PACKAGE

DASH NO	MAX LENGTH PER PKG
09 & 12	200 FT (60 m)
16 THRU 52	100 FT (30 m)

REVISIONS

SYM.	DESCRIPTION	DATE	APPROVED
A	RELEASED	03/19/02	DM.
B	REVISED PER DCN #20075	11/12/02	DM.
C	REVISED PER DCN #20210	12/17/02	KB
D	REVISED PER DCN #22208	03/30/04	R.P.
E	REVISED PER DCN #36954	10/15/10	ACM
F	REVISED PER DCN #38793	05/05/11	ACM

PART NUMBER DEVELOPMENT



NOTES:

- IDENTIFY WITH MANUFACTURERS NAME AND P/N, SPACE PERMITTING.
- METRIC DIMENSIONS (IN PARENTHESES) ARE GIVEN FOR REFERENCE ONLY, AND ARE BASED UPON 1 INCH = 25.4 mm.
- UNLESS OTHERWISE SPECIFIED, CONDUIT WILL BE SHIPPED PER STANDARD PACKAGE MIN LENGTH SUPPLIED WILL BE 10 FEET (3m) WITH A MAX OF 4 LENGTH PER PKG.
- CONSULT FACTORY FOR SIZES NOT SHOWN.
- MATERIAL/FINISH:
CONVOLUTED TUBING - KYNAR NOT THERMALLY STABILIZED.

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENNAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES, OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENNAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENNAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENNAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENNAIR, INC. UNLESS OTHERWISE SPECIFIED

DRAWN D. MONTOYA 03/19/02
 CHECK K. BAILEY 03/19/02
 ENGR M.P. 03/19/02

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONS ± 1/16
 DECIMALS ± .XX .03
 ANGLES ± .XXX .015
 ± 2°

DO NOT SCALE THIS DRAWING

B/F 02-1349 P/C 12

NON REPARABLE COMMERCIAL ITEM

SCALE N/A WEIGHT N/A SHEET 1 OF 1

REV. F

06324 C 120-125

GLENNAIR, INC.
 1211 AIR WAY - GLENDALE - CALIFORNIA 91201

TUBING, CONVOLUTED, ANNULAR

ORIGINAL RELEASE DATE 03/19/02

RELEASE DATE

REVISIONS

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Non-Heat Shrink Tubing and Sleeves](#) category:

Click to view products by [Glenair](#) manufacturer:

Other Similar products are found below :

[601203-000](#) [CTA-0053](#) [8429-9](#) [8445-7.5](#) [8450](#) [120-116-1-1-09BE](#) [120-116-1-1-09BF](#) [120-116-1-1-09BP](#) [120-116-1-1-12BE](#) [120-116-1-1-12BP](#) [120-123-06](#) [120-123-10](#) [120-125-12BL](#) [120-125-12R](#) [120-125-20R](#) [120-126-09](#) [120-126-09BL](#) [120-126-12](#) [120-126-12BL](#) [120-126-52](#) [120-126-52BL](#) [120-104-12](#) [120-105-1-1-06BE](#) [120-105-1-1-06CE](#) [120-108-10B](#) [120-116-1-1-06BP](#) [120-116-1-1-10BP](#) [120-116-1-1-12BF](#) [120-123-12](#) [120-125-09](#) [120-125-12](#) [120-125-12Y](#) [120-125-52BL](#) [120-S002-12](#) [HC1B-7008-0375-0](#) [120-S001-09](#) [120-S002-09](#) [121-101-1-1-56BFC](#) [121-101-1-1-64BFC](#) [121-103-1-1-12BFTTH](#) [RAY-90-3.0\(100\)](#) [20675-2](#) [8S42-100FR-CS8184](#) [SAS-115-1-1048-1X](#) [SAS-160-1-1048-1X](#) [RAY-103-10.0\(100\)](#) [RAY-103-4.0\(100\)](#) [4627-S](#) [3-1991136-0](#) [561-SL1000PP](#)