

TLS 2200® Wire & Cable Materials

www.BradyID.com/tls2200

TLS 2200® Wire & Cable Materials:

B-499 Nylon Cloth Material

Color: White Finish: Matte

Nylon cloth with permanent adhesive for environments with heat, cold, oil and dirt. Ideal for wire and cable marking, electronic component marking, and general ID.

Performance Attributes: 




Figure 29




Figure 31




Figure 37



Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Approx. Wire Gauge	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 29	PTL-81-499	B-499	Nylon	Yellow	1.900 (48.3)	0.250 (6.3)	-	1	750	R4310
Fig. 37	PTL-7-499	B-499	Nylon	White	0.500 (12.7)	0.500 (12.7)	22 to 16	1	500	R4310
Fig. 29	PTL-84-499	B-499	Nylon	White	0.900 (22.9)	0.500 (12.7)	-	1	500	R4310
Fig. 31	BPTL-11-499	B-499	Nylon	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	5000	R4310
Fig. 31	PTL-11-499	B-499	Nylon	White	0.500 (12.7)	0.750 (19.1)	16 to 10	1	500	R4310
Fig. 31	PTL-16-499	B-499	Nylon	White	0.375 (9.5)	1.000 (25.4)	12 to 10	1	500	R4310
Fig. 31	PTL-18-499	B-499	Nylon	White	0.750 (19.1)	1.000 (25.4)	12 to 10	1	250	R4310
Fig. 37	PTL-19-499	B-499	Nylon	White	1.000 (25.4)	1.000 (25.4)	12 to 10	1	250	R4310
Fig. 29	PTL-78-499	B-499	Nylon	White	1.900 (48.3)	1.000 (25.4)	-	1	250	R4310
Fig. 31	PTL-28-499	B-499	Nylon	White	0.250 (6.4)	1.500 (38.1)	10 to 4	1	750	R4310
Fig. 31	PTL-29-498	B-499	Nylon	White	0.500 (12.7)	1.500 (38.1)	10 to 4	1	500	R6210
Fig. 31	PTL-29-499	B-499	Nylon	White	0.500 (12.7)	1.500 (38.1)	10 to 4	1	500	R4310
Fig. 31	PTL-30-499	B-499	Nylon	White	0.750 (19.1)	1.500 (38.1)	10 to 4	1	250	R4310
Fig. 31	PTL-31-499	B-499	Nylon	White	1.000 (25.4)	1.500 (38.1)	10 to 4	1	250	R4310
Fig. 31	PTL-87-499	B-499	Nylon	White	1.000 (25.4)	1.750 (44.5)	-	1	250	R4310
Fig. 31	PTL-160-499	B-499	Nylon	White	1.750 (44.5)	1.875 (47.6)	-	1	100	R4310
Fig. 31	PTL-21-499	B-499	Nylon	White	1.000 (25.4)	2.500 (63.5)	Cables	1	100	R4310
Fig. 31	PTL-161-499	B-499	Nylon	White	1.930 (49.0)	3.000 (76.2)	-	1	100	R4310
Fig. 31	PTL-23-499	B-499	Nylon	White	1.000 (25.4)	4.000 (101.6)	Cables	1	100	R4310

TLS 2200® Wire & Cable Materials:

B-642 Tedlar® Material

Color: White Finish: Matte

Self-extinguishing material used for wire & cable marking applications, particularly in aerospace, defense and mass transit industries.

Performance Attributes: 




Figure 32



Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Write On Area C (Height)	Approx. Wire Gauge	Labels Per Row	Labels Per Pkg	Rec. Ribbon
Fig. 32	PTL-19-642	B-642	Tedlar	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	12 to 10	1	250	R4310
Fig. 32	PTL-31-642	B-642	Tedlar	White	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	10 to 4	1	250	R4310
Fig. 32	PTL-21-642	B-642	Tedlar	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	25 Pair Copper	1	100	R4310

Approx. wire gauge based on AWG for THHN wire.
TEDLAR® is a registered trademark of DuPont.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Identification](#) category:

Click to view products by [Brady](#) manufacturer:

Other Similar products are found below :

[CU6337-000](#) [CU6342-000](#) [FCA-410-12](#) [11631010](#) [1-1768037-1](#) [1-1768037-2](#) [1-1768050-0](#) [PXLK-VI](#) [Q62184-1](#) [A64304-000](#) [QMT221](#)
[HK032WE1NF038B](#) [1330-0519-10](#) [1395199-1](#) [1395200-1](#) [1395202-1](#) [DMVF050WE-300S6](#) [D-SCE-1K-2.4-50-4-CS7834](#) [1538738-1](#)
[E90935-000](#) [EC1238-000](#) [EC1465-000](#) [EC1855-000](#) [EC1859-000](#) [EC1863-000](#) [EC5415-000](#) [EC7277-000](#) [EC7352-000](#) [EC7603-000](#)
[EC7707-000](#) [EC7735-000](#) [EC7768-000](#) [EC7828-000](#) [EC7854-000](#) [EC7952-000](#) [EC8128-000](#) [1768037-8](#) [1768041-7](#) [NC-127191-10-9](#)
[HS048WE2NF038B](#) [C03232-000](#) [HTCM-SCE-14-4H-9](#) [HTMS-3/16-9](#) [HT-SCE-1/4-2.0-4](#) [HT-SCE-3/16-2.0-4](#) [HTTMS-1/2-1.50-9](#) [HTTMS-](#)
[CM-1/2-4H-9](#) [HX-SCE-19.0-50-9](#) [HX-SCE-6.4-50-4](#) [C25254-000](#)