


A13-201



FEATURES

* RATING:

Input: 12V/24V DC

USB Output:

A13-201A: Micro USB 5V 2.1A max DC.

A13-201B: USB + Micro USB output-
5V 2.1A max DC.

* MATERIAL

Housing: ABS (UL 94-HB).

Top contact: nickel plated metal.

Spring contact: nickel plated spring steel.

* **A13-201A:** One retractable extension micro USB with 500mm cable. Push the top button to wind the cable back into the charger housing.

* **A13-201B:** One USB device at top and one extension micro USB with 190cm coiled cable.

* Short circuit protection.

* With 3A glass tube fuse max.



X-ON
Electronics

Authorized
Distributor

*Click to view
similar products
for Modular*

Connectors / Ethernet

Connectors

category:

7347231

PSLDCPLXORC

1300500451

DPA485E88TGY

NDCTOOL

NP0038 NP0043

PSLDCJBYLC

PSLDCPLBUC

PSLDCPLC

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Standard Circular Connector](#) category:

Click to view products by [SCI manufacturer](#):

Other Similar products are found below :

[C015](#) [10F006](#) [001](#) [1](#) [5M2530B10P](#) [600247N007](#) [600259N006](#) [600273N007](#) [600432N009](#) [6280-2PG-519](#) [6280-3PG-311](#) [6280-3SG-311](#)
[6280-7SG-3DC](#) [6280-7SG-522](#) [6282-5PG-311](#) [6282-6PG-519](#) [6282-8SG-311](#) [6283-11](#) [6283-15](#) [6290](#) [6293](#) [6382-2PG-311](#) [6382-2PG-3DC](#)
[6382-2SG-321](#) [6382-2SG-3DC](#) [6382-4SG-516](#) [67-03E20-37P](#) [681-PMG](#) [CXC3106A1811S](#) [CXS3102A14S2P](#) [CXS3102A181S](#)
[CXS3106A14S6S](#) [D38999/20FC8SA](#) [L/C](#) [MB12P-1](#) [MB12R-6](#) [7251-2PG-300](#) [7251-2SG-300](#) [7251-4PG-300](#) [7251-4SG-300](#) [7251-5PG-300](#)
[7251-5SG-300](#) [7251-6SG-300](#) [7251-7PG-300](#) [7251-8PG-300](#) [7271-6SG-300](#) [7282-3PG-300-CH3](#) [73000005663](#) [75-190011-03P](#) [75-190216-08S](#) [75-190218-10P](#) [75-214636-52P](#) [75-474118-10P](#) [75-474211-03P](#)