



Produkt Informationen



WXMT Set

Bestellnummer : **T0051317899**

Micro desoldering tweezer

Micro desoldering tweezers WXMT 2 x 40 W, 12 V with RTW 2 soldering tiptet and safety rest WDH 60

- For WX stations

- Slim tweezers. Ideal for soldering and desoldering of very small SMD components.

Technical data

Voltage (heater):	12 V
Heating output:	80 W (2 x 40 W)
Heat-up time:	approx. 3 s 50°C - 350°C (120°F - 660°F)
Temperature range:	100°C - 450°C (212°F - 850°F)
Tip type :	RTW series
Connectable to:	Weller WX Stations

Note: The WXMT desoldering tweezers may only be operated with WX supply units.

Active Tip Heating Technology

- Quick tip exchange without any tools
- Extremely short heating time 100°/sec.
- Energy saving by standby function
- Optimal reaction time

Optimum for soldering applications

Optimal tool where heating element and sensor are integrated in the soldering tip . By lowering the soldering joint temperature a faster reaction time is possible.

With this tool the performance is exactly at the solder joint.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [weller](#) manufacturer:

Other Similar products are found below :

[SAS3210TRB](#) [0052918099](#) [0058736839](#) [5BSA](#) [0051612499](#) [005 32 566 99](#) [0054465399](#) [PTH6](#) [HE35](#) [SP40NKUS](#) [T0051388399](#)
[T0051388799](#) [T0051516199](#) [T0052920699](#) [T0053421699](#) [T0053427699](#) [T0053434699](#) [T0053638699](#) [T0058732869](#) [PPT2](#) [PSI5](#) [HEW60P](#)
[LT4X](#) [CT6E7](#) [D550](#) [D650](#) [WPA2](#) [DS209](#) [DS227](#) [RT6](#) [RTW3MS](#) [EPH101](#) [T0051390699](#) [T0051612199](#) [T0051628899](#) [T0052704299](#)
[T0052920599](#) [T0052922299](#) [T0053422699](#) [T0053429699](#) [T0053657199](#) [T0054480299](#) [T0056104699N](#) [TC208](#) [WTA3](#) [WSTA6](#) [WDH60](#)
[WPT15](#) [T0058764726](#) [51617799](#)