

**Cutting tools  
KT 8**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
www.weidmueller.com



Cutting tools for wires up to 8 mm, 12 mm or 20 mm outer diameter.

The special cutting shape allows for pinch-free cutting of copper and aluminium wires.

**General ordering data**

Order No.	<a href="#">9002650000</a>
Type	KT 8
Version	Cutting tools, Cutting tool for one-hand operation
GTIN (EAN)	4008190020163
Qty.	1 pc(s).

## Cutting tools KT 8

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-2083  
 www.weidmueller.com

## Technical data

### Dimensions

Length	165 mm	Width	65 mm
Weight	180 g		

### Technical data

Version	One-hand mechanical
---------	---------------------

### Data, telephone and control cable

Data / telephone / control cable, max. Ø	8 mm
--	------

### max. Cutting performance - aluminium cable

Single-core aluminium cable, max.(mm <sup>2</sup> )	16 mm <sup>2</sup>	Stranded aluminium cable, max (mm <sup>2</sup> )	16 mm <sup>2</sup>
Stranded aluminium cable, max. (AWG)	6	Stranded aluminium cable, max. diameter	8 mm

### max. Cutting performance - copper cable

Copper cable - flexible, max.	16 mm <sup>2</sup>	Copper cable - flexible, max. (AWG)	6
Copper cable - solid, max.	16 mm <sup>2</sup>	Copper cable - solid, max. (AWG)	6
Copper cable - stranded, max.	16 mm <sup>2</sup>	Copper cable - stranded, max. (AWG)	6
Copper cable, max. diameter	8 mm		

### Classifications

ETIM 2.0	EC000142	ETIM 3.0	EC000142
ETIM 4.0	EC000142	UNSPSC	23-17-16-04
eClass 4.1	21-04-20-02	eClass 5.1	21-04-03-02
eClass 6.0	21-04-90-90		

### Approvals

Approvals	GOSTT402
-----------	----------

### Product information

Note, technical data	Tool closed
Description of article	Cutting tool for up to 8-mm outer diameter
Product description	Cutting tool for pinch-free cutting of conductor; for cutting copper and aluminium cables with a diameter of up to 8 mm  • Not suitable for steel wires, steel-armoured cables, aluminium alloys and hard-drawn copper conductors!

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [weidmuller](#) manufacturer:*

Other Similar products are found below :

[8924550000](#) [56956](#) [0133660000](#) [6720000227](#) [6720005111](#) [68676](#) [69718](#) [EXO24CH](#) [7760056106](#) [7760056348](#) [7940000218](#) [8005181001](#)  
[8008180000](#) [8432240000](#) [8463580000](#) [8545830000](#) [8689870000](#) [8705640000](#) [9001080000](#) [9003720000](#) [9004250000](#) [9004780000](#)  
[9013260000](#) [9014100000](#) [9019040000](#) [9026010000](#) [9028630000](#) [903708](#) [9037350000](#) [9046290000](#) [9129643500](#) [913155](#) [9159530000](#)  
[919656](#) [919764](#) [9202230000](#) [9202850000](#) [9456750000](#) [9457913000](#) [980811](#) [980826](#) [9912800003](#) [9916080000](#) [9916280012](#) [9918380000](#)  
[9919371205](#) [9919371224](#) [9925710000](#) [9927480024](#) [1166660000](#)