

# TERMINALS

TOR (TAPE ON REEL) AVAILABLE

High quality solderless terminals provide solid wire crimps that meld both stranded wire or solid wire with the barrel of the terminal into one strong electrical connection. Terminals are available with or without tin plating used for corrosion resistance. Insulation is available in vinyl and nylon with or without an extra support sleeve (for double crimp). **All terminals are UL and RoHS compliant.**



## RING TERMINALS

Made from 100% electrolytic copper, tin plated for corrosion resistance and available in wire sizes 26 AWG-600MCM, stud sizes #2-3/4".



## SPADE TERMINALS

Made from 100% electrolytic copper, tin plated for corrosion resistance and available in wire sizes 22-10 AWG, stud sizes #2-3/4".

## 26-22 AWG Ring Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
2	26222	-	-	FND26222	-	-	-	-
4	26223	-	-	FND26223.7	-	-	-	-
6	2622M3	-	-	FND2622M3	-	-	-	-
8	26224	-	-	FND26224	-	-	-	-

## 22-16 AWG Ring Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
2	2216S2	FVL2216S2	-	-	-	-	-	-
4	2216S3	FVL2216S3R2	FVD2216S3	FND2216S3	-	-	-	-
6	2216M3	FVL2216M3R2	FVD2216M3	FND2216M3	-	2216M3NPT	WS2216M3HT	AHS3
8	22164	FVL22164R2	FVD22164	FND22164	-	22164NPT	WS22164HT	AHS4
10	22165	FVL22165R2	FVD22165	FND22165	-	22165NPT	WS22165HT	AHS5
1/4"	22166	FVL22166R2	FVD22166	FND22166	-	-	WS22166HT	AHS6
5/16"	22168	FVL22168R2	FVD22168	FND22168	-	-	-	AHS8
3/8"	22169	FVL22169R2	FVD22169	FND22169	-	-	-	AHS9
1/2"	221613	FVL221613	FVD221613	FND221613	-	-	-	-

## 16-14 AWG Ring Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
4	16143	FVL16143R2	FVD16143	FND16143	-	-	-	-
6	1614M3	FVL1614M3R2	FVD1614M3	FND1614M3	-	1614M3NPT	WS1614M3HT	BHS3
8	16144	FVL16144R2	FVD16144	FND16144	-	16144NPT	WS16144HT	BHS4
10	16145	FVL16145R2	FVD16145	FND16145	-	1614M5NPT	WS16145HT	BHS5
1/4"	16146	FVL16146R2	FVD16146	FND16146	-	-	WS16146HT	BHS6
5/16"	16148	FVL16148R2	FVD16148	FND16148	-	-	-	BHS8
3/8"	16149	FVL16149R2	FVD16149	FND16149	-	-	-	BHS9
1/2"	161413	FVL161413R2	FVD161413	FND161413	-	-	-	-

## 12-10 AWG Ring Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
4	1210S3/J	FVL12103R2/J	FVD12103/J	-	-	-	-	-
6	1210S3	FVL1210S3R2	FVD1210S3	FND1210S3	-	-	-	-
8	12104	FVL12104R2	FVD12104	FND12104	-	12104NPT	WS12104HT	DHS4
10	12105	FVL12105R2	FVD12105	FND12105	-	12105NPT	WS12105HT	DHS5
1/4"	12106	FVL12106R2	FVD12106	FND12106	-	12106NPT	WS12106HT	DHS6
5/16"	12108	FVL12108R2	FVD12108	FND12108	-	-	-	DHS8
3/8"	12109	FVL12109R2	FVD12109	FND12109	-	-	-	DHS9
1/2"	121013	FVL121013	FVD121013	FND121013	-	-	-	-
9/16"	121014	-	-	-	-	-	-	-

## 8 AWG Ring Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
8	8S4R1	-	-	-	FN8S4	-	-	-
10	8S5R1	-	-	-	FN8S5	-	-	-
1/4"	8S6R1	-	-	-	FN8S6	-	-	-
5/16"	88R1	-	-	-	FN88	-	-	-
3/8"	89R1	-	-	-	FN89	-	-	-
1/2"	813R1	-	-	-	FN813	-	-	-

## 6 AWG Ring Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
10	65R1	-	-	-	FN65	-	-	-
1/4"	66R1	-	-	-	FN66	-	-	-
5/16"	68R1	-	-	-	FN68	-	-	-
3/8"	69R1	-	-	-	FN69	-	-	-
1/2"	613R1	-	-	-	FN613	-	-	-

## 4 AWG Ring Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
10	4S5R1	-	-	-	FN4S5	-	-	-
1/4"	46R1	-	-	-	FN46	-	-	-
5/16"	48R1	-	-	-	FN48	-	-	-
3/8"	4S9R1	-	-	-	FN49	-	-	-
1/2"	413R1	-	-	-	FN413	-	-	-

## 2 AWG Ring Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
10	2S5R1	-	-	-	FN2S5	-	-	-
1/4"	2S6R1	-	-	-	FN2S6	-	-	-
5/16"	2S8R1	-	-	-	FN2S8	-	-	-
3/8"	29R1	-	-	-	FN29	-	-	-
7/16"	211R1	-	-	-	-	-	-	-
1/2"	213R1	-	-	-	FN213	-	-	-

## Large Non-Insulated Ring Terminals



Stud Size	WIRE SIZE							
	1/0 AWG	2/0 AWG	3/0 AWG	4/0 AWG	250/300MCM	300/350MCM	400/500MCM	500/600MCM
1/4"	1/06R1	2/06R1	3/06R1	4/06R1	-	-	-	-
5/16"	1/08R1	2/08R1	3/08R1	4/08R1	1508R1	-	-	-
3/8"	1/09R1	2/09R1	3/09R1	4/09R1	1509R1	2009R1	2509R1	3009R1
7/16"	1/011R1	2/011R1	3/011R1	4/011R1	15011R1	20011R1	25011R1	30011R1
1/2"	1/013R1	2/013R1	3/013R1	4/013R1	15013R1	20013R1	25013R1	30013R1
5/8"	1/016R1	2/016R1	3/016R1	4/016R1	15016R1	20016R1	25016R1	30016R1
3/4"	-	-	-	4/019R1	-	20019R1	-	-

## Non-Insulated Flag Terminals



Stud Size	WIRE SIZE										
	22-16	16-14	12-10	8	6	4	2	1/0	2/0	3/0	4/0
8	FG22164	FG16144	FG12104	-	-	-	-	-	-	-	-
10	FG22165	FG16145	FG12105	FG85	FG65	FG45	-	-	-	-	-
1/4"	-	FG16146	FG12106	FG86	FG66	FG46	FG26	FG1/06	-	-	-
5/16"	-	-	-	FG88	FG68	FG48	FG28	FG1/08	FG2/08	FG3/08	FG4/08
3/8"	-	-	-	FG89	FG69	FG49	FG29	FG1/09	FG2/09	FG3/09	FG4/09
1/2"	-	-	-	-	-	-	-	FG1/013	FG2/013	FG3/013	FG4/013

## 26-22 AWG Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
4	26223A	-	-	FND26222A	-	-	-	-
6	26223.7A	-	-	FND26223.7A	-	-	-	-
8	26224A	-	-	FND26224A	-	-	-	-

## 22-16 AWG Spade Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
4	2216M3A	FVL2216M3AR2	FVD2216M3A	FND2216M3A	-	-	-	-
6	2216S3A	FVL2216S3AR2	FVD2216S3A	FND2216S3A	-	-	-	AHS3A
8	2216S4A	FVL2216S4AR2	FVD2216S4A	FND2216S4A	-	-	-	AHS4A
10	2216M5A	FVL2216M5AR2	FVD2216M5A	FND2216M5A	-	-	-	AHS5A
1/4"	22166A	FVL22166AR2	FVD22166A	FND22166A	-	-	-	-

## 16-14 AWG Spade Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	1614S3A	FVL1614S3AR2	FVD1614S3A	FND1614S3A	-	-	-	BHS3A
8	16144A	FVL16144AR2	FVD16144A	FND16144A	-	-	-	BHS4A
10	16145A	FVL16145AR2	FVD16145A	FND16145A	-	-	-	BHS5A
1/4"	16146A	FVL16146AR2	FVD16146A	FND16146A	-	-	-	-

## 12-10 AWG Spade Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	1210S3A	FVL1210S3AR2	FVD1210S3A	FND1210S3A	-	-	-	-
8	12104A	FVL1210S4AR2	FVD1210S4A	FND1210S4A	-	-	-	DHS4A
10	12105A	FVL12105AR2	FVD12105A	FND12105A	-	-	-	DHS5A
1/4"	12106A	FVL12106AR2	FVD12106A	FND12106A	-	-	-	DHS6A

## 22-16 AWG Flanged Spade Terminals

Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	2216S3B	FVL2216S3BR2	FVD2216S3B	FND2216S3B	-	-	-	-
8	2216S4B	FVL2216S4BR2	FVD2216S4B	FND2216S4B	-	-	-	-
10	2216S5B	FVL2216S5BR2	FVD2216S5B	FND2216S5B	-	-	-	-

## 16-14 AWG Flanged Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	1614S3B	FVL1614S3BR2	FVD1614S3B	FND1614S3B	-	-	-	-
8	1614S4B	FVL1614S4BR2	FVD1614S4B	FND1614S4B	-	-	-	-
10	1614S5B	FVL1614S5BR2	FVD1614S5B	FND1614S5B	-	-	-	-

## 12-10 AWG Flanged Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	1210S3B	FVL1210S3BR2	FVD1210S3B	FND1210S3B	-	-	-	-
8	1210S4B	FVLS12104BR2	FVD1210S4B	FND1210S4B	-	-	-	-
10	1210S5B	FVLS12105BR2	FVD1210S5B	FND1210S5B	-	-	-	-

## 22-16 AWG Locking Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	WS22163LST	FVL22163LSR2	FVD22163LST	FND22163LSR2	-	-	-	-
8	WS22164LST	FVL22164LSR2	FVD22164LST	FND22164LSR2	-	-	-	-
10	WS22165LST	FVL22165LSR2	FVD22165LST	FND22165LSR2	-	-	-	-

## 16-14 AWG Locking Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	WS16143LST	FVL16143LSR2	FVD16143LST	FND16143LSR2	-	-	-	-
8	WS16144LST	FVL16144LSR2	FVD16144LST	FND16144LSR2	-	-	-	-
10	WS16145LST	FVL16145LSR2	FVD16145LST	FND16145LSR2	-	-	-	-

## 12-10 AWG Locking Spade Terminals



Stud Size	Non-Insulated	Vinyl	Vinyl with Support Sleeve	Nylon with Support Sleeve	Nylon	High Temp 650°F	High Temp 900°F	Heat Shrink
6	WS12103LST	FVL12103LSR2	FVD12103LST	FND12103LSR2	-	-	-	-
8	WS12104LST	FVL12104LSR2	FVD12104LST	FND12104LSR2	-	-	-	-
10	WS12105LST	FVL12105LSR2	FVD12105LST	FND12105LSR2	-	-	-	-

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [hoffman manufacturer](#):*

Other Similar products are found below :

[F-44LE45B](#) [A-1412CHQR](#) [CSD201610](#) [CSD20168SS](#) [CSD20206](#) [CSD20208SS](#) [CSD24168](#) [CSD36248](#) [PCU7](#) [PDS76R](#) [PRA197TP](#) [PT126](#)  
[A1008CHNFSS](#) [A10106CH](#) [A10106CHFL](#) [A10106PHCW](#) [A1066JFGQRR](#) [A1210CHNF](#) [A1212SC](#) [A1412CHNFSS](#) [A161208LP](#)  
[A161410CH](#) [A16H12ALP](#) [A16P14](#) [A16P16G](#) [A18P16AL](#) [A20H16BLP](#) [A20P16](#) [A24H2408SSLP](#) [Q13138PCE](#) [A404CH](#) [A606CHNF](#)  
[A606NF](#) [A806SC](#) [A845JFGR](#) [A864CHQRFGW](#) [A90P36F1](#) [HJ1412HWPL2LG](#) [HJ1816HWPL2LG](#) [RHJ1210HWPL2LG](#) [AS125SS](#)  
[ASE10X10X4](#) [ASE12X12X4](#) [E1PBG](#) [E2PBG](#) [E3PB](#) [LED24V15](#) [LF230VD](#) [A10106PHC](#) [A10P8SS](#)