

COMMERCIAL &
INDUSTRIAL PRODUCTS



Legrand/Pass & Seymour
P.O. Box 4822
Syracuse, NY 13221-4822
800-776-4035
www.legrand.us/PassandSeymour

©2009 Legrand_BR1188_10/09 EMA/CGXTP



North America Headquarters
60 Woodlawn Street
West Hartford, CT 06110
Phone: 1.877.BY.LEGRAND (295.3472)
Fax: 1.860.232.2062
www.legrand.us

Legrand Canada
570 Applewood Crescent
Vaughan, ON, L4K 4B4
Phone: 905.738.9195
Fax: 905.738.9721
www.legrand.ca

MORE DEVICES, MORE SOLUTIONS,
MORE PRODUCTIVITY.

designed to be better.



For additional technical or application-specific information, call
800-223-4185 or visit our website at www.legrand.us/PassandSeymour.
We're eager to put our expertise to work for you.

A HERITAGE OF INNOVATION AND RELIABILITY.

Legrand/Pass & Seymour has been a consistent source of innovation to help customers like you achieve ever-greater levels of speed, ease, and consistency.

It started in 1890 by introducing the industry's first porcelain insulation. We followed with something even bigger — our invention of the GFCI receptacle — which set new industry standards for safety and performance. More recently, P&S PlugTail™ wiring devices, including our new PlugTail Switches, dramatically reduce the time and labor of installation, giving you greater productivity and a sharper competitive edge. And then there are P&S Titan™ Commercial Dimmers, which come with modular wall plate components to eliminate the cost and delays of custom wall plates.

The one that works for you®

This ability to understand your needs and respond with real answers has never been stronger, now that our heritage of innovation is joined with

Legrand, the global specialist in solutions for electrical installations and information networks in commercial, industrial, and residential markets.



Superior productivity through unsurpassed performance.

Time, costs, labor, deadlines, codes, regulations, safety, and competition — they're facing you on every job. And they keep changing, constantly posing new challenges to productivity and profitability.

Legrand/Pass & Seymour understands. It's our mission to see the need, develop the answer, and engineer the products that will provide you with faster

installation, fewer errors, ergonomic operation, and uncompromising durability to overcome harsh conditions and constant use. So you can maintain the competitive edge that is so critical to success in today's environment.

That's why every product in this brochure is designed to give you the absolute maximum in performance, energy management, and productivity.



PERFORMANCE

Legrand/Pass & Seymour is a leader in safety solutions for the wiring device markets, with products that install easily and perform reliably under harsh conditions and heavy usage.

Portable power solutions for demanding jobsite applications that require temporary power, including high-quality plugs and connectors like Turnlok®, Ground Continuity Monitoring (GCM), Clamp-Lock™, and Straight Blade, all supported by Flexcor® Wire Mesh Grips.

GREEN PRACTICES

Legrand/Pass & Seymour can help you "go green" in all kinds of ways. Our affiliation with the United States Green Building Council is underscored by a complete line of lighting controls that save energy and money and are fully compatible with the "Smart Building" initiative. You can also order devices in bulk packaging to minimize or even eliminate waste on the job site while speeding up productivity. And the ongoing sustainable design of our products means you're using fewer resources to get the job done right.



PRODUCTIVITY


With government stimulus spending driving new development, competition will be intense, especially in the fields of education, government, and healthcare. Which is why having Legrand/Pass & Seymour as your partner has never been more valuable. We offer you the most diverse and comprehensive product family to meet not just the criteria for high-performance building, but for all NAFTA trade requirements for stimulus spending. And they all come with an ease of installation that lets you get more jobs done in less time, for more profitability.

Legrand/Pass & Seymour offers an unparalleled selection of **durable products that help you do the job right** the first time and move on confidently to the next.

Find complete product information at www.legrand.us/PassandSeymour


P&S hospital grade devices meet and exceed

the demanding requirements for healthcare compliance, with ease of installation and replacement, long service life, uncompromising safety, and ultimate value. For every healthcare application, there's a Legrand/Pass & Seymour solution.



SPEC TIP ...
Hospital Grade receptacles meet rigid test requirements for abrupt removal, ground contact overstress, impact resistance, and assembly integrity. They are marked on the face with FSUL.

APPLICATION TIP ...
Illuminated receptacles for emergency circuits to ID receptacles in emergency situations.



P&S PlugTail™ Hospital Grade Receptacles

- Fastest, most error-free installation
- Uncompromising dependability
- Minimal-downtime replacement
- LED illuminated available

PT8300ILRED



P&S PlugTail™ Tamper-Resistant GFCI Combinations

- TR models provide the only single-device solution to meet NEC® requirements for pediatric care areas
- LED makes it easy to spot a tripped connection
- Added safety, ideal for bathrooms

PT2095HGNTLW

CODE TIP ...
Tamper-Resistant solutions meet NEC® section 517.18(C) requirements in pediatric-care areas.




Metal Plates

- Great look in brushed or polished solid brass and stainless steel
- High impact resistance

SB8PB, SS1

SPEC TIP ...
Specify nickel-plated devices for premium corrosion resistance.



P&S PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



Hospital Grade TVSS Duplex Receptacles

- LED indicator light
- Back and side wire
- Audible alarm

8300BLSP

CODE TIP ...
Hospital grade receptacles are required in patient care/critical care areas; NEC® 517.18(b) and 517.19(b).



P&S Titan™ Dimmers

- Custom wall plates with identifiable circuit labels provided

Heavy-Duty Isolated Ground Receptacles

- Ideal for sensitive electronics like monitoring equipment



APPLICATION TIP ...
To speed installation, choose P&S Fed Spec receptacles, switches and GFCIs. They all come with reliable, quick-terminating back-wire clamps.



Extra-Heavy Duty Hospital Grade MRI Receptacles

- Built with no ferrous metals so they are perfect for high-magnetic-field environments such as magnetic-resonance imaging (MRI)
- Extremely durable

8300LAMRI



Hospital Grade Plugs and Connectors

- Easy wiring
- Superior cord retention
- Internal dust shield

PS5269XH6, PS5266XH6



Commercial Wall Box Sensors

- Built-in light level sensing with simple, one-step setup with adjustable sensitivity
- Auto-adjustable time delays
- LED indicates occupancy detection

OSR300SW



Quad Receptacles

- Outward-facing ground terminals make handling up to four plugs easy and convenient
- Split circuit break-off tabs
- Built-in wire stripping gauge

IG420H

Find complete product information at www.legrand.us/PassandSeymour

P&S industrial products deliver the durability and reliability that are so critical for performing in the field and competing in the marketplace. For consistent performance under constant hard use, harsh physical conditions, and stringent Fed Spec requirements, rely on Legrand/Pass & Seymour for a broad range of quality solutions.

APPLICATION TIP . . .

Turnlok® plugs and connectors are required for generator power hookups and portable power solutions.



Flexcor® Wire Mesh Grips

- Strain relief grips
- Support grips
- Pulling grips


CG610



Newly redesigned Turnlok®

- Quick-thread assembly screws and cord-grip screws install 3x faster
- Internal dust seal for corrosive protection
- Impact- and corrosion-resistant nylon

L630C, L630P



Extra-Hard Use Ground Continuity Monitoring (GCM) Plugs & Connectors

- Indication of ground continuity and power status
- LED indicators with 360 degree visibility
- Superior cord retention

PS5266XGCM, PS5269XGCM



OTHER SUGGESTED PRODUCTS




Rubber Watertight Plugs and Connectors

- Rugged performers for washdown equipment



Non-Fusible Safety Switches

- UL listed as "suitable as motor disconnect" to protect in emergency situations



Rotary Fan Speed Controls

- Full-on bypass eliminates heat build-up




Safety Switches & IEC 309 Industrial Products

- Maximum durability for minimum downtime
- Quick, no-guesswork wiring
- Guaranteed interchangeability with IEC products

SPEC TIP . . .

Pin & Sleeve devices are ideal for wind turbines with higher voltage and amp ratings.



Industrial/Extra-Heavy Duty Switches and Receptacles

- Patented, external screw-pressure-plate wiring speeds installation for both
- Locking support provides resistance to face and back body separation

PS20AC1RED, 5362ALA

SPEC TIP . . .

Specify Industrial Grade Switches or Receptacles in harsh, demanding facility environments.



P&S PlugTail™ Extra-Heavy Duty Specification Grade Receptacles

- No exposed terminals
- Impact-resistant polycarbonate housing

PT5362AW

Find complete product information at www.legrand.us/PassandSeymour

Schools need devices that can keep up with the dynamic pace of student life. Legrand/Pass & Seymour is right in step, with Fed Spec devices that are safe, rugged, and easy to replace or to reinstall for moves, adds, and changes.



APPLICATION TIP . . .
P&S Titan Dimmers have adjustable high end output limit control (incandescent), or low end output limit control (low voltage, fluorescent).



APPLICATION TIP . . .
When you need to save space in the box, P&S PlugTail™ Angle Connectors offer a simple, effective solution.



SPEC TIP . . .
Specify glass-reinforced nylon switch back bodies for durability and strongest switch available.

SPEC TIP . . .
P&S PlugTail™ devices meet Fed Spec Performance Standard WC-596 — FSUL clearly marked on receptacle covers.

P&S PlugTail™ Switches

- Switch features large brass terminal blades for easy connection
- Glass-reinforced nylon back body
- One-piece nickel-plated strap

PT20AC1



P&S PlugTail™ Tester

- Enables user to quickly test both the connector and receptacle
- Fast, easy identification of circuit connections
- Easy-to-see indicator lights

PT-Tester



Isolated Ground Receptacles

- Ideal for sensitive electronics
- Complies with NEC® 410-56 and 25074 exception 4

IG5362



P&S Titan™ Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Specify 700, 1100 or 1600 watts for larger load capacity

CD703PW



Panel TVSS Units

- Protect microprocessor equipment sensitive to momentary spikes and surges that occur daily
- Protect load balances from being affected by over-current

2748-TWH, 1224-SL, 1224-SM



Tamper-Resistant Extra Heavy-Duty Straight Blade Receptacles

- Strap tabs lock the face to the body of the device to prevent separation
- Include patented PlugTail™ versions for finger safe, dependable installations every time

TR63W



TVSS Receptacles

- Protect computers and lab equipment
- Exceptional surge protection and convenience
- Wrap-around steel strap

5362BLS

OTHER SUGGESTED PRODUCTS



Portable GFCIs

- Perfect for jobsite construction

Occupancy Sensor

- Save energy by controlling costs in the classroom

Industrial Extra Heavy-Duty Lock Switches

- One key furnished with each switch to best monitor light use

Clock Hanger Receptacle

- Recessed receptacle allows clock to hang flush to the wall

Find complete product information at www.legrand.us/PassandSeymour

When government and other institutions rebuild

or remodel, Legrand/Pass & Seymour is right there with the durable, dependable Fed Spec devices they require. That includes a wide range of lighting controls that save energy, and isolated ground and TVSS receptacles that protect mission-critical equipment.

SPEC TIP . . .

P&S commercial devices are positioned to meet trade agreement requirements.



P&S PlugTail™ GFCI Spec Grade Receptacles

- SafeLock™ Protection
- No exposed terminals
- LED makes it easy to spot a tripped connection

PT2095LA



P&S PlugTail™ Isolated Ground Specification Grade Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362

SPEC TIP . . .

Specify isolated ground receptacles to eliminate EMI interference in computer labs.



P&S PlugTail™ Specification Grade Receptacles

- Unmatched installation speed and consistency
- Installs 3x faster than conventional devices
- No exposed terminals

PT5362W



Ultrasonic Ceiling Mount Sensors

- PIR, Ultrasonic or Dual Technology design
- Versatile control — combine sensors to cover large areas
- Adjustable sensitivity

CSU600W



Tamper-Resistant Duplex Receptacles

- Dual mechanical shutter system
- Corrosion-resistant, plated-steel strap

TR5362



Weather-Resistant Straight Blade Duplex Receptacles

- Weather-resistant products are required by code on new outdoor commercial construction
- Corrosion-resistant, plated-steel strap

WR5362W



DuraShield™ GFCIs

- Weather curtains let plug blades in, keep dust, water and insects out
- Oversized gasket seals wallbox opening
- Exceed UL® corrosion requirements

1595DSWRBK

APPLICATION TIP . . .

For maximum safety, patented SafeLock™ Protection shuts off power to the receptacle if there's a ground fault, if there's a miswire, or if GFCI protection is compromised.

OTHER SUGGESTED PRODUCTS




Stainless Steel Wall Plates

- Spec Grade stainless steel wall plates are ideal for hard-use and corrosive applications



Weatherproof WIU Covers

- Meet NEC® requirements for outdoor power



Security Switches

- Operated by cam lock for maximum security in critical areas

Flexcor® Pulling Grip Kit

- Light-duty, standard length, flexible eye kit contains pulling grips for many applications

Convia-Enabled Pass & Seymour Solutions

- Scene Controller and Dimmer/Switches
- Work with Convia-enabled Wiremold solutions
- Provide building control for energy management

Find complete product information at www.legrand.us/PassandSeymour

The show must go on, and Legrand/Pass & Seymour makes sure it does, with versatile, cost-effective solutions for casinos, sports venues, concerts, fairs and carnivals. In a world of fast set-ups and demanding deadlines, our products perform brilliantly, providing maximum uptime, flexibility, and ease of installation.



Cam-Type Devices

- Uncompromising quality and performance
- Interchangeable with other manufacturers' cam-type devices
- Weatherproof connection

PS40MBBK, PS40FBBK

APPLICATION TIP . . .
Cam-type devices provide fast, easy connections for stage and sound needs.



Clamp-Lock™ Straight Blade Plugs and Connectors

- Color-coded levers enable terminal identification and reduce the chance of wiring errors
- Speedy, patented cam-lever termination provides solid, dependable connections
- Self-centering cord grip helps speed assembly

PS515CCLB, PS515PCLB

OTHER SUGGESTED PRODUCTS

Isolated Ground Receptacles

- Overcurrent protection of all sensitive electronic components

Watertight Plugs and Connectors

- Multiple ring seals between plug and connector ensures protection from water and other contaminants

Dust and Moisture Resistant Receptacles

- Neoprene gasket slit to provide wiping action on plug blades and positive closure when not in use

APPLICATION TIP . . .
P&S PlugTail™ Receptacles and Switches minimize downtime for busy theme parks and casinos.



P&S PlugTail™ Specification Grade Receptacles

- No exposed terminals increases safety in all phases of installation and use
- Tamper-resistant models meet code requirements

PT26352



P&S PlugTail™ Spec Grade Switches

- Shallow design for easier installation
- Illuminated solutions for pilot and lighted applications
- No exposed parts for finger-safe application

PT2621



Industrial Spec Grade Turnlok® Locking Devices

- Tri-drive assembly screws
- Double-wipe power contacts withstand work-site abuse and ensure lasting blade retention
- Easy-grip contour molded into back body prevents hand slippage

PSL515C, PSL515P



Flexcor® Fiber Optic Support Grips

- Reduce stress on fragile cables in vertical or sloping runs
- Nonmagnetic tinned bronze wire
- Available in single eye and locking bale configurations

FF018

Find complete product information at www.legrand.us/PassandSeymour

Office environments demand as much from electrical devices as a tough boss. They have to keep employees productive, happy and safe, withstand constant use, save energy, protect equipment, and create a look of style and professionalism in the bargain. Legrand/Pass & Seymour fills the job description — with a broad range of dependable, top-quality solutions.

APPLICATION TIP . . .
Use P&S 1200 series door frame jamb light switches to automatically turn storage room lights on/off as door opens/closes.


APPLICATION TIP . . .
P&S series 5351 Single Receptacles are used for individual branch 20A circuit locations (example: microwave oven in lunchroom area).



Weatherproof While-In-Use Covers

- Meet NEC® requirements for outdoor power
- Corner hinges enable horizontal or vertical installation
- Flush mounted

WIUFC10W



P&S PlugTail™ Isolated Ground Duplex Receptacles

- No exposed terminals
- Auto-ground clip ensures grounding or provides redundant grounding in pipe and wire applications

PTIG5362



Screwless Wall Plates

- Premium finishes that stand up to constant use
- Two-piece, non-conductive polycarbonate subplate speeds installation
- Available in Decorator, Toggle, and Duplex configurations

SWP26BK, SWP26LA



P&S Titan™ Commercial Dimmers

- Built-in label holder enables instant circuit identification
- Power-failure memory retains presets thru power outages
- Exclusive adjustable limit control in incandescent dimmers saves energy and extends lamp life

CD703PW



Manual Controllers

- For ON-OFF control of motors that drive rooftop HVAC units
- Oversized silver alloy contacts for long life and better heat dissipation

7803

SPEC TIP . . .
Occupancy Sensors and other lighting controls can reduce lighting energy by up to 50%.



Wall Box Sensors

- Compact Decorator design replaces existing wall switch
- Adjustable time delay
- No minimum load requirement

WSP200LA



Ceiling Mount Sensors

- PIR, Ultrasonic or dual technology design available
- Versatile control—combine sensors to cover large areas
- Adjustable sensitivity

CS500W




Specification Grade TVSS Duplex Receptacles

- Audible alarm able to be turned on/off
- LED indicator has a high visibility, wide angle lens


5362BLSP

OTHER SUGGESTED PRODUCTS



Quad Receptacles

- Designed for dense, multiple-outlet applications such as personal computers and peripherals, office equipment and audio/visual applications
- Clean, contemporary design
- Available in Specification Grade, IG Spec Grade, and TVSS Spec Grade



Specification Grade Hallway Light & Single Receptacle

- Sensor automatically turns light on in the dark; 20-year LED life expectancy

Find complete product information at www.legrand.us/PassandSeymour


SPEC TIP . . .
The P&S Dimmer and Vacancy Sensor lines offer a broad range of solutions for meeting California Title 24 and similar energy-saving requirements.



Lodging operators need it all — looks, durability, and user-friendly performance. Legrand/Pass & Seymour has it all, in a broad selection of spec-grade devices that can stand up to the hard knocks and constant use of a hotel environment while adding the sleek appearance that creates a positive guest experience.

APPLICATION TIP . . .

Liability is a major concern for lodging operators. An automatic LED nightlight combined with a GFCI adds safety — and provides a valuable risk management tool.



P&S PlugTail™ Power Pre-Fabricated Wiring Systems

- Pre-mounted steel wall box reduces onsite assembly
- Pre-installed P&S PlugTail™ Connector enables one-click termination
- Push-in Connectors allow instant connection

PSF1185825, PSW15825



Specification Grade Duplex Decorator Receptacles

- Available in tamper-resistant to meet NEC® Code and P&S PlugTail™ models for fast, easy installation
- Strap tabs lock the face to the body of the device to prevent separation

TR26362LA



Decorator Combination Tamper-Resistant Nightlight/GFCI

- Ideal for guest bathrooms
- LED with 20-year life expectancy, no bulbs to change
- SafeLock™ protection

1595NTLTRW

APPLICATION TIP . . .

Order receptacles in bulk packaging to eliminate waste and speed production on the worksite.



Surface Mount Sensors

- Available in wall- or ceiling-mount
- Adjustable sensitivity settings
- Use of power-pack required

HS1001W

SPEC TIP . . .

P&S engineers products with sustainable design procedures to maximize product efficiency and reduce waste.




Decorator Opening Wall Plates

- Up to eight-gang opening
- Available in nylon, thermoset and metal

SWP262W

OTHER SUGGESTED PRODUCTS



Timers

- Seven-button preset time switch with adjustable time delay
- Manual ON/OFF
- Perfect for bathrooms and saunas

Rubber Dust Tight Plugs and Connectors

- Rugged choices perfect for dry outdoor use with landscaping tools and extension cords
- Enclosed terminals protect against contaminants

Weather-Resistant Receptacles

- Required by NEC® in damp and wet locations
- Meet stringent UL requirements

Cat 5 Camera

- Enhanced surveillance and security

Find complete product information at www.legrand.us/PassandSeymour

Multiple dwellings have multiple demands, and our products accommodate them beautifully. The safety of tamper-resistant receptacles, the style to entice occupants, fast-installation to meet deadlines, user-friendly lighting controls that save energy, commercial-grade devices and GFCIs — Legrand/Pass & Seymour has them all.

SPEC TIP . . .
All exterior receptacles in dwelling units must be both weather-resistant and tamper-resistant. Use WR20TR for exterior 20A circuit applications.



Tamper-Resistant Receptacles and GFCIs

- Patented, sliding shutter system
- Meets 2008 NEC® Code requirements

TR5362W, 2095NTLTRW

CODE TIP . . .
406.11 Tamper-Resistant Receptacles in Dwelling Units. In all areas specified in 210.52, all 125-Volt, 15- and 20-Ampere receptacles shall be listed tamper-resistant receptacles.



Panel Mount TVSS

- Protect microprocessor equipment sensitive to momentary spikes that occur daily
- Protect load balances from being affected by over-current
- Available in light-, medium-, and heavy-duty

1224-SL



Cat 5 Cameras

- Ideal for child safety and security
- Monitor multiple locations on any TV

F2299, F2297



Hallway Light/Receptacles

- Enhance safety
- Tamper-resistant models available

TM8HWLWCC



Decorative Finish Screwless Wall Plates

- Two-piece, non-conductive polycarbonate subplate speeds installation
- Premium finishes that stand up to constant use
- Match your decor with Metallic and Wood finishes

SWP26BC, SWP26BN, SWP26WA



Flexcor® Service Drop Grips

- Provide support for utility distribution lines at service entrance
- Ideal for satellite/cable TV and fiber optic broadband applications

FCSD22



P&S Titan™ Series Fan Speed Controls

- Continuously variable speed
- Attractive European styling
- Built-in label holder enables instant circuit identification

CDSC6W



Bulk Package Solutions

- For large products, save time and reduce waste with Bulk Pack Commercial wiring devices

P&S PlugTail™ Split-Circuit Duplex Receptacles

- Use for switched receptacle circuit applications

Clock Hanger Receptacles

- Recessed receptacle allows clock to hang flush to the wall



Find complete product information at www.legrand.us/PassandSeymour

Legrand/Pass & Seymour
solutions for any
 commercial project —
 including **your next job.**



| | HEALTHCARE | INDUSTRIAL | EDUCATION | INSTITUTIONAL | ENTERTAINMENT | RETAIL/OFFICE | LODGING/HOSPITALITY | MULTIPLE DWELLING |
|-----------------------------------|---------------|-----------------|--------------|---------------|----------------|----------------|---------------------|-----------------------|
| PlugTail™ Switches | PT20AC1 | PT20AC1 | PT20AC1 | PT20AC1 | PT2621 | PT20AC1 | PT2621 | PT2621 |
| PlugTail™ Receptacles | PT8300 | PT5362A | PT5362 | PT5362 | PT5362 | PT5362 | PT26352 | PT26352 |
| PlugTail™ GFCIs | PT2095HG | PT2095 | PT2095 | PT2095 | PT2095 | PT2095 | PT2095 | PT2095 |
| Illuminated Receptacles | PT8300ILI | | | | | | | |
| GFCIs | 2095HG | 2095 | 2095 | 2095 | 2095 | 2095 | 2095 | 2095 |
| Durashield™ GFCIs | 2095DSBK | 2095DSBK | 2095DSBK | 2095DSBK | | | | |
| LED/Nightlight Combinations | 2095HGNTL | 2095NTL | | | | PS8HWL | | TM8HWL |
| Tamper-Resistant | | | TR5362 | TR5362 | | | TR20 | TR20 |
| Weather-Resistant | WR5362 | WR5362 | WR5362 | WR5362 | WR5362 | WR5362 | WR5362 | WR5362 |
| Toggle Switches | PS20AC | PS20AC | PS20AC | PS20AC | CSB20AC | CSB20AC | CS20AC | CS20AC |
| Dimmers | Titan™ Series | Titan Series | Titan Series | Titan Series | Titan Series | Titan Series | Titan Series | Titan Series /Harmony |
| Timers | 97115 | | RT12 | RT12 | RT12 | RT12 | 97015 | RT1 |
| Wall Box Sensors | OS300S | | OSR300S | OSR300S | OS300S | WSP200 | WSP200 | WSP200/RWU600B |
| Ceiling-Mount Sensors | CS1200 | | CSD1000 | CSU600 | | CSU1100 | CS1200 | |
| Metal Wallplates | SS8 | SS8 | SS8 | SS8 | SS26 | SS8 | SS26 | SS26 |
| Screwless Wallplates | | | | | SW26/SWP8/SWP1 | SW26/SWP8/SWP1 | SW26/SWP8/SWP1 | SWP26 |
| Isolated Ground | IG8300 | IG5362 | IG5362 | IG5362 | IG5362 | IG5362 | IG5362 | IG5362 |
| TVSS Receptacles | 8300BLSP | 5362BLSP | 5362BLSP | 5362BLSP | 5352BLSP | 5352BLSP | 5352BLSP | 5352BLSP |
| Panel Mount TVSS | Heavy-Duty | Heavy-Duty | Medium-Duty | Heavy-Duty | Heavy-Duty | Medium-Duty | Medium-Duty | Medium-Duty |
| Straight Blade Plugs & Connectors | PS5266XHG | PS5266X | PS5266X | PS5266X | PS5266X | PS5266X | 4867Y | 4867Y |
| Clamp-Lock™ | | | | | PS520PCLB | PS520PCLB | PS520PCLB | PS520PCLB |
| Turnlok® | L620 | L620 | L620 | L620 | L620 | L620 | L620 | L620 |
| GCM | | PS5266XGCM | PS5266XGCM | PS5266XGCM | PS5266XGCM | PS5266XGCM | | |
| Weatherproof | WIUC10CAGV | WIUC10CAGV | WIUC10CAGV | WIUC10CAGV | WIUC10SC | WIUC10SC | WIUC10SC | WIUC10SC |
| Flexcor® | FC075U | CG410 | | BOX40 | FC075U | FF046U | FC075U | FCSD40 |
| IEC 309 Products | | PS430P7W/PS30SS | | | | | | |
| Cam-Type | | PS40MB | | | PS40MB | | | |

For additional information, see the Legrand/Pass & Seymour Catalog. You'll find complete specifications, details on color (including the designations necessary to complete most catalog numbers), international wiring standard facts and much more.

www.legrand.us/PassandSeymour



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [pass & seymour](#) manufacturer:

Other Similar products are found below :

[L1530-P](#) [PSL515C](#) [5278-SS](#) [L1430P](#) [L1420P](#) [L16-30C](#) [L630C](#) [PS5965-Y](#) [PS5366X](#) [WPH26](#) [PS5969-Y](#) [S-2348-DF](#) [L16-30P](#) [L530C](#)
[PS5269X](#) [PS5266X](#) [PS5266XHG](#)