

PRODUCT DATASHEET Rose series

last update 13/6/2013





Ordering number FCX10856_RES-RS

Family Rose FWHM 8 degrees
Type - Efficiency 85 %
LED LUXEON Rebel cd/lm 25.980
Color White Gerber File Available

Diameter 21.6 + 21.6 mm
Height 12.9 mm
Style Square
Optic Material PC
Holder Material PC
Fastening Tape
Status Ready

Ordering number FCX10852_RES-D

Family Rose FWHM 13 degrees
Type - Efficiency 84 %
LED LUXEON Rebel cd/lm 9.660
Color White Gerber File Available

Diameter 21.6 + 21.6 mm

Height 12.9 mm

Style Square

Optic Material PC

Holder Material PC

Fastening Tape

Status Ready

Ordering number FCX10853_RES-SS

Family Rose FWHM 13 degrees
Type - Efficiency 87 %
LED LUXEON Rebel cd/lm 6.190
Color White Gerber File Available

Diameter 21.6 + 21.6 mm

Height 12.9 mm

Style Square

Optic Material PC

Holder Material PC

Fastening Tape

Status Ready

Ordering number FCX10851_RES-M

Family Rose FWHM 30 degrees
Type - Efficiency 83 %
LED LUXEON Rebel cd/lm 3.350
Color White Gerber File Available

 Diameter
 21.6 + 21.6 mm

 Height
 12.9 mm

 Style
 Square

 Optic Material
 PC

 Holder Material
 PC

 Fastening
 Tape

 Status
 Ready

September 30th 2013 18:43 Copyright Ledil Oy - Subject to change without prior notice - Page 1/3




PRODUCT DATASHEET Rose series

last update 13/6/2013







Family Rose Type LED **LUXEON Rebel** Color White Diameter 21.6 + 21.6 mm Height 12.9 mm Style Square PC Optic Material PC Holder Material Tape Fastening Status Ready

FWHM 31 degrees
Efficiency 79 %
cd/lm 2.310
Gerber File Available



Family Rose Type **LED LUXEON Rebel** Color White Diameter 21.6 + 21.6 mm 12.9 mm Height Square Style PC Optic Material PC Holder Material Fastening Tape Status Ready

FWHM 42+13 degrees
Efficiency 80 %
cd/lm 3.960
Gerber File Available

Ordering number FCX11675_RES-WW

Family Rose Type LUXEON Rebel LED Color White Diameter 21.6 + 21.6 mm 12.9 mm Height Style Square Optic Material PC Holder Material PC Fastening Tape Status Ready

FWHM 54 degrees
Efficiency 79 %
cd/lm Gerber File Available

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.



PRODUCT DATASHEET Rose series

last update 13/6/2013



GENERAL INFORMATION


- Product series especially designed & optimized for LUXEON Rebel series of LEDs.
- Special care taken to make light distribution as uniform as possible.
- Lens material optical grade PC with high UV and temperature resistance (120 degrees of Celcius / 248 degrees of Fahrenheit). Allows use of high current and temperature conditions.

Please find more information about used materials from below:


- http://ledil.fi/sites/default/files/Documents/Technical/Material/PC%20Makrolon%202400_2407_2456_2458-UL.pdf
- Optic holder molded by high quality PC material (120 dergees of Celcius / 248 degrees of Fahrenheit).
- Fastening to heat sink with a PU foam adhesive tape of automotive grade. Please find fastening details by clicking link: http://www.ledil.com/datasheets/DataSheet_TAPE.pdf
- NOTE 1: We advise customer to ensure the suitability and sufficiency of the bond in the end product. For example, mechanical stress, vibration and holes on the surface of the circuit boar weaken the strength of the tape.
- NOTE 2: Assembly to the surface must be made straight, so the tape bonds constant and balanced with fastening surface. Slanted assembly might cause unbalanced bond to the surface. All surfaces where tape is applied must be clean, dry and free from grease and dirt.

If cleaning of PCB surfaces is needed, please follow strictly the cleaning instructions of your LED manufacturer - this is important as cleaning shall under no circumstances damage LEDs or other electronics components on the PCB.


Further note that optical components shall not be cleaned with any chemicals - only micro fiber cloth may be used to remove fingerprints or other traces from handling.




Luminaire: Ledil Oy RES-RS_rebel RES-RS_rebel Lamps: 1 x Luxeon Rebel (white)




Luminaire: Ledil Oy RES-DIFF_rebel RES-DIFF_rebel Lamps: 1 x Luxeon Rebel (white)




Luminaire: Ledil Oy RES-SS_rebel RES-SS_rebel Lamps: 1 x LUXEON REBEL (white)







Luminaire: Ledil Oy FA10854_RES-O FA10854_RES-O Lamps: 1 x Luxeon Rebel (white)




Luminaire: Ledil Oy FA11675_RES-WW FA11675_RES-WW Lamps: 1 x Luxeon Rebel (White)




Luminaire: Ledil Oy RES-RS_rebel RES-RS_rebel Lamps: 1 x Luxeon Rebel (white)




Luminaire: Ledil Oy RES-DIFF_rebel RES-DIFF_rebel Lamps: 1 x Luxeon Rebel (white)




Luminaire: Ledil Oy RES-SS_rebel RES-SS_rebel Lamps: 1 x LUXEON REBEL (white)




Luminaire: Ledil Oy FCX10851_RES-M (Luxeon Rebel 81Im @ 250mA) Efficiency=84% Lamps: 1 x Luxeon Rebel 81Im @ 250mA



Luminaire: Ledil Oy FA10854_RES-O FA10854_RES-O Lamps: 1 x Luxeon Rebel (white)



Luminaire: Ledil Oy FA11675_RES-WW FA11675_RES-WW Lamps: 1 x Luxeon Rebel (White)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Lenses category:

Click to view products by Ledil manufacturer:

Other Similar products are found below:

131A-303G 131A-304R 139A-403R 139A-403A 160A-604R 160A-604Y SMB_200_GTP SMQ_250_ATP SMS_172_RTP SQB_400_ATP SSN-LX13049L-CD SSN-LX18754A SSN-LX18754C 2817 CLR_301_YTP CMC_313_ATP 3121 3124 3125 39-30-W03 4344 4623 4745 4747 3111 3114 3115 3121 3122 3124 3125 4327 4743 4745 4752 4757 SSN-LX690L1-C SQL_360_YTP SMQ_250_BTP 3114 3113 CMS444CTP 1125-227-000 4317 4347 4741 4316 4343 4345 4345