

Technical specifications


Alkaline

Powerline

Panasonic Typical Dimensions



LR6AD



IEC Dimensions (mm)			Panasonic Dimensions (mm)
Dimension	Maximum	Minimum	Typical
A	50,5		50,1
B		49,2	49,8
C		7,0	8,7
E	0,5		0,3
F	5,5		5,0
G		1,0	1,6
Ø	14,5	13,5	14,1

Specifications

Name	LR6 / M / AA / AM3 / MIGNON / MN1500 / 15A / 15AC
Made in	Belgium
Type	Alkaline Foil
Nominal Voltage	1,5 Volt
Electrolyte	Potassium Hydroxide
Average weight	23,3 g
Storage temperature range	+10°C ~ + 25°C
Operating temperature range	-20°C ~ + 45°C
Average Impedance	+/- 105 m-Ohm @ 1kHz fresh
Heavy metals	No added mercury (Hg), Cadmium (Cd) or Lead (Pb)
	IEC 60086
Compliant to	non dangerous goods regulation Nordic ecolabeling (white Swan) EC directive 91/157/EC & 98/101/EC
Recommended cut off voltage	0,8V per cell

For more information:


www.panasonic-industrial.com

Panasonic
ideas for life


Typical discharge values

LR6AD


Radio: 4h/d 43 ohm end 0,9 V




Recorder: 1h/d 10 ohm end 0,9 V




Motor: 1h/d 3,9 ohm end 0,8 V




Remote Control: 15s/m 8h/d 24 ohm end 1,0 V



Fotoflash: 10s/m1h/d 1000 mA end 0,9 V




CD/MD: 1h/d 250 mA end 0,9 V



DSC: 10x(2s 1,5W/28s 0,65W)

5min on/55min off, 24h/d end 1,05V



Copyright© Panasonic Battery Sales Europe ("PBSE") 2008 - All rights reserved. The information contained herein is believed to be correct. However no warranty is made, either expressed or implied regarding the accuracy or the results to be obtained from the use of such information. Test results are strictly according to IEC conditions. Capacities of batteries are depending on drain, temperature and cut-off voltage. Data are subject to change. 04/2008.

Promoter: Panasonic Battery Sales Europe N.V., J. Bogaerts, Brusselsesteenweg 502, 1731 Zellik, Belgium

For more information: www.panasonic-industrial.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [panasonic manufacturer:](#)

Other Similar products are found below :

[ECE-A1HKAR47](#) [ELK-EA102FA](#) [ELC-09D151F](#) [EEC-S0HD224H](#) [ELL-5PS3R3N](#) [HC2-H-DC48V-F](#) [HL2-HP-AC120V-F](#) [HL2-H-DC12V-F](#) [HL2-HP-DC12V-F](#) [HL2-HP-DC6V-F](#) [HL2-HP-DC24V-F](#) [HC4-H-DC24V](#) [HL2-HTM-DC24V-F](#) [HL2-HTM-AC24V-F](#) [HC4-H-AC24V](#) [HC4-H-AC120V](#) [EEC-RG0V155H](#) [AZH2031](#) [RP-SDMF64DA1](#) [EEF-UD0K101R](#) [EVM-F6SA00B55](#) [RP-SMLE08DA1](#) [ELC-12D101E](#) [ERA-3YEB272V](#) [EEC-RF0V684](#) [ERA-3YEB153V](#) [ELC-3FN2R2N](#) [ERA-3YEB512V](#) [ERJ-1GEJ564C](#) [ERZ-V20R391](#) [ETQ-P3W3R3WFN](#) [ELL-ATV681M](#) [ELK-EA100FA](#) [EEF-UD0J101R](#) [LC-R121R3P](#) [ERA-3YEB303V](#) [ERZ-V05V680CB](#) [EEF-UE0K101R](#) [ELK-E101FA](#) [EEC-S0HD224V](#) [EVQ-PAC05R](#) [ELK-EA222FA](#) [LT4H-DC24V](#) [LT4HL8-AC24V](#) [LT4HW-AC24V](#) [LT4HWT8-AC240V](#) [LT4HWT-AC240VS](#) [CX-444-P-Z](#) [CY-122A-P](#) [ETQ-P5M470YFM](#)