
Comus Group of Companies

PRODUCT DATA SHEET





Drawings not to scale All dimensions in mm (inches)

SPECIFICATION

Magnet material	Neodymium Iron Boron (NdFeB) Nickel plated	
Distance (mm) at which magnets measure 1000 gauss	0.5	
Surface flux measurement (gauss)	1500	
Grade/Energy density	Grade N30H, max. energy density 30 MGOe	
Operating temperature	120°C max.	

NdFeb is a high energy material with exceptional resistance to de-magnetisation.

MAGNET

PART NUMBER **M1219-1**

Rev. No.	Revision Note	Date	Signature
В	Web Site 2001	1-4-01	RG

As part of the company policy of continued product improvement, specifications may change without notice. Our sales office will be pleased to help you with the latest information on this product range and details of our full design and manufacturing service. All products are supplied to our standard conditions of sale otherwise agreed in writing.

The Comus Group of Companies consist of:
Assemtech Europe Limited
E. Bachem GmbH
Comus International
W. Gunther GmbH
Gunther Belgium
Gunther France
S.I.G.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Hardware & Accessories category:

Click to view products by Comus manufacturer:

Other Similar products are found below:

62105012-000 F03-01 SUS304 BINIL FH-AP1 PH-1-10M PH-1-20M PH-2-30M AC201 R4 R-8580-360 ADI-LC3S E39-L149 PBT420-100R K35-4 SDV-DH3 DC48 SDV-DH7 AC200/220 SDV-FL3 DC48 SDV-FM2 DC24 SDV-FM3 DC48 SDV-FM6 AC100/110 SDV-SH15 A-1923 STA12 AP4-T PH-1-50M R6 R-8580-362 D01051301 3Z4S-ML-PL305 43912557-020 MF-1 D=3.2 BGN-035 05282945-006 E39-L7 EE-1006-8 2M SDV-FL6 AC100/110 SDV-FL7 AC200/220 SDV-FM7 AC200/220 SDV-SH10 8000-5110 ZX-SB11 ZLR12GI12V3 XZCC43FCP40B D01070602 606075 ZCM077GIV5 Y92ES12PVC4A10ML Y92ES12PVC4S5ML ZFV-XMF2 28810-2 ZX-SW11E V3