



Blade High grade chrome-vanadium steel, through hardened.

Handle Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Bit holder Stainless steel with strong magnet. Suitable for DIN 3126, ISO 1173, style D 6.3.

Bits 25 mm Standard bits.

Application The alternative to a screwdriver set.

Order No.	Ф	==	⊕	\ominus ;	₩	•
01626	6,5	25		1,2		
01657		25	PH1			
01658		25	PH2			
01659		25	PH3			
01689		25			PZ2	
01717		25				T15
01718		25				T20
01719		25				T25



38090201

Insulation up to 1000 V AC.



Blade High grade chrome-vanadium steel, through hardened.

Insulation moulded directly onto blade.

Handle Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Bit holder Stainless steel with strong magnet.
Suitable for DIN 3126, ISO 1173, style D 6.3.

Standards Routine test based on IEC 60900:2004.

Bits 25 mm Standard bits.

Application The alternative to a screwdriver set.

Order No.	0	=	⊕	*	⊖≒
01626	6,5	25			1,2
01623	4,5	25			0,6
01657		25	PH1		
01688		25		PZ1	
01658		25	PH2		
01659		25	PH3		
01689		25		PZ2	
01690		25		PZ3	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for wiha manufacturer:

Other Similar products are found below:

56818	00573	01030	75802	21248	26307	27302	27835	28050	28084	28390	28501	28507	26113	26539	26626	26629	26804	28522
28882	32573	32705	32712	32752	32954	34700	36268	36791	38043	43618	44506	54095	31705	31890	32090	32093	32714	32793
36453	37225	39104	41106	44503	45811	46796	09393	66991	74586	74732	27235							