


Duplex Fiber Optic Patch Cords

pro-SIGNAL



Dimensions : Millimetres

Notes:

Insertion Loss : 0.2 dB Typical (1,300 nm) 0.3dB maximum
 Return Loss : > = 55 dB (1,310 nm)

Specification Table

No	Item	Description
1	Cable	Optical Fiber, Single-mode, 9 / 125, Duplex, Ø2 mm, Tight, Yellow, PVC Jacket
2	Connector	ST, Duplex, Single-Mode, Yellow Boots
3	Connector	LC, Duplex, Single-Mode, Blue Housing, White Boots
4	Tubing	Heat Shrink Sleeve, Yellow
5	Tubing	Heat Shrink Sleeve, White
6	Heat Shrink Tube	Colour = Black

Unless otherwise specified dimension tolerances are

Decimals:

.X ±0.05
 .XX ±0.01
 .XXX ±0.005

Angular : ±0.5

Part Number Table

Description	Length	Part Number
Duplex Fiber Optic Patch Cord	1m	SPC23043
Duplex Fiber Optic Patch Cord	2 m	SPC23044
Duplex Fiber Optic Patch Cord	3 m	SPC23045
Duplex Fiber Optic Patch Cord	5 m	SPC23046
Duplex Fiber Optic Patch Cord	10 m	SPC23047
Duplex Fiber Optic Patch Cord	15 m	SPC34303
Duplex Fiber Optic Patch Cord	20 m	SPC34304



Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com
 www.farnell.com
 www.newark.com
 www.cpc.co.uk

pro-SIGNAL

16/01/12 V1.1

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Signal](#) manufacturer.

Other Similar products are found below :

[JR803025M](#) [SPC23168](#) [PSG01325](#) [PSG90957](#) [PSG90815](#) [PSG01569](#) [PS11208](#) [PS11185](#)

[PS11360](#) [PS11060](#) [PSG90809](#) [PSG90813](#) [PSG04068](#) [PSG00282](#) [FV023HLBNY303](#)

[PSG01336](#) [PSG90961](#) [PSG90812](#) [PSG01501](#) [PS11386](#) [PS11160](#) [PS11161](#) [PS11165](#)

[PS11306](#) [PS11095](#)