











RoHS Compliant



XC-235

ExpressCard PCIe 1xRS232

"SERIAL CARDS ENGINEERED TO EXCEED EXPECTATIONS"



Features

- 1 port RS232
- ExpressCard PCIe Implementation
- 256Byte Tx and 256Byte Rx FIFOs
- Up to 921,600 Baud
- DB9 connector -- 9 Pin Male
- Drivers for all popular operating systems
- Sample Programs, Test & Terminal software
- Lifetime Support
- Lifetime Warranty (registration required)

Options



XC-235: ExpressCard PCle 1xRS232

Description

ExpressCard providing one port RS232. Up to 921,600 data transfer rates and the 256 byte deep transmit and 256 byte receive FIFOS, coupled with 1Mbit/s line drivers deliver uncompromising performance on your laptop. Drivers for Windows 32 bit and 64 bit Operating Systems including Windows XP, Server 2003, Vista, Server 2008 and Windows 7.

This high performance range utilising PCIe native drivers. Excellent method of adding extra serial ports to your laptop.

With Brainboxes industry renowned Lifetime Warranty and Lifetime Support!

Software

Microsoft signed drivers (easy installation & robust operation) for:

- Windows 7 32 bit & 64 bit Editions
- Windows Vista 32 bit & 64 bit editions
- Windows XP 32 bit & 64 bit editions

As well as: full product documentation, a thorough troubleshooting guide and terminal software. Detailed sample source code for many popular programming languages. Further OS support on next page.























ORDER

Description

ExpressCard PCIe 1xRS232

Code XC-235



ExpressCard PCIe 1xRS232

XC-235: Full Specification

·		
Port	Ports	1 x RS232
Pin 1 DCD RS232 Pinout (9 Pin Male)	Connector	DB9 connector 9 Pin Male
Pin 1 DCD RS232 Pinout (9 Pin Male) Pin 2 RXD Pin 1 Pin 5 Pin 3 TXD	FIFO size	256 RX FIFO + 256 TX FIFO
Pin 4 DTR Pin 5 GND	Operating Distance	EIA - RS232 Standard
Pin 6 DSR Pin 7 RTS Pin 8 CTS Pin 6 Pin 9	Cable	25 Pin D-sub female
Port Settings	Baud Rate	921,600
921,600 > > > > > > > baud	Data Bits	5,6,7 or 8
	Parity	Odd, Even, None, Mark or Space
	Stop Bits	1 or 2
	Flow Control	
	Tx/Rx Modes	Point to Point
Interface	OS Compatibility	Microsoft Windows 7 32 bit & 64 bit Editions
		Windows Vista 32 bit & 64 bit Editions Windows XP 32 bit & 64 bit Editions
PCI>>>		Willidows At 32 bit & 04 bit Editions
EXPRESS [®]		
	BUS	ExpressCard PCle Implementation
Approvals	Other Approvals	Microsoft Certified Gold Partner WEEE RoHS EMC: CE
CERTIFIED TOR Windows*7 Windows CIRCHING TOR Windows W	Microsoft Approvals	Microsoft Certified Gold Partner
		Windows 7 32 bit & 64 bit Editions Windows Vista 32 bit & 64 bit editions
		Windows XP 32 bit & 64 bit editions Windows XP 32 bit & 64 bit editions
	PCB Layers	4
General	•	
	Power Consumption	380mA @ 3.3V
	Weight	0.03 kg Kg
	Size	100(l) x 35(w) x 10(h) mm mm
Box Content	Packaging	Installation CD including manual, Microsoft signed drivers & utilities
	Card	ExpressCard PCIe 1xRS232
	NA/a waa asta .	25 Pin D-sub female
Product Support	Warranty	Lifetime (online registration required)
	Support	Lifetime Web, Email and Phone Support from fully qualified, friendly staff who work in and alongside the Product Development Team
SETTING SETTING		stan who work in and alongside the Floddet Development learn
A delition with	OEM option	Available for bulk buy OEM
Additional		
	Made In	Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year"
	Customisable	Brainboxes operate a "Perfect Fit Custom Design" policy for volume

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Interface Development Tools category:

Click to view products by Brainboxes manufacturer:

Other Similar products are found below:

CY4607M PEX 8748-CA RDK DP130SSEVM ISO3086TEVM-436 SP338EER1-0A-EB ADM00276 ADP5585CP-EVALZ PEX8724-CA RDK PEX 8732-CA RDK PEX8747-CA RDK AS8650-DB MLX80104 TESTINTERFACE I2C-CPEV/NOPB ISO35TEVM-434 KIT33978EKEVB XR17D158CV-0A-EVB XR17V358/SP339-E4-EB XR17V358/SP339-E8-EB XR18910ILEVB XR22804IL56-0A-EB ZSC31050KIT V3.1 ZSC31150KIT V1.2 SCRUBBER-EVM SI838XISO-KIT 73931-3022 XIO2200AEVM XIB-E XBIB-U-SP TW-DONGLE-USB EVAL-ADM2483EBZ EVAL-ADM2491EEBZ ATUSB-PCB-80146 EVB-USB83340 MAX9921EVKIT MAXREFDES23DB# MAX9291COAXEVKIT# MAX3535EEVKIT+ MAX3100EVKIT MAX13235EEVKIT MAX14970EVKIT# MAX14826EVKIT# 3298 XR21B1424IV64-0A-EVB XR21B1421IL24-0A-EVB XTIB-U XR17D152CM-0A-EVB XR22802IL56-0A-EB 9291COAXEVKIT# XTIB-R SERDESUR-43USBNOPB