

Wrist strap set

Vermason Code	FEC Part No
JA68R	3547735
JA68Y	3547747

Description:

A wristband, a coiled cord and a crocodile clip make up a wrist strap. It is the most used device to ground personnel.

FEC Part No 3547735 wrist band colour is red with a black 2m coiled cord with a 10mm socket one end and a 4mm banana plug at the other.

FEC Part No 3547747 wrist band and cord are both yellow.

Wrist band specification

Resistance to ground (R_G)	$< 10^5 \Omega$
Surface resistance inside	$< 10^4 \Omega$
Surface resistance outside	$< 10^9 \Omega$
Cord connection	10mm male stud
Circumference	adjustable from 120-200mm
Weight	8g

Coiled Cord

Socket end contains a 1 meg \pm 5% resistor rated at ¼ w and able to withstand a DC tension of 500 v for over 2 minutes.

Instructions for use

The wrist strap is designed to prevent electrostatic discharge (ESD) damage to electronic components. A snug fit is necessary to ensure you are soundly connected. Connect the clip end to an earthed object or the chassis of the equipment. You are now at the same electrical potential as the equipment. Only now should you remove the sensitive component from its housing or from its protective packaging. Wash with lukewarm water and mild soap or detergent. Do not use bleach.

Caution

Use for ESD control purposes only. Do not shorten the strap or tamper with it in any other way. Do not use in areas where electric power exceeds 250 Volts. Wear the wrist strap before removing components from their protective packaging.

For more information on ESD go to www.esda.org

Please direct all enquiries to Technical Services & Development
Fax: +44 (0) 1462 670440 or Email: tsnd@vermason.co.uk
Vermason Ltd, Birds Hill, Letchworth, Hertfordshire SG6 1HX, UK
www.vermason.co.uk

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AntiStatic Control Products](#) category:

Click to view products by [Vermason](#) manufacturer:

Other Similar products are found below :

[13505](#) [13870](#) [14404](#) [20-053-0017](#) [2229](#) [2231](#) [3039](#) [37061](#) [39792](#) [42470](#) [XON-ASB4X30](#) [XON-ASB4X6](#) [XON-ASB6X30](#) [09813](#) [09857](#)
[XON-ASB8X10](#) [XON-ASB6X10](#) [19695](#) [09037](#) [68101](#) [68103](#) [73741](#) [13515](#) [13869](#) [13868](#) [13485](#) [13457](#) [13245](#) [13332](#) [13205](#) [13135](#) [91070](#)
[8031](#) [8523](#) [13080](#) [13215](#) [157](#) [ROLL BEIGE 1.0](#) [VERAX1R-300R](#) [17260](#) [66051](#) [12550](#) [19863](#) [09121](#) [73831](#) [13340](#) [13338](#) [04541](#) [19696](#)
[16104](#) [SPI-20686](#)